



An updated checklist of Azorean arthropods (Arthropoda)

Paulo A. V. Borges^{‡,§}, Lucas Lamelas-Lopez[‡], Rui Andrade[‡], Sébastien Lhoumeau[‡], Virgílio Vieira[‡], António Onofre Soares[‡], Isabel Borges[‡], Mário Boieiro[‡], Pedro Cardoso^{¶,‡}, Luís Carlos Fonseca Crespo^{#,¶}, Ole Karsholt[□], Michael Schülke[◀], Artur Raposo Moniz Serrano[»], José Alberto Quartau[»], Volker Assing^{†,^}

‡ cE3c- Centre for Ecology, Evolution and Environmental Changes, Azorean Biodiversity Group, CHANGE – Global Change and Sustainability Institute, Faculty of Agricultural Sciences and Environment, University of the Azores, Rua Capitão João d'Ávila, Pico da Urze, 9700-042, Angra do Heroísmo, Azores, Portugal

§ IUCN SSC Mid-Atlantic Islands Invertebrates Specialist Group, Angra do Heroísmo, Azores, Portugal

| cE3c- Centre for Ecology, Evolution and Environmental Changes, Azorean Biodiversity Group, CHANGE – Global Change and Sustainability Institute, Faculty of Sciences and Technology, University of the Azores, Rua da Mãe de Deus, 13A, 9500-321, Ponta Delgada, Portugal

¶ LIBRe – Laboratory for Integrative Biodiversity Research, Finnish Museum of Natural History Luomus, University of Helsinki, P.O.Box 17 (Pohjoinen Rautatiekatu 13), 00014, Helsinki, Finland

Biodiversity Research Institute UB, Department of Evolutionary Biology, Ecology and Environmental Sciences (Arthropods), Av. Diagonal 645, E-08028, Barcelona, Spain

□ Zoological Museum, Natural History Museum of Denmark, Universitetsparken 15, DK-2100, Copenhagen Ø, Denmark

◀ Blankenfelder Straße 99, D-13127, Berlin, Germany

» cE3c—Centre for Ecology, Evolution and Environmental Changes, CHANGE – Global Change and Sustainability Institute, Departamento de Biologia Animal, Faculdade de Ciências da Universidade de Lisboa, R. Ernesto de Vasconcelos, Ed. C2, Campo Grande, 1749-016, Lisboa, Portugal

^ Gabelsbergerstraße 2, 30163, Hannover, Germany

† Deceased author

Corresponding author: Paulo A. V. Borges (paulo.av.borges@uac.pt)

Academic editor: Rui Elias

Received: 17 Nov 2022 | Accepted: 15 Dec 2022 | Published: 21 Dec 2022

Citation: Borges PAV, Lamelas-Lopez L, Andrade R, Lhoumeau S, Vieira V, Soares AO, Borges I, Boieiro M, Cardoso P, Crespo LCF, Karsholt O, Schülke M, Serrano ARM, Quartau JA, Assing V (2022) An updated checklist of Azorean arthropods (Arthropoda). Biodiversity Data Journal 10: e97682.

<https://doi.org/10.3897/BDJ.10.e97682>

Abstract

Background

The Azores is a remote oceanic archipelago of nine islands which belongs to the Macaronesia biogeographical region hosting a unique biodiversity. The present Azorean landscape is strongly modified by the presence of man and only in small areas, where the soil or climate was too rough, have primitive conditions remained unchanged. Despite the fact that most of the Azorean native habitats are now lost, a large number of endemic species are still present and need urgent conservation. The present checklist of terrestrial and freshwater arthropods of the Azores Archipelago is based on all known published literature. The main goal of this work is to list, as rigorously as possible, all the known terrestrial and freshwater arthropods of the Azores. In this way, we are contributing to solve the 'Linnaean' shortfall, i.e. an incomplete taxonomic description of species-level diversity and the Wallacean Biodiversity Shortfall, the incomplete species distribution knowledge.

New information

The checklist includes new records of arthropods at island and archipelago levels that were published in the last twelve years. Compared to the last checklist of Azorean arthropods (Borges et al. 2010b), a total of 217 taxa (species and subspecies) are added.

Currently, the total number of terrestrial and freshwater arthropod species and subspecies in the Azores is estimated to be 2420 taxa belonging to 14 classes, 53 orders, 440 families, 1556 genera, 2400 species and 149 individual subspecies.

The most diverse orders of Azorean arthropods are: Coleoptera (585 taxa), Diptera (423 taxa), Hemiptera (338 taxa), Hymenoptera (163 taxa), Lepidoptera (159 taxa) and Araneae (133 taxa).

A total of 276 endemic taxa are currently known (232 species and 44 subspecies), belonging to eight classes and 22 orders. São Miguel, Terceira and Pico are the islands with higher number of endemic species and subspecies. In the Azores, the number of native non-endemic taxa is 793 taxa, totalling 1069 indigenous taxa. Compared to the other nearest Macaronesian archipelagos (Madeira and Canaries), the Azorean arthropod fauna is characterised by a lower percentage of endemism (endemics/indigenous: 26% in Azores, 47% in Madeira Archipelago and 42% in Canary Islands) and a high proportion of exotic introduced taxa (39% in Azores, 19% in Madeira Archipelago and 8% in Canary Islands).

Based on recent IUCN Red-listing of Azorean arthropods, a large fraction of the endemic taxa is under high threat.

Keywords

Arthropoda, Azores, diversity patterns, Macaronesia

Introduction

General introduction

In the last years, novel and more effective methodologies to estimate species richness have been developed (Stork 2018). Global estimations about the number of species of terrestrial arthropods are between 7 and 8.7 million, of which approximately 5.5 million are insects (Ødegaard 2008, Mora et al. 2011, Stork 2018), but an investment in studying morphologically cryptic species will generate higher estimates (Li and Wiens 2022). However, currently only 1.0 million are named, suggesting a large gap between the known and the potential extant diversity (Stork 2018, Li and Wiens 2022). Arthropods are amongst the least represented taxa in global biodiversity datasets, extinction risk assessments and conservation projects (Cardoso et al. 2011, Mammola et al. 2020). Information is lacking on arthropod population sizes, temporal trends, distributions and ecological threats, leaving the conservation status of most arthropod species unknown and unassessed within the context of Red Listing—limiting the implementation of conservation actions (Cardoso et al. 2011). Moreover, the taxonomic impediment that includes the lack of taxonomists and the difficulty in progressing with adequate application of integrative taxonomic approaches to most arthropods, precludes the rapid description of all Earth arthropod diversity (Cardoso et al. 2011, Cardoso et al. 2020, Harvey et al. 2020). The scientific knowledge on taxonomic and functional biodiversity, including their change in space and time, is crucial to support decision-making and planning on many sectors of human activities. These include nature conservation, agriculture, forestry, medical and veterinary sciences. It is important to keep our knowledge updated following regular inventorying and monitoring programmes that contribute with novel findings and provide information on changes in species abundance, richness and composition (Borges et al. 2018c). Additionally to the hyper-diverse insects, arthropods also include spiders, mites, other arachnids, crustaceans, centipedes, millipedes, amongst others and they are the most abundant fauna at global level.

Arthropods play key roles in the ecosystems worldwide (Kremen et al. 1993, Scudder 2009), including the provisioning of an array of fundamental ecosystem services (Ameixa et al. 2018). For example, terrestrial crustaceans, mites, millipedes, springtails and some groups of insects, like true flies and beetles, act as decomposers, by consuming plant litter, dung and corpses, with important implications in nutrient recycling and soil fertility (Culliney 2013, Yang and Gratton 2014). Centipedes, spiders, pseudoscorpions, mites and several groups of insects, like ground- and rove-beetles, ants, wasps, amongst others, are important predators in many ecosystems and they, jointly with many other arthropods, are prey of vertebrate species, thus playing a relevant role in the stability of the trophic webs and ecosystem processes (Staudacher et al. 2018). Additionally, bees, wasps, butterflies, beetles and flies are effective pollinators, directly influencing plant reproduction and

indirectly being key to structure ecological communities (Saunders 2017). Finally, it is important to stress that arthropods also provide relevant ecosystem services on human-made ecosystems, as for example, in agroecosystems, through pollination of crops, by enhancing soil fertility and acting as biological control agents. In fact, beetles, ants and spiders are predators of pest insects (Lu et al. 2013, Furlong 2014, Michalko et al. 2019). In addition, granivorous and omnivorous insects, as ground-beetles, can reduce the number of weeds by consuming their seeds (Kulkarni et al. 2017).

Given that arthropods play a key role in all terrestrial ecosystems, they should become a priority for conservation aims. Particularly, the conservation efforts should target insular arthropods communities, since islands host high numbers of endangered endemic species (Kier et al. 2009) that are extremely vulnerable to biotic disturbances, as biological invasions or land-use transformation (Stachowicz and Tilman 2005).

History of the Azorean arthropod inventories

Before the foundation of the Azorean Biodiversity Group in 2006, Vieira and Borges (1993) and Borges and Vieira (1994) have compiled the available publications about entomological studies of the Azores (more than 600 publications), being the pioneer publications about the inventorying of Azorean entomofauna.

This century, the number of publications, including arthropod species descriptions and new records to islands, has increased considerably. These publications targeted several terrestrial arthropod groups, but particularly Coleoptera (Soares et al. 2003, Borges et al. 2004, Borges et al. 2007, Borges et al. 2017a, Lamelas-López et al. 2017, Borges et al. 2019, Stüben and Borges 2019, Soares et al. 2021, Borges et al. 2022a), Araneae (Crespo et al. 2013, Crespo et al. 2014, Malumbres-Olarte et al. 2019, Costa and Borges 2021, Carvalho et al. 2021, Crespo et al. 2021), Isoptera (Austin et al. 2012), Oribatida (Subías 2011), Hymenoptera (Weissmann et al. 2017), Hemiptera (Ben-Dov et al. 2012, Lamelas-López et al. 2021) and Lepidoptera (Borges et al. 2018a). Multi-taxa research include also many publications (e.g. Borges et al. 2018b, Arteaga et al. 2020, Borges et al. 2021, Marcelino et al. 2021, Tsafack et al. 2021, Borges et al. 2022b, Tsafack et al. 2022, Lhoumeau et al. 2022a, Lhoumeau et al. 2022b).

General description

Purpose: Over one decade after the latest Azorean checklist of terrestrial arthropods (Borges et al. 2010b), we aim to provide an update by including a significant amount of novel information on the Azorean arthropods. In this contribution we: a) perform a detailed taxonomic and nomenclature revision; b) add many new species for the list of Azorean arthropods; c) add many new records for each island.

Additional information: The present checklist of terrestrial arthropods of the Azores Archipelago is based on all known published literature (see a list of the published literature until 1992 in Vieira and Borges (1993), Borges and Vieira (1994)) and the last checklist of Azorean biota in Borges et al. (2005) and Borges et al. (2010b). A large number of new

records for the islands are based on recently published articles (e.g. Stüben and Borges (2019), Carvalho et al. (2021), Costa and Borges (2021), Marcelino et al. (2021), Soares et al. (2021), Tsafack et al. (2021), Borges et al. (2021), Borges et al. (2022a), Borges et al. (2022b), Lhoumeau et al. (2022a), Lhoumeau et al. (2022b)) and one currently in evaluation (e.g. Boieiro et al. (2022)).

For taxonomic consistency, we evaluated specific data for: Araneae, expert revision by PC and LC using the R package *arakno* (Cardoso and Pekár 2022) that feeds on the World Spider Catalogue (World Spider Catalog 2022); Coleoptera, Staphylinidae (expert revision by VA and MS; see also Borges et al. (2022a)); Coleoptera, Coccinellidae (expert revision by AOS, see also Soares et al. (2021)), Coleoptera, Curculionidae (Stüben and Borges 2019) and Lepidoptera (expert revision by VV and OK).

For the remaining groups, we compared the nomenclature available in five main taxonomic databases: i) the last Azorean Checklist (Borges et al. 2010b); ii) the project Fauna Europaea (<https://fauna-eu.org/>); iii) the project BIOTA Canarias (<https://www.biodiversidadcanarias.es/>), iv) the GBIF - Global Biodiversity Information Facility database (<https://www.gbif.org/>), when data were available; and v) the project Fauna Iberica (<http://www.fauna-iberica.mncn.csic.es/english/>). In general, we looked for consistency in the nomenclature and when in doubt, we followed the GBIF nomenclature.

We also made a consultation of GBIF for recent additions and discovered several new species added for Azores, mostly from Museum records and iNaturalist. For now, we do not add these records to the current checklist, but provide the data as a Supplement to this manuscript (Suppl. material 1). When these records are confirmed by our team, they will be added in future editions of our Checklist.

In analytical tables, both in main body of the manuscript and in Supplementary Tables, higher taxa are listed phylogenetically, in a sequence inferred to be from the less to the more derived groups, with closely-related taxa placed near to one another. The families, genera and species names are listed in alphabetical sequence. Synonyms include true synonyms, names resulting from misidentifications and typographical errors. Synonyms can be seen in AZORESBIOPORTAL (<https://azoresbiportal.uac.pt/>) associated with each species webpage.

Information on the distribution of species and subspecies at island level in the Azores Archipelago is presented using the following abbreviations: **COR** - Corvo Island; **FLO** - Flores Island; **FAI** - Faial Island; **PIC** - Pico Island; **GRA** - Graciosa Island; **SJG** - São Jorge Island; **TER** - Terceira Island; **SMG** - São Miguel Island; and **SMR** - Santa Maria Island.

When no information concerning island occurrence was available, only archipelago occurrence is given (AZ). In most cases, this corresponds to old records, as well as to references to the Azores, as found in "Fauna Europaea", with no indication to any literature supporting these findings.

Abbreviations of the colonisation status of each species presented in the checklist are as follows:

- **END – Azorean endemics**, i.e. species or subspecies occurring only in the Azores, as a result of either speciation events (neo-endemics) or extinction of the mainland populations (palaeo-endemics);
- **MAC – Macaronesian endemic species**, i.e. species only known from Macaronesia (Azores, Madeira, Salvages, Canaries and Cabo Verde Islands);
- **NAT – native non-endemic species**, i.e. species which arrived by long-distance dispersal in the Azores and which also occur in other archipelagos and/or on continents;
- **M – migrant species**, i.e. butterflies, moths and dragonflies which arrived to the Azores by long-distance dispersal, such as migratory flights, periodically (seasonal migrants) or occasionally (non-seasonal migrants); some of them establish breeding populations (e.g. Monarch butterfly);
- **INTR – introduced species**, i.e. species believed to occur in the archipelago as a result of human activities; some of these species have a worldwide distribution;
- **INDT – indeterminate**, i.e. species for which no information is available to decide on the correct colonisation status.

The native and introduced status of a taxon is only given for the taxa of which there is published information or by taking into consideration the expertise of the taxonomic coordinator.

Project description

Title: The Checklist of Azorean Arthropods

Personnel: Paulo A.V. Borges conceived and coordinated the project.

Many taxonomists contributed with information and shared fieldwork during the last thirty years. The details on these contributions can be seen in the two previous Checklists of Azorean Arthropods (Borges et al. 2005, Borges et al. 2010b).

Study area description: The Azores are an isolated archipelago (38°43'49"N, 27°19'10"W, Fig. 1), situated in the mid-Atlantic Ocean comprising nine volcanic Islands spread over 500 km in a W/NW–E/SE direction (Fig. 2).

Funding: This work was financed by three main projects:

- (2016-2022) - Fundação da Ciência e Tecnologia - FCT-UIDB/00329/2020-2024.
- (2019-2022) - FEDER - AZORESBIOPORTAL –PORBIOTA (ACORES-01-0145-FEDER-000072).
- (2022-2023) - Portal da Biodiversidade dos Açores - PO Azores Project - M1.1.A/INFRAEST CIENT/001/2022.



Figure 1. [doi](#)
The Azores Archipelago location in mid-Atlantic.




Figure 2. [doi](#)
The nine Azorean Islands.

Geographic coverage

Description: Azores Islands: COR - Corvo Island; FLO - Flores Island; FAI - Faial Island; PIC - Pico Island; GRA - Graciosa Island; SJG - São Jorge Island; TER - Terceira Island; SMG - São Miguel Island and SMR - Santa Maria Island.

Coordinates: 36.77409249464195 and 39.9602803542957 Longitude; -31.39892578125 and -24.85107421875 Latitude.

Taxonomic coverage

Description: All terrestrial and freshwater Arthropoda.

Usage licence

Usage licence: Creative Commons Public Domain Waiver (CC-Zero)

Data resources

Data package title: Updated Checklist of Arthropods from Azores (Portugal)

Resource link: <https://www.gbif.org/dataset/2d91cfd8-0a48-4d80-8128-080e52a1e650>

Alternative identifiers: http://ipt.gbif.pt/ipt/resource?r=checklist_arthropoda_azores&v=1.5

Number of data sets: 2

Data set name: Taxon Table

Character set: UTF-8

Download URL: http://ipt.gbif.pt/ipt/resource?r=checklist_arthropoda_azores&v=1.5

Data format: Darwin Core Archive

Data format version: version 1.6

Description: The complete list of species and subspecies with the distribution per island is available in Suppl. material 2. In this supplementary material, there is a code (ABPCODE) associated to each taxon that connects to the [AZORESBIOPORTAL](http://azoresbiportal.uac.pt/). The [AZORESBIOPORTAL](http://azoresbiportal.uac.pt/) (Borges et al. 2010a) is an online database on the Azores biodiversity that is being updated continuously since 2006 with novel information on the taxonomy, ecology and distribution of terrestrial arthropods. The current version of this website (see <https://azoresbiportal.uac.pt/>) now lists about 11,483 species of all types of organisms, most of them (68%) terrestrial.

Taxon Dataset in GBIF: The dataset was published in GBIF - Portugal (Borges et al. 2022c). The published data include all the taxa listed in Suppl. material 2. The dataset submitted to GBIF is structured as a Checklist dataset that has been published as a Darwin Core Archive (DwCA), which is a standardised format for sharing biodiversity data as a set of one or more data tables. The Taxon Table contains 4614 records. This GBIF IPT (Integrated Publishing Toolkit, Version 2.6.2) archives the data and, thus, serves as the data repository. We provide this Darwin Core Archive (DwCA) in Supplementary Material for taxon data (Suppl. material 3).

Column label	Column description
id	Identifier of the record, unique for the dataset.
taxonID	Identifier of the taxon, unique for the dataset.
acceptedNameUsageID	Identifier for the name usage of the currently valid taxon.
parentNameUsageID	Identifier for the name usage of the direct, most proximate higher-rank parent taxon of the most specific element of the scientificName.
taxonRemarks	The ABPCODE that connects each species or subspecies to AZORESBIOPORTAL.
scientificName	Complete scientific name including author and year.
acceptedNameUsage	Complete scientific name including author and year, of the currently valid taxon.
parentNameUsage	Complete scientific name including author and year, of the direct, most proximate higher-rank parent taxon of the most specific element of the scientificName.
kingdom	Kingdom name.
phylum	Phylum name.
class	Class name.
order	Order name.
family	Family name.
genus	Genus name.
specificEpithet	Specific epithet.
infraspecificEpithet	Infraspecific epithet.
taxonRank	Lowest taxonomic rank of the record.
taxonomicStatus	The status of the use of the scientificName as a label for a taxon.
scientificNameAuthorship	Name of the author of the lowest taxon rank included in the record.
modified	The most recent date-time on which the resource was changed.
nomenclaturalCode	The nomenclatural code under which the scientificName is constructed (ICNZ in the current case).
language	The language of the resource.

licence	Legal information giving official permission to do something with the resource.
rightsHolder	Institution owning or managing rights over the resource.
datasetID	Identifier of the dataset.
institutionID	Identifier of the institution.
institutionCode	Name of the institution.
datasetName	Name of the dataset.

Data set name: Distribution Table

Character set: UTF-8

Download URL: http://ipt.gbif.pt/ipt/resource?r=checklist_arthropoda_azores&v=1.5

Data format: Darwin Core Archive

Data format version: version 1.6

Description: The complete list of species and subspecies with the distribution per island is available in Suppl. material 2. In this supplementary material, there is a code (ABPCODE) associated with each taxon that connects to the [AZORESBIOPORTAL](#).

Distribution Dataset in GBIF: The dataset was published in the Global Biodiversity Information Facility platform, GBIF (Borges et al. 2022c). The published data include all the taxa listed in Suppl. material 2. The dataset submitted to GBIF is structured as a Checklist dataset that has been published as a Darwin Core Archive (DwCA), which is a standardised format for sharing biodiversity data as a set of one or more data tables. The Distribution Table contains 8630 records about detailed distribution data. This GBIF IPT (Integrated Publishing Toolkit, Version 2.6.2) archives the data and, thus, serves as the data repository. We provide this Darwin Core Archive (DwCA) in Supplementary Material for distribution data (Suppl. material 4).

Column label	Column description
taxonID	Identifier of the taxon, unique for the dataset.
identificationRemarks	The ABPCODE that connects each species or subspecies to AZORESBIOPORTAL.
locality	Name of the locality.
locationID	Identifier of the location.
establishmentMeans	The process of establishment of the species in the location, using a controlled vocabulary: in the GBIF database, we used the notation: 'endemic', 'native', "Macaronesia", 'introduced', "migrant", "indeterminate".
occurrenceRemarks	Additional information on the occurrence of the species.

Additional information

Checklist of Azorean terrestrial and freshwater arthropods

Analysis and Discussion

Species richness patterns

A total of 2420 taxa of terrestrial and freshwater arthropods are listed for the Azores, belonging to 14 classes and 53 orders (Fig. 3; Suppl. material 5). The most species-rich islands are São Miguel and Terceira, due to their larger sizes and historically more intensive sampling effort. Despite being the second in size, Pico Island comes only as fourth in number of taxa, mostly due to its recent geological age (Borges and Brown 2008). Corvo, Graciosa and São Jorge Islands are the least diverse, probably due to their smaller size and lower sampling frequency. Remarkably, Santa Maria and Faial are relatively biodiverse islands in relation to their sizes (Fig. 3). The diversity patterns in relation to total number of taxa (species + subspecies) are relatively similar across the islands (Fig. 3).




Figure 3. [doi](#)

Number of taxa (species and subspecies) of terrestrial arthropods in the Azores Archipelago (AZ), for the islands of Corvo (COR), Flores (FLO), Faial (FAI), Pico (PIC), Graciosa (GRA), São Jorge (SJG), Terceira (TER), São Miguel (SMG) and Santa Maria (SMR).

In comparison with other Macaronesian archipelagos, Azores has the lowest arthropod diversity, a consequence of the combination of several factors, namely: i) recent geological age (a larger fraction of the terrain has less than 1 My); ii) very homogeneous landscape with low habitat diversity; and iii) geographical isolation (see Triantis et al. (2012)). For example, Madeira and Selvagens Archipelagos host around 3900 arthropod taxa (Borges

et al. 2008), which can be explained by the fact that these islands are nearer to the mainland, their geological history is older and, concerning Madeira Island, its complex topography and habitat diversity are comparatively higher than any Azorean island. Azores has also a high proportion of exotic introduced taxa (39% in Azores, 19% in Madeira Archipelago and 8% in Canary Islands).

The most diverse orders of Azorean terrestrial and freshwater arthropods belong to the Insecta and Arachnida (Fig. 4): Coleoptera (585 taxa), Diptera (422 taxa), Hemiptera (338 taxa), Hymenoptera (162 taxa), Lepidoptera (159 taxa) and Araneae (132 taxa).




Figure 4. [doi](#)

Number of species and subspecies of the most diverse terrestrial arthropods groups.

Endemism patterns

Oceanic islands frequently harbour lower number of species per unit area in comparison with the mainland, but the proportion of endemic taxa is, in general, higher in the former (Whittaker and Fernández-Palacios 2007, Kier et al. 2009). Therefore, oceanic islands are considered hotspots of biodiversity at global level (Kier et al. 2009).

In the case of the Azores, a total of 276 endemic taxa (232 species and 44 subspecies) occur in the Archipelago (Fig. 5; Suppl. material 6), belonging to eight classes and 22 orders. São Miguel, Terceira and Pico are the islands with higher number of endemic species and subspecies. Corvo, Flores and Santa Maria are the islands with lower number of endemic species and subspecies.

Concerning the number and proportion of Single Island Endemics (SIE), i.e. the endemic species restricted to a single island, from a total of 122 SIEs, São Miguel and Santa Maria host the larger proportion in relation to the total endemics per island, which is explained by their older geological ages (Borges and Brown 2008, Triantis et al. 2012).




Figure 5. [doi](#)

Number of endemic species of terrestrial arthropods in the Azores Archipelago (AZ), for the islands of Corvo (COR), Flores (FLO), Faial (FAI), Pico (PIC), Graciosa (GRA), São Jorge (SJG), Terceira (TER), São Miguel (SMG) and Santa Maria (SMR).

In terms of endemic species, Azores Archipelago also harbours lower number of species in comparison with the other Macaronesian archipelagos (276 endemic taxa; Borges et al. 2010b). In contrast, Madeira and Selvagens Archipelagos host around 1000 (Borges et al. 2008) and the Canary Islands around 2900 endemic taxa (Arechavaleta et al. 2009). In the Azores, the number of native non-endemic taxa is 793 taxa, totalling 1069 indigenous taxa. Compared to the other nearest Macaronesian archipelagos (Madeira and Canaries), the Azorean arthropod fauna is characterised by a lower percentage of endemism (endemics/indigenous: 26% in Azores, 47% in Madeira Archipelago and 42% in Canary Islands).

The most diverse orders, in terms of endemic species and subspecies, were Coleoptera (80 taxa), Diptera (48 taxa), Lepidoptera (40 taxa), Sarcoptiformes (27 taxa) and Araneae (26 taxa) (Suppl. material 6). The rate at which the records of new species have occurred over the last few years, translated in the cumulative discovery curve (Fig. 6), highlights the great efforts to study Azorean arthropods since 1850. Since the 40s' decade and particularly from 1980, the discovery rate increased considerably, from 52 endemic species reported in 1930 (18% of the total), to 230 before 2000 (around 82%; Fig. 6). In the last 20 years, several publications described numerous new species, including Coleoptera (Borges et al. 2004, Borges et al. 2007, Borges et al. 2017a) and Araneae (Crespo et al. 2013, Crespo et al. 2014, Crespo et al. 2021). The publications on the inventorying and monitoring of Azorean terrestrial arthropods have been increased since the consolidation of the Azorean Biodiversity Group and the University of the Azores. Therefore, given that the cumulative curve of endemic taxa discovery seems to be reaching the asymptote, this suggests that the inventory of Azorean endemic arthropods is, at least for the most studied taxa, almost complete. However, new infra-sampled or artificial microhabitats (e.g. the role

of artificial water reservoirs to macroinvertebrates, Lamelas-López et al. (2021)) can host new endemic species, as occurred in the case of volcanic caves (e.g. Borges et al. (2004)). Moreover, poorly-studied groups like Acari, Diptera, Micro-Lepidoptera and Hymenoptera need further taxonomic effort and Lobo and Borges (2010) suggest that indeed the inventory of endemic species is far from complete.




Figure 6. [doi](#)

Cumulative discovery curve of the Azores Archipelago endemic arthropod species and subspecies. Bars depict the number of endemic taxa described in each decade and the curve their accumulation over time.

Finally, some arthropod genera contain a high number of endemic taxa (four or more species and subspecies). Coleoptera genera with higher number of endemic taxa include *Tarphius* (12 taxa), *Drouetius* (nine taxa), *Trechus* (nine taxa) and *Calathus* (four taxa) (Borges et al. 2017a, Borges et al. 2019); Diptera includes the genus *Kowarzia* (four taxa); Hemiptera includes the genus *Cixius* (11 taxa); and Lepidoptera include the genera *Hipparchia* (three taxa), *Phlogophora* (four taxa) and *Scoparia* (four taxa) (Borges et al. 2018a).

IUCN Red List Assessments

The International Union for Conservation of Nature (IUCN) Red List provides data to inform on the health of the world's biodiversity. It is a powerful tool to provide information and catalyse action for biodiversity conservation and policy change, critical to protecting natural resources. The IUCN Red List for threatened species identifies the conservation status of species including their extinction risk and simultaneously provides information on the health of local to global biodiversity. The IUCN assessments attribute a Red List category to a species following the application of specific criteria and provide information about its range, population sizes, description of habitat and ecology, main threats and conservation

actions needed. The use of this valuable information may allow the implementation of more precise, efficient and effective conservation actions and drive policy changes, focused to protect the natural resources and biodiversity.

In the Azores, a total of 260 species were assessed during the last decade (see <http://www.maiisg.com>), mainly in the last five years. A summary of the IUCN Red List profiles are available for 54 Coleoptera (Borges et al. 2017b), 15 cave-adapted arthropods (Borges et al. 2019) and 34 Lepidoptera (Borges et al. 2018a) endemic species.

Most of the assessed species are endemic; however, assessments were also performed for five native and three introduced species, although their category is “Least Concern” (Fig. 7). Most of the endemic species are threatened in the Azores probably as a result of the spread of invasive plant species, habitat loss associated with landscape transformation or due to climate change effects (Triantis et al. 2012, Ferreira et al. 2016, Borges et al. 2020). In particular, four endemic species are extinct in Azores and 56, 53 and 22 are critically endangered, endangered or vulnerable, respectively (Fig. 7). Additionally, a total of 36 species are classified as Near Threatened, raising great concern on their future population trends, if specific conservation actions are not implemented in the next few years. Additionally, a considerable number of endemic species were classified as Data Deficient, pinpointing the need to address resources to collect basic data on their abundance, distribution and ecology.

Native forests are the most important habitats for endemic arthropods of the Azores (around 64% of species depend on them: Fig. 8). These forests have high conservation value, being dominated by *Erica azorica*, *Morella faya*, *Picconia azorica*, *Laurus azorica*, *Ilex azorica* and *Juniperus brevifolia*. Pristine native forests harbour unique Coleoptera endemic species, some of them possibly already extinct (Terzopoulou et al. 2015) or under severe threats (Triantis et al. 2010, Ferreira et al. 2016). Other important native habitats include native shrublands, caves and other subterranean habitats and semi-natural grasslands.

Invasive plant species and habitat transformation by exotic tree plantations are some of main threats to native landscapes and endemic species in the archipelago (e.g. Triantis et al. (2010), Borges et al. (2020)). However, it is remarkable that even human-made habitats can also host populations of native and endemic species. For example, a recent study found that lowland patches of exotic forests, close to native forests or included in a matrix of other artificial areas, such as agro-ecosystems, can sustain populations of rare endemic species, playing an important role in the conservation of the Azorean native arthropods (Tsafack et al. 2021).

Temporal patterns in species additions

Borges et al. (2005) created the first checklist of Azorean arthropods, reporting a total of 2187 species, including information of presence at island level and about colonisation status (endemic, introduced or native species). Five years later, an updated checklist was published (Borges et al. 2010b), increasing the number of Azorean terrestrial arthropod

species up to 2203. Currently this number of species and subspecies has increased to 2420. In the Table 1 and Table 2, we present the number of records of total and endemic taxa recorded in the aforementioned publications.




Figure 7. [doi](#)

IUCN Red List Assessments categories for endemic, native and introduced terrestrial arthropod species in the Azores.




Figure 8. [doi](#)

Main habitats occupied by the endemic species, according to IUCN Red List criteria. Bars represent the occupation frequency of a habitat by the endemic species, given that some species occur in several habitats.

Table 1.

Number of recorded total taxa (species and subspecies) in the Azorean checklists of 2005 (Borges et al. 2005), 2010 (Borges et al. 2010b) and the current one.

Taxonomic group			Number of taxa (species and subspecies)		
Subphylum	Class	Order	2005	2010	2022
Chelicerata	Arachnida	Araneae	121	124	133
		Ixodida	11	10	11
		Mesostigmata	24	23	24
		Opiliones	2	3	3
		Pseudoscorpiones	8	10	10
		Sarcoptiformes	113	110	129
		Trombidiformes	17	19	19
		Crustacea	Branchiopoda	Anomopoda	9
		Ctenopoda	1	1	1
		Haplopoda	1	1	1
	Hexanauplia	Calanoida	3	3	3
		Cyclopoida	11	11	11
		Harpacticoida	5	5	5
	Ichthyostraca	Arguloida	1	1	1
	Malacostraca	Amphipoda	14	13	13
		Decapoda	1	1	1
		Isopoda	39	32	32
	Ostracoda	Podocopida	14	14	14
Myriapoda	Chilopoda	Geophilomorpha	6	6	6
		Lithobiomorpha	6	6	6
		Scolopendromorpha	1	1	1
		Scutigermomorpha	1	1	1
	Diplopoda	Chordeumatida	1	1	1
		Julida	12	12	12
		Polydesmida	8	8	8
		Polyxenida	1	1	1

Taxonomic group			Number of taxa (species and subspecies)		
	Pauropoda	Tetramerocerata	1	1	1
	Symphyla	Symphyla	3	3	3
Hexapoda	Collembola	Entombryomorpha	43	45	48
		Neelipleona	3	3	3
		Poduromorpha	26	26	26
		Symphyleona	21	21	24
	Diplura	Diplura	3	3	3
	Protura	Protura	2	2	2
	Insecta	Archaeognatha	4	4	4
		Blattodea	7	6	11
		Coleoptera	528	531	585
		Dermaptera	5	5	5
		Diptera	393	406	428
		Ephemeroptera	1	1	1
		Hemiptera	304	306	338
		Hymenoptera	131	128	163
		Lepidoptera	149	151	159
		Neuroptera	7	7	7
		Odonata	4	4	7
		Orthoptera	14	15	16
		Phasmida	1	2	2
		Psocodea	36	36	55
		Siphonaptera	15	15	15
		Strepsiptera	1	1	1
		Thysanoptera	47	49	49
		Trichoptera	4	3	5
		Zygentoma	3	3	3
TOTAL			2187	2203	2420

Table 2.

Number of recorded endemic taxa (species and subspecies) in the Azorean checklists of 2005 (Borges et al. 2005), 2010 (Borges et al. 2010b) and the current one.

Taxonomic group			Number of endemic taxa (species and subspecies)			
Subphylum	Class	Order	2005	2010	2022	
Chelicerata	Arachnida	Araneae	23	22	26	
		Pseudoscorpiones	3	2	2	
		Sarcoptiformes	27	27	27	
Crustacea	Hexanauplia	Cyclopoida	2	2	2	
		Malacostraca	4	4	4	
		Isopoda	7	2	2	
Myriapoda	Chilopoda	Lithobiomorpha	3	3	3	
		Diplopoda	1	1	1	
		Pauropoda	1	1	1	
Hexapoda	Collembola	Entomobryomorpha	2	2	2	
		Poduromorpha	1	1	1	
		Insecta	Archaeognatha	2	2	2
			Coleoptera	66	72	80
			Diptera	52	48	48
			Hemiptera	18	19	18
			Hymenoptera	11	9	11
			Lepidoptera	38	37	40
			Neuroptera	1	1	1
			Orthoptera	1	1	1
			Psocodea	2	2	2
			Thysanoptera	1	1	1
		Trichoptera	1	1	1	
TOTAL	267	260	276			

Future perspectives

Currently, we are conducting a long-term monitoring of Azorean arthropods in native forests (see Lhoumeau et al. (2022a), Lhoumeau et al. (2022b)) which are contributing with many new records for the Azores Islands, but more importantly, providing information about the

trends in species temporal and spatial turnover (Matthews et al. 2019, Borges et al. 2020). The Azores constitute an ideal model system for a long-term monitoring study because: 1) they possess a unique forest type in Europe, resembling the lost temperate forests of the Tertiary and about 5% of which remain, including some pristine areas of great ecological importance (Triantis et al. 2010); 2) they are one of the most isolated archipelagos in the world, harbouring a significant number of single island endemics.

The preservation of the unique biodiversity of the Azores Archipelago is critical and, with this new list of the Azorean arthropod biodiversity, we hope to provide a stimulating context for the learning about biodiversity and to foster collaboration amongst taxonomists and ecologists interested in island ecosystems. In addition, we believe that this work will contribute to support further research and conservation actions aiming to preserve the diversity of the Azores and hope that it will also help all those needing details on the taxonomy and nomenclature of the Azorean arthropods.

Acknowledgements

This work is dedicated to all those who, in the last decades, were committed in the study of the Azorean biodiversity. We are particularly grateful to all students and colleagues who contributed with information and shared fieldwork during the last thirty years.

We dedicate also this work to Volker Assing, our friend and colleague, an outstanding scientist and a wonderful person. He impressed with his inexhaustible energy, amazing capacity for work, encyclopaedic knowledge and love of life. The best expert on many complex groups of Staphylinidae has left us, our scientific community has been orphaned.

The University of the Azores supported most of the research work of many authors of this manuscript and deserves a special mention as the institution that performs the most relevant research activities in biodiversity in the Azores.

This work was financed by three main projects: FCT-UIDB/00329/2020-2024; FEDER - AZORESBIOPORTAL –PORBIOTA (ACORES-01-0145-FEDER-000072) and Portal da Biodiversidade dos Açores (2022-2023) - PO Azores Project - M1.1.A/INFRAEST CIENT/001/2022.

MB was supported by FCT - DL57/2016/CP1375/CT0001. Open access was funded by the project FCT-UIDB/00329/2020-2024 (Thematic Line 1 – integrated ecological assessment of environmental change on biodiversity).

Author contributions

PAVB: Conceptualisation; Methodology; Research (field and laboratory work); Resources; Taxonomic revision; Data Curation; Darwin Core dataset preparation; Formal analysis and interpretation; Manuscript writing.

LLL: Laboratory work; Manuscript writing; Formal analysis and interpretation.

RA: Laboratory work; Data Curation; Taxonomic revision.

SL: Laboratory work; Data Curation; Darwin Core dataset preparation.

All the remaining authors participated in Taxonomic revision, Data interpretation and manuscript revision.

References

- Ameixa OM, Soares AO, Soares AM, Lillebø AI (2018) Ecosystem services provided by the little things that run the world. In: Bulent S, Grillo O (Eds) Selected studies in biodiversity. IntechOpen Limited [ISBN 978-1-78923-233-2]. <https://doi.org/10.5772/intechopen.74847>
- Arechavaleta M, Rodríguez S, Zurita N, García A (2009) Lista de especies silvestres de Canarias. Hongos, plantas y animales terrestres. Gobierno de Canarias, 577 pp. URL: https://www.researchgate.net/publication/261124878_Listas_de_Especies_Silvestres_de_Canarias_Hongos_Plantas_y_Animales_Terrestres_2009
- Arteaga A, Malumbres-Olarte J, Gabriel R, Ros-Prieto A, Casimiro P, Sanchez A, Albergaria I, Borges PAV (2020) Arthropod diversity in two Historic Gardens in the Azores, Portugal. Biodiversity Data Journal 8: e54749. <https://doi.org/10.3897/bdj.8.e54749>
- Austin J, Szalanski A, Myles T, Borges PAV, Nunes L, Scheffrahn R (2012) First record of *Reticulitermes flavipes* (Isoptera: Rhinotermitidae) from Terceira Island (Azores, Portugal). Florida Entomologist 95 (1): 196-198. <https://doi.org/10.1653/024.095.0131>
- Ben-Dov Y, Soares AO, Borges I (2012) New data on armoured scale insects (Hemiptera, Coccoidea, Diaspididae) from the Azores islands. Arquipélago: Life and Marine Sciences 29: 67-68.
- Boieiro M, Leite A, Rego C, Varga-Szilay Z, Borges PAV (2022) Two alien insect species are new records at the family-level to the Azorean fauna. BiolInvasions Records 12.
- Borges PAV, Vieira V (1994) The entomological bibliography from the Azores. II- The Taxa. Boletim do Museu Municipal do Funchal 46 (251): 5-75. URL: https://azoresbiportal.uac.pt/files/publicacoes_Borges_Vieira.pdf
- Borges PAV, Serrano ARM, Amorim IR (2004) New species of cave-dwelling beetles (Coleoptera: Carabidae: Trechinae) from the Azores. Journal of Natural History 38 (10): 1303-1313. <https://doi.org/10.1080/0022293031000155214>
- Borges PAV, Vieira V, Dinis F, Jarroca S, Aguiar C, Amaral J, Aarvik L, Ashmole P, Ashmole M, Amorim IR, André G, Argente MC, Arraiol A, Cabrera A, Diaz S, Enghoff H, Gaspar C, Mendonça EP, Gisbert HM, Gonçalves P, Lopes DH, Melo C, Mota JA, Oliveira O, Oromí P, Pereira F, Pombo DT, Quartau JA, Ribeiro SP, Rodrigues AC, Santos AM, Serrano AR, Simões AM, Soares AO, Sousa AB, Vieira L, Vitorino A, Wunderlich J (2005) List of arthropods (Arthropoda). In: Borges PAV, Cunha R, Gabriel R, Martins AM, Silva L, Vieira V (Eds) A list of the terrestrial fauna (Mollusca and Arthropoda) and flora (Bryophyta, Pteridophyta and Spermatophyta) from the Azores.

- Direcção Regional de Ambiente and Universidade dos Açores, Horta, Angra do Heroísmo and Ponta Delgada, 163-221 pp. URL: <http://hdl.handle.net/10400.3/1989>
- Borges PAV, Oromí P, Serrano AM, Amorim I, Pereira F (2007) Biodiversity patterns of cavernicolous ground-beetles and their conservation status in the Azores, with the description of a new species: *Trechus isabelae* n. sp. (Coleoptera: Carabidae: Trechinae). *Zootaxa* 1478: 21-31. <https://doi.org/10.11646/zootaxa.1478.1.2>
 - Borges PAV, Brown V (2008) Effect of island geological age on the arthropod species richness of Azorean pastures. *Biological Journal of the Linnean Society* 66 (3): 373-410. <https://doi.org/10.1111/j.1095-8312.1999.tb01897.x>
 - Borges PAV, Abreu C, Aguiar AMF, Carvalho P, Jardim R, Melo I, Oliveira P, Sérgio C, Serrano ARM, Vieira P (Eds) (2008) A list of the terrestrial fungi, flora and fauna of Madeira and Selvagens archipelagos. Direcção Regional do Ambiente da Madeira and Universidade dos Açores, Funchal and Angra do Heroísmo, 440 pp. URL: https://www.researchgate.net/publication/229150407_A_List_of_the_Terrestrial_Fungi_Flora_and_Fauna_of_Madeira_and_Selvagens_archipelagos [ISBN 978-989-95790-0-2]
 - Borges PAV, Gabriel R, Arroz A, Costa A, Cunha R, Silva L, Mendonça E, Martins AM, Reis F, Cardoso P (2010a) The Azorean Biodiversity Portal: An internet database for regional biodiversity outreach. *Systematics and Biodiversity* 8 (4): 423-434. <https://doi.org/10.1080/14772000.2010.514306>
 - Borges PAV, Vieira V, Amorim IR, Bicudo N, Fritzen N, Gaspar C, Heleno R, Hortal J, Lissner J, Logunov D, Machado A, Marcelino J, Meijer SS, Melo C, Mendonça EP, Moniz J, Pereira F, Santos AS, Simões AM, Torrão E, Borges AC, Cunha R, Gabriel R, Gonçalves V, Martins AF, Melo I, Parente M, Raposeiro P, Rodrigues P (2010b) List of arthropods (Arthropoda). In: Borges PAV, Costa A, Cunha R, Gabriel R, Gonçalves V, Martins AF, Melo I, Parente M, Raposeiro P, Rodrigues P, Santos RS, Silva L, Vieira P, Vieira V (Eds) A list of the terrestrial and marine biota from the Azores. *Principia, Cascais*, 432 pp. URL: <http://hdl.handle.net/10400.3/1959>
 - Borges PAV, Amorim IR, Terzopolou S, Rigal F, Emerson B, Serrano AM (2017a) Cryptic diversity in the Azorean beetle genus *Tarphius* Erichson, 1845 (Coleoptera: Zopheridae): An integrative taxonomic approach with description of four new species. *Zootaxa* 4236 (3): 401-449. <https://doi.org/10.11646/zootaxa.4236.3.1>
 - Borges PAV, Lamelas-López L, Amorim IR, Danielczak A, Nunes R, Serrano ARM, Boieiro M, Rego C, Hochkirch A, Vieira V (2017b) Conservation status of the forest beetles (Insecta, Coleoptera) from Azores, Portugal. *Biodiversity Data Journal* 5: e14557. <https://doi.org/10.3897/BDJ.5.e14557>
 - Borges PAV, Pérez Santa-Rita J, Nunes R, Danielczak A, Hochkirch A, Amorim I, Lamelas-López L, Karsholt O, Vieira V (2018a) Species conservation profile of moths (Insecta, Lepidoptera) from Azores, Portugal. *Biodiversity Data Journal* 6: e23311. <https://doi.org/10.3897/bdj.6.e23311>
 - Borges PAV, Gabriel R, Pimentel C, Brito M, Serrano A, Crespo LC, Assing V, Stüben P, Fattorini S, Soares A, Mendonça E, Nogueira E (2018b) Biota from the coastal wetlands of Praia da Vitória (Terceira, Azores, Portugal): Part 1 - Arthropods. *Biodiversity Data Journal* 6: e27194. <https://doi.org/10.3897/bdj.6.e27194>
 - Borges PAV, Cardoso P, Kreft H, Whittaker R, Fattorini S, Emerson B, Gil A, Gillespie R, Matthews T, Santos AC, Steinbauer M, Thébaud C, Ah-Peng C, Amorim I, Aranda SC, Arroz AM, Azevedo J, Boieiro M, Borda-de-Água L, Carvalho JC, Elias R, Fernández-

- Palacios JM, Florencio M, González-Mancebo J, Heaney L, Hortal J, Kueffer C, Lequette B, Martín-Esquivel JL, López H, Lamelas-López L, Marcelino J, Nunes R, Oromí P, Patiño J, Pérez A, Rego C, Ribeiro S, Rigal F, Rodrigues P, Rominger A, Santos-Reis M, Schaefer H, Sérgio C, Serrano AM, Sim-Sim M, Stephenson PJ, Soares A, Strasberg D, Vanderporten A, Vieira V, Gabriel R (2018c) Global Island Monitoring Scheme (GIMS): a proposal for the long-term coordinated survey and monitoring of native island forest biota. *Biodiversity and Conservation* 27 (10): 2567-2586. <https://doi.org/10.1007/s10531-018-1553-7>
- Borges PAV, Lamelas-López L, Amorim I, Danielczak A, Boieiro M, Rego C, Wallon S, Nunes R, Cardoso P, Hochkirch A (2019) Species conservation profiles of cave-dwelling arthropods from Azores, Portugal. *Biodiversity Data Journal* 7: e32530. <https://doi.org/10.3897/bdj.7.e32530>
 - Borges PAV, Rigal F, Ros-Prieto A, Cardoso P (2020) Increase of insular exotic arthropod diversity is a fundamental dimension of the current biodiversity crisis. *Insect Conservation and Diversity* 13 (5): 508-518. <https://doi.org/10.1111/icad.12431>
 - Borges PAV, Nunes R, Lamelas-López L, Pereira E, Costa R, Monjardino P, Lopes D, Soares A, Gil A, Rigal F, Ferrante M, Lövei G (2021) Monitoring arthropods in Azorean agroecosystems: The project AGRO-ECOSERVICES. *Biodiversity Data Journal* 9: e77548. <https://doi.org/10.3897/bdj.9.e77548>
 - Borges PAV, Lamelas-López L, Assing V, Schülke M (2022a) New records, detailed distribution and abundance of rove-beetles (Insecta, Coleoptera, Staphylinidae) collected between 1990 and 2015 in Azores (Portugal) with an updated checklist. *Biodiversity Data Journal* 10: e78896. <https://doi.org/10.3897/bdj.10.e78896>
 - Borges PAV, Lamelas-López L, Stüben P, Ros-Prieto A, Gabriel R, Boieiro M, Tsaack N, Ferreira MT (2022b) SLAM Project - Long term ecological study of the impacts of climate change in the natural forest of Azores: II - A survey of exotic arthropods in disturbed forest habitats. *Biodiversity Data Journal* 10: e81410. <https://doi.org/10.3897/bdj.10.e81410>
 - Borges PAV, Lamelas-Lopez L, Andrade R, Lhoumeau S, Vieira V, Soares AO, Borges I, Boieiro M, Cardoso P, Crespo LC, Karsholt O, Assing V, Schülke M, Serrano ARM, Quartau JA (2022c) Updated checklist of arthropods from Azores (Portugal). v1.. Universidade dos Açores. Dataset/Checklist. <https://www.gbif.org/dataset/2d91cfd8-0a48-4d80-8128-080e52a1e650>. Accessed on: 2022-11-10.
 - Cardoso P, Erwin T, Borges PAV, New T (2011) The seven impediments in invertebrate conservation and how to overcome them. *Biological Conservation* 144 (11): 2647-2655. <https://doi.org/10.1016/j.biocon.2011.07.024>
 - Cardoso P, Barton PS, Birkhofer K, Chichorro F, Deacon C, et al. (2020) Scientists' warning to humanity on insect extinctions. *Biological conservation* 242: 108426. <https://doi.org/10.1016/j.biocon.2020.108426>
 - Cardoso P, Pekár S (2022) arakno - An R package for effective spider nomenclature, distribution and trait data retrieval from online resources. *The Journal of Arachnology* 50 (1). <https://doi.org/10.1636/joa-s-21-024>
 - Carvalho R, Cardoso P, Gil A, Ferreira MT, Ramos C, Lamelas-López L, Pereira F, Malumbres-Olarte J, Ros-Prieto A, Boieiro M, Borges PAV (2021) Standardised inventories of spiders (Arachnida, Araneae) on touristic trails of the native forests of the Azores (Portugal). *Biodiversity Data Journal* 9 <https://doi.org/10.3897/bdj.9.e62886>

- Costa R, Borges PAV (2021) SLAM Project - Long term ecological study of the impacts of climate change in the natural forest of Azores: I - the spiders from native forests of Terceira and Pico Islands (2012-2019). *Biodiversity Data Journal* 9: e69924. <https://doi.org/10.3897/bdj.9.e69924>
- Crespo L, Silva I, Enguídanos A, Cardoso P, Arnedo M (2021) The Atlantic connection: coastal habitat favoured long distance dispersal and colonization of Azores and Madeira by *Dysdera* spiders (Araneae: Dysderidae). *Systematics and Biodiversity* 19 (8): 906-927. <https://doi.org/10.1080/14772000.2021.1946618>
- Crespo LC, Bosmans R, Cardoso P, Borges PAV (2013) On the endemic spider species of the genus *Savigniorhipis* Wunderlich, 1992 (Araneae: Linyphiidae) in the Azores (Portugal), with description of a new species. *Zootaxa* 3745 (3): 330-342. <https://doi.org/10.11646/zootaxa.3745.3.2>
- Crespo LC, Bosmans R, Cardoso P, Borges PAV (2014) On three endemic species of the linyphiid spider genus *Canariphantes* Wunderlich, 1992 (Araneae, Linyphiidae) from the Azores archipelago. *Zootaxa* 3841 (3): 403-417. <https://doi.org/10.11646/zootaxa.3841.3.5>
- Culliney T (2013) Role of arthropods in maintaining soil fertility. *Agriculture* 3 (4): 629-659. <https://doi.org/10.3390/agriculture3040629>
- Ferreira MT, Cardoso P, Borges PAV, Gabriel R, de Azevedo EB, Reis F, Araújo M, Elias RB (2016) Effects of climate change on the distribution of indigenous species in oceanic islands (Azores). *Climatic Change* 138: 603-615. <https://doi.org/10.1007/s10584-016-1754-6>
- Furlong M (2014) Knowing your enemies: Integrating molecular and ecological methods to assess the impact of arthropod predators on crop pests. *Insect Science* 22 (1): 6-19. <https://doi.org/10.1111/1744-7917.12157>
- Harvey JA, Heinen R, Klein A-M, Armbrrecht I, Basset Y, Baxter-Gilbert JH, Bezemer M, Böhm M, Bommarco R, Borges PAV, Cardoso P, Clausnitzer V, Cornelisse T, Crone EE, Goulson D, Dicke M, Dijkstra K-DB, Dyer L, Ellers J, Fartmann T, Forister ML, Furlong MJ, Garcia-Aguayo A, Gerlach J, Gols R, Habel J-C, Haddad NM, Hallmann CA, Henriques S, Herberstein ME, Hochkirch A, Hughes AC, Jepsen S, Jones TH, Kaydan BM, Kleijn D, Latty T, Leather SR, Lewis SM, Lister BC, Losey JE, Lowe EC, Macadam CR, Montoya-Lerma J, Nagano CD, Ogan S, Orr M, Painting CJ, Pham T-H, Potts SG, Rauf A, Roslin TL, Samways MJ, Sanchez-Bayo F, Sar SA, Schultz CB, Soares AO, Thancharoen A, Tschamtker T, Tylianakis JM, Umbers KD, Vet LE, Visser ME, Vujic A, Wagner DL, Devries MF, Westphal C, White TE, Wilkins VL, Williams PH, Wyckhuys KAG, Zhu ZR, Kroon H (2020) International scientists formulate a roadmap for insect conservation and recovery. *Nature Ecology & Evolution* 4 (2): 174-176. <https://doi.org/10.1038/s41559-019-1079-8>
- Kier G, Kreft H, Lee TM, Jetz W, Ibsch P, Nowicki C, Mutke J, Barthlott W (2009) A global assessment of endemism and species richness across island and mainland regions. *Proceedings of the National Academy of Sciences* 106 (23): 9322-9327. <https://doi.org/10.1073/pnas.0810306106>
- Kremen C, Colwell RK, Erwin TL, Murphy DD, Noss RF, Sanjayan MA (1993) Terrestrial arthropod assemblages: Their use in conservation planning. *Conservation Biology* 7 (4): 796-808. <https://doi.org/10.1046/j.1523-1739.1993.740796.x>

- Kulkarni S, Dosdall L, Willenborg C (2017) The role of ground beetles (Coleoptera: Carabidae) in weed seed consumption: A review. *Weed Science* 63 (2): 355-376. <https://doi.org/10.1614/ws-d-14-00067.1>
- Lamelas-López L, Raposeiro PM, Borges PAV, Florencio M (2017) Annotated checklist of aquatic beetles (Coleoptera) and true bugs (Heteroptera) in the Azores Islands: New records and corrections of colonization status. *Zootaxa* 4353 (1): 117-132. <https://doi.org/10.11646/zootaxa.4353.1.7>
- Lamelas-López L, Borges PAV, Serrano L, Gonçalves V, Florencio M (2021) Biodiversity patterns of macroinvertebrate assemblages in natural and artificial lentic waters on an oceanic island. *Frontiers in Ecology and Evolution* 8: 605176. <https://doi.org/10.3389/fevo.2020.605176>
- Lhoumeau S, Amorim IR, Boieiro M, Cardoso P, Costa R, Gabriel R, Malumbres-Olarte J, Rigal F, Santos AMS, Borges PAV (2022a) SLAM Project - Long term ecological study of the impacts of climate change in the natural forest of Azores: IV - The spiders of Terceira and Pico Islands (2019-2021) and general diversity patterns after ten years of sampling. *Biodiversity Data Journal* 10: e96442. <https://doi.org/10.3897/BDJ.10.e96442>
- Lhoumeau S, Cardoso P, Boieiro M, Ros-Prieto A, Costa R, Lamelas-Lopez L, Leite A, Amorim IR, Gabriel R, Malumbres-Olarte J, Rigal F, Santos AMC, Tsafack N, Ferreira MT, Borges PAV (2022b) SLAM Project - Long term ecological study of the impacts of climate change in the natural forest of Azores: V - New records of terrestrial arthropods after ten years of SLAM sampling. *Biodiversity Data Journal* 10: e97952. <https://doi.org/10.3897/BDJ.10.e97952>
- Li X, Wiens JJ (2022) Estimating global biodiversity: the role of cryptic insect species. *Systematic Biology*, syac069. <https://doi.org/10.1093/sysbio/syac069>
- Lobo J, Borges PAV (2010) The provisional status of arthropod inventories in the Macaronesian islands. In: Serrano AR, Borges PAV, Boieiro M, Oromí P (Eds) *Terrestrial arthropods of Macaronesia – Biodiversity, Ecology and Evolution*. Sociedade Portuguesa de Entomologia, Lisboa, 33-47 pp. URL: <http://hdl.handle.net/10400.3/1982>
- Lu Z, Zhu P, Gurr G, Zheng X, Read DY, Heong K, Yang Y, Xu H (2013) Mechanisms for flowering plants to benefit arthropod natural enemies of insect pests: Prospects for enhanced use in agriculture. *Insect Science* 21 (1): 1-12. <https://doi.org/10.1111/1744-7917.12000>
- Malumbres-Olarte J, Cardoso P, Crespo LC, Gabriel R, Pereira F, Carvalho R, Rego C, Nunes R, Ferreira M, Amorim I, Rigal F, Borges PAV (2019) Standardised inventories of spiders (Arachnida, Araneae) of Macaronesia I: The native forests of the Azores (Pico and Terceira islands). *Biodiversity Data Journal* 7: e32625. <https://doi.org/10.3897/bdj.7.e32625>
- Mammola S, Riccardi N, Prié V, Correia R, Cardoso P, Lopes-Lima M, Sousa R (2020) Towards a taxonomically unbiased EU Biodiversity Strategy for 2030. *Proceedings of the Royal Society B* 287: 20202166. <https://doi.org/10.1098/rspb.2020.2166>
- Marcelino J, Borges PAV, Borges I, Pereira E, Santos V, Soares A (2021) Standardised arthropod (Arthropoda) inventory across natural and anthropogenic impacted habitats in the Azores archipelago. *Biodiversity Data Journal* 9: e62157. <https://doi.org/10.3897/bdj.9.e62157>
- Matthews TJ, Sadler J, Carvalho R, Nunes R, Borges PAV (2019) Differential temporal beta-diversity patterns of native and non-native arthropod species in a fragmented native forest landscape. *Ecography* 42 (1): 45-54. <https://doi.org/10.1111/ecog.03812>

- Michalko R, Pekár S, Dula M, Entling MH (2019) Global patterns in the biocontrol efficacy of spiders: A meta-analysis. *Global Ecology and Biogeography* 28 (9): 1366-1378. <https://doi.org/10.1111/geb.12927>
- Mora C, Tittensor D, Adl S, Simpson AB, Worm B (2011) How many species are there on Earth and in the ocean? *PLoS Biology* 9 (8): e100112. <https://doi.org/10.1371/journal.pbio.1001127>
- Ødegaard F (2008) How many species of arthropods? Erwin's estimate revised. *Biological Journal of the Linnean Society* 71 (4): 583-597. <https://doi.org/10.1111/j.1095-8312.2000.tb01279.x>
- Saunders M (2017) Insect pollinators collect pollen from wind-pollinated plants: implications for pollination ecology and sustainable agriculture. *Insect Conservation and Diversity* 11 (1): 13-31. <https://doi.org/10.1111/icad.12243>
- Scudder GG (2009) The Importance of Insects. In: Footitt RG, Adler PH (Eds) *Insect Biodiversity*. <https://doi.org/10.1002/9781444308211.ch2>
- Soares A, Borges I, Calado H, Borges PAV (2021) An updated checklist to the biodiversity data of ladybeetles (Coleoptera: Coccinellidae) of the Azores Archipelago (Portugal). *Biodiversity Data Journal* 9: e77464. <https://doi.org/10.3897/bdj.9.e77464>
- Soares AO, Elias R, Resendes R, Figueiredo H (2003) Contribution to the knowledge of the Coccinellidae (Coleoptera) fauna from the Azores islands. *Arquipélago. Life and Marine Sciences* 20A: 47-53.
- Soares AO, Calado HR, Franco JC, Aguiar AF, Andrade M, Zina V, Ameixa OCC, Borges I, Magro A (2021) An annotated checklist of ladybeetle species (Coleoptera, Coccinellidae) of Portugal, including the Azores and Madeira Archipelagos. *ZooKeys* 1053: 107-144. <https://doi.org/10.3897/zookeys.1053.64268>
- Stachowicz JJ, Tilman D (2005) Species invasions and the relationships between species diversity, community saturation, and ecosystem functioning. In: Sax DF, Stachowicz JJ, Gaines SD (Eds) *Species invasions: insights into ecology, evolution, and biogeography*. Sinauer Associates, 41-64 pp. URL: <https://link.springer.com/book/9780878938216>
- Staudacher K, Rennstam Rubbmark O, Birkhofer K, Malsher G, Sint D, Jonsson M, Traugott M (2018) Habitat heterogeneity induces rapid changes in the feeding behaviour of generalist arthropod predators. *Functional Ecology* 32 (3): 809-819. <https://doi.org/10.1111/1365-2435.13028>
- Stork N (2018) How many species of insects and other terrestrial arthropods are there on earth? *Annual Review of Entomology* 63 (1): 31-45. <https://doi.org/10.1146/annurev-ento-020117-043348>
- Stüben PE, Borges PAV (2019) Die Curculionoidea (Coleoptera) von den Inseln der Azoren. *Snudebiller* 20 (279): 1-59. URL: <https://www.curci.de/?beitrag=279>
- Subías L (2011) Listado sistemático, sinonímico y biogeográfico de los ácaros oribátidos (Acariformes, Oribatida) del mundo (1758-2002). *Graellsia* 60: 3-305. <https://doi.org/10.3989/graeellsia.2004.v60.iextra.218>
- Terzopoulou S, Rigal F, Whittaker R, Borges PAV, Triantis K (2015) Drivers of extinction: the case of Azorean beetles. *Biology Letters* 11 (6): 1-4. <https://doi.org/10.1098/rsbl.2015.0273>
- Triantis K, Borges PAV, Ladle R, Hortal J, Cardoso P, Gaspar C, Dinis F, Mendonça E, Silveira LA, Gabriel R, Melo C, Santos AC, Amorim I, Ribeiro S, Serrano AM, Quartau J,

- Whittaker R (2010) Extinction debt on oceanic islands. *Ecography* 33: 285-294. <https://doi.org/10.1111/j.1600-0587.2010.06203.x>
- Triantis K, Hortal J, Amorim I, Cardoso P, Santos AC, Gabriel R, Borges PAV (2012) Resolving the Azorean knot: a response to Carine & Schaefer (2010). *Journal of Biogeography* 39 (6): 1179-1184. <https://doi.org/10.1111/j.1365-2699.2011.02623.x>
 - Tsafack N, Fattorini S, Boieiro M, Rigal F, Ros-Prieto A, Ferreira MT, Borges PAV (2021) The role of small lowland patches of exotic forests as refuges of rare endemic Azorean arthropods. *Diversity* 13 (9): 443. <https://doi.org/10.3390/d13090443>
 - Tsafack N, Gabriel R, Elias R, Boieiro M, Ferreira MT, Borges PAV (2022) Arthropods and other biota associated with the Azorean trees and shrubs: *Laurus azorica* (Seub) Franco (Magnoliophyta, Magnoliopsida, Laurales, Lauraceae). *Biodiversity Data Journal* 10: e80088. <https://doi.org/10.3897/bdj.10.e80088>
 - Vieira V, Borges PAV (1993) The entomological bibliography of the Azores. I- Thematic: General (mainly Biogeography). *Applied entomology, ecology and biospeleology. Boletim do Museu Municipal do Funchal* 45 (245): 5-28. URL: https://azoresbioportal.uac.pt/files/publicacoes_Vieira_Borges_Biblio.pdf
 - Weissmann JA, Picanço A, Borges PAV, Schaefer H (2017) Bees of the Azores: an annotated checklist (Apidae, Hymenoptera). *ZooKeys* 642: 63-95. <https://doi.org/10.3897/zookeys.642.10773>
 - Whittaker RJ, Fernández-Palacios JM (2007) *Island biogeography: ecology, evolution, and conservation*. Oxford University Press
 - World Spider Catalog (2022) *World Spider Catalog*. Version 23.5. Natural History Museum Bern. <https://wsc.nmbe.ch/>. Accessed on: 2022-8-24.
 - Yang LH, Gratton C (2014) Insects as drivers of ecosystem processes. *Current Opinion in Insect Science* 2: 26-32. <https://doi.org/10.1016/j.cois.2014.06.004>

Supplementary materials

Suppl. material 1: List of additional species (by GBIF) pending confirmation [doi](#)

Authors: Paulo A. V. Borges, Sébastien Lhoumeau & Rui Andrade

Data type: Occurrences in GBIF

Brief description: Detailed list of species recorded in GBIF mostly from Natural History Museums and iNaturalist. In addition to the taxonomy details, we include information on type of record (Preserved specimen, Human observation), the name of the recorder person, the link for the GBIF identifier as occurrenceID, the person that identified the species and date, the island of occurrence and the dataset.

[Download file](#) (4.76 kb)

Suppl. material 2: Complete list of Azorean Arthropods [doi](#)

Authors: Paulo A. V. Borges, Lucas Lamelas-Lopez, Rui Andrade, Sébastien Lhoumeau, Virgílio Vieira, António O. Soares, Isabel Borges, Mário Boieiro, Pedro Cardoso, Luís Carlos Crespo, Ole Karsholt, Volker Assing, Michael Schülke, Artur R.M. Serrano & José Alberto Quartau

Data type: Occurrences

Brief description: Information on the distribution of species and subspecies at island level in the Azores Archipelago is presented using the following abbreviations: ABPCODE: Code of the taxon

in AZORESBIOPORTAL; COR - Corvo Island; FLO - Flores Island; FAI - Faial Island; PIC - Pico Island; GRA - Graciosa Island; SJG - São Jorge Island; TER - Terceira Island; SMG - São Miguel Island; and SMR - Santa Maria Island. When no information concerning island occurrence was available, only archipelago occurrence is given (AZ). In most cases, this corresponds to old records, as well as to references to the Azores, as found in “Fauna Europaea”, with no connection to any literature supporting these findings. Abbreviations of the colonisation status of each species presented in the checklist are as follows: END – Azorean endemics, i.e. species or subspecies occurring only in the Azores, as a result of either speciation events (neo-endemics) or extinction of the mainland populations (palaeo-endemics); MAC – Macaronesian endemic species, i.e. species only known from Macaronesia (Azores, Madeira, Canaries and Cabo Verde Islands); NAT – native non-endemic species, i.e. species which arrived by long-distance dispersal in the Azores and which also occur in other archipelagos and/or on continents; M – migrant species, i.e. butterflies, moths and dragonflies which arrived to the Azores by long-distance dispersal, such as migratory flights, periodically (seasonal migrants) or occasionally (non-seasonal migrants); some of them establish breeding populations (e.g. Monarch butterfly); INTR – introduced species, i.e. species believed to occur in the Archipelago as a result of human activities; some of these species have a worldwide distribution; INDT – indeterminate, i.e. species for which no information is available to decide on the correct colonisation status.

[Download file](#) (290.56 kb)

Suppl. material 3: Darwin Core database - Updated Checklist of Azorean Arthropods (Taxon) [doi](#)

Authors: Borges, P.A.V., Lamelas-Lopez, L., Andrade, R., Lhoumeau, S., Vieira, V., Soares, A.O., Borges, I., Boieiro, M., Cardoso, P., Crespo, L.C., Karsholt, O., Assing, V., Schülke, M., Serrano, A.R.M. & Quartau, J.A.

Data type: Taxonomic List

Brief description: GBIF Darwin Core Dataset - Taxon data.

[Download file](#) (2.34 MB)

Suppl. material 4: Darwin Core database - Updated Checklist of Azorean Arthropods (Distribution) [doi](#)

Authors: Borges, P.A.V., Lamelas-Lopez, L., Andrade, R., Lhoumeau, S., Vieira, V., Soares, A.O., Borges, I., Boieiro, M., Cardoso, P., Crespo, L.C., Karsholt, O., Assing, V., Schülke, M., Serrano, A.R.M. & Quartau, J.A.

Data type: Distribution data

Brief description: GBIF Darwin Core Dataset - Distribution data.

[Download file](#) (756.38 kb)

Suppl. material 5: Table of total taxa (species and subspecies) recorded in the updated Azorean arthropods checklist. [doi](#)

Authors: Paulo A.V. Borges, Lucas Lamelas López.

Data type: Occurrences data per island

Brief description: Table compiling the total taxa (species and subspecies) of terrestrial arthropods in the Azores Archipelago (AZ), for the islands of Corvo (COR), Flores (FLO), Faial (FAI), Pico (PIC), Graciosa (GRA), São Jorge (SJG), Terceira (TER), São Miguel (SMG) and Santa Maria (SMR).

[Download file](#) (5.23 kb)

Suppl. material 6: Total of endemic taxa (species and subspecies) recorded in the updated Azorean arthropods checklist. [doi](#)

Authors: Paulo A.V. Borges, Lucas Lamelas-López

Data type: Occurrences data per island

Brief description: Table compiling the endemic taxa (species and subspecies) of terrestrial arthropods in the Azores Archipelago (AZ), for the islands of Corvo (COR), Flores (FLO), Faial (FAI), Pico (PIC), Graciosa (GRA), São Jorge (SJG), Terceira (TER), São Miguel (SMG) and Santa Maria (SMR).

[Download file](#) (2.50 kb)