



# Critical checklist of the Chalcidoidea and Mymarommatoidea (Insecta, Hymenoptera) of Germany

Stefan Vidal<sup>‡</sup>, Jochen Müller<sup>§</sup>, Stefan Schmidt<sup>l</sup>

<sup>‡</sup> University of Göttingen, Göttingen, Germany

<sup>§</sup> Friedrich-Schiller-University Jena, Jena, Germany

<sup>l</sup> SNSB-Zoologische Staatssammlung München, Munich, Germany

Corresponding author: Stefan Schmidt ([schmidt.s@snsb.de](mailto:schmidt.s@snsb.de))

Academic editor: Ralph Peters

Received: 20 Apr 2022 | Accepted: 19 Sep 2022 | Published: 26 Oct 2022

Citation: Vidal S, Müller J, Schmidt S (2022) Critical checklist of the Chalcidoidea and Mymarommatoidea (Insecta, Hymenoptera) of Germany. Biodiversity Data Journal 10: e85582.

<https://doi.org/10.3897/BDJ.10.e85582>

## Abstract

### Background

Since the first checklist of German Chalcidoidea and Mymarommatoidea was published over two decades ago, a revision of the status of these superfamilies in Germany is overdue. The previous list contained chalcidoid species mentioned in published papers up to 2000 and was cross-checked with the data compiled by Noyes in the Universal Chalcidoidea Database. Additional species, determined by the first author, were also included. Since then, revisions of several chalcidoid genera have been published synonymising species or describing new species. The previous checklist also contained several erroneous names and doubtful records that turned out to be incorrect placements or questionable citations and are corrected in the present version.

## New information

The updated critical checklist of German Chalcidoidea includes 1,610 species from 19 families.

## Keywords

parasitoids, chalcidoid wasps, fauna, new records

## Introduction

A revised and critical annotated checklist of the German Chalcidoidea and Mymarommatoidea updates the German checklist of Chalcidoidea published in 2001. The new checklist now includes 1,610 species from 19 families. The compiled list includes papers published since 2001 and several species names have been updated, based on the revisions of various genera published in the meantime.

The previous list included names of species described by Dalla Torre (1898), Förster (1841), Förster (1859), Förster (1860) and Förster (1861), or Ratzeburg (1844a), Ratzeburg (1844b), Ratzeburg (1848) and Ratzeburg (1852), many with a doubtful species status. Many of the species described by Förster are probably only colour variants, as for example, Schnee (2008) stated in his revision of the subfamily Anomaloninae (Hymenoptera: Ichneumonidae), based on historic type material from Förster that still exists.

Given the very well-recorded British insect fauna, Noyes calculated the proportion of Chalcidoidea species being about 8% (Noyes 2000). In Germany, around 33,000 insect species are known (Völkl and Blick 2004). Taking the same proportion of Chalcidoidea and Mymarommatoidea, it can be expected that at least 2,600 species of these two superfamilies are present in Germany. Species names follow Noyes (2019), with the database last updated in 2019. Several recent papers dealing with revisions of Eulophidae or Mymaridae (e.g. Hansson and Schmidt 2020, Triapitsyn 2021) have been taken into account.

## Materials and methods

The annotated checklist is based on the three main data sources: 1) The Universal Chalcidoidea Database, hosted by the Natural History Museum London (Noyes 2019), 2) the Fauna Europaea, hosted by the Museum für Naturkunde Berlin (de Jong et al. 2014; accessed December 2020) and 3) the SNSB-Zoologische Staatssammlung München (Schmidt 2021, accessed December 2020). Moreover, the first two authors of this paper have collected and determined several additional species, not yet included in these databases cited above. These specimens are in the private collections of these authors.

References are given for new additions to the checklist, i.e. species that were recorded since the last checklist (Vidal 2001) was published. References for older records are given, if not included in Noyes (2019).

## Data resources

### Checklist of German Chalcidoidea (Insecta, Hymenoptera)

Out of the 24 extant families of Chalcidoidea and Mymarommatoidea worldwide, 19 families are currently recorded from Germany (Table 1). The number of species listed by Mitroiu et al. (2015) exceeds 5,100 species for Europe. The recently-published checklist of British and Irish Chalcidoidea and Mymarommatoidea species comprises 1,754 species (Dale-Skey et al. 2016). Gijswijt compiled the Chalcidoidea species for the Netherlands and listed 1,133 species (Ulenberg 2016). The checklist by Vidal (2001) listed 1,778. Weber et al. (2018) list 1,939 species from Germany, based on the Universal Chalcidoidea Database (Noyes 2019), after removing synonyms, *nomina nuda* and fossil taxa (29 species) and adding four new records for Germany, but including species with doubtful species status.

Table 1.

Number of species of German Chalcidoidea by family in Vidal (2001) and in the present checklist.<sup>1</sup> in Vidal (2001) under Aphelinidae; <sup>2</sup>now placed in Eulophidae; <sup>3</sup>in Vidal (2001) under Torymidae.

Family	Vidal (2001)	Present checklist
Aphelinidae	49	47
Azotidae	n/a	3 <sup>1</sup>
Chalcididae	23	22
Elasmidae	6 <sup>2</sup>	n/a
Encyrtidae	165	193
Eucharitidae	2	1
Eulophidae	443	442
Eupelmidae	32	42
Eurytomidae	111	101
Leucospidae	3	3
Megastigmidae	n/a	12 <sup>3</sup>
Mymaridae	104	88
Mymarommatoidea	1	1
Ormyridae	12	9

Family	Vidal (2001)	Present checklist
Perilampidae	40	19
Pteromalidae	663	497
Signiphoridae	2	2
Tetracampidae	11	9
Torymidae	93	93
Trichogrammatidae	18	26
<b>Total</b>	<b>1,778</b>	<b>1,610</b>

The present critical checklist for Germany lists 1,610 species (Table 1, Table 2). The list excludes species with doubtful status or species that were not correctly cited in Vidal (2001) (see Table 3 below). The previous checklist by Vidal (2001), now corrected for species with doubtful status, comprises 1,328 species. The updated checklist thus adds 288 species as new for the German fauna.

Table 2.

Checklist of German Chalcidoidea and Mymarommatoida. "CL" in the remarks column refers to species in the previous checklist (Vidal 2001).

Family	Species	Remarks	Source of information
<b>Aphelinidae</b>			
	<i>Aphelinus abdominalis</i> (Dalman, 1820)		Höller (1988)
	<i>Aphelinus annulipes</i> (Walker, 1851)		
	<i>Aphelinus argiope</i> Walker, 1839		
	<i>Aphelinus asychis</i> Walker, 1839		
	<i>Aphelinus chaonia</i> Walker, 1839		Anton et al. (2020)
	<i>Aphelinus daucicola</i> Kurdjumov, 1913		
	<i>Aphelinus fusciscapus</i> (Förster, 1841)		
	<i>Aphelinus humilis</i> Mercet, 1927		Anton et al. (2020)

Family	Species	Remarks	Source of information
	<i>Aphelinus longipennis</i> (Förster, 1841)		
	<i>Aphelinus mali</i> (Haldeman, 1851)		
	<i>Aphelinus semiflavus</i> Howard, 1908		
	<i>Aphelinus thomsoni</i> Graham, 1976		
	<i>Aphelinus varipes</i> (Förster, 1841)		Höller (1988)
	<i>Aphytis chilensis</i> Howard, 1900		
	<i>Aphytis chrysomphali</i> (Mercet, 1912)		Hoffmann (2002)
	<i>Aphytis luteus</i> (Ratzeburg, 1852)		
	<i>Aphytis mytilaspidis</i> (LeBaron, 1870)		
	<i>Aphytis proclia</i> (Walker, 1839)		
	<i>Centrodora acridiphagus</i> (Otten, 1941)		
	<i>Centrodora amoena</i> Förster, 1878		
	<i>Centrodora locustarum</i> (Giraud, 1863)		
	<i>Centrodora tibialis</i> (Nees, 1834)		
	<i>Coccobius annulicornis</i> Ratzeburg, 1852	CL01: <i>Coccobius testaceus</i> Masi	
	<i>Coccophagus insidiator</i> (Dalman, 1825)		
	<i>Coccophagus lycimnia</i> (Walker, 1839)		Hoffmann (2002)

Family	Species	Remarks	Source of information
	<i>Coccophagus palaeolecanii</i> Yanosh, 1957		Hoffmann (2002)
	<i>Coccophagus pulchellus</i> (Förster, 1841)	CL01: <i>Coccobius foersteri</i> Dalla Torre	
	<i>Coccophagus scutatus</i> Howard, 1895		
	<i>Coccophagus scutellaris</i> (Dalman, 1825)		
	<i>Coccophagus semicircularis</i> (Förster, 1841)		Hoffmann (2002)
	<i>Diaspiniphagus moeris</i> (Walker, 1839)	CL01: <i>Coccophagoides moeris</i> Walker	
	<i>Encarsia aleurochitonis</i> (Mercet, 1931)	CL01: <i>Encarsia auleurochitonis</i> , misspelling	Baermann, pers. comm.
	<i>Encarsia aurantii</i> (Howard, 1894)		
	<i>Encarsia berleseii</i> (Howard, 1906)		Hoffmann (2002)
	<i>Encarsia citrina</i> (Craw, 1891)		Hoffmann (2002)
	<i>Encarsia fasciata</i> (Malenotti, 1917)		
	<i>Encarsia inaron</i> (Walker, 1839)		
	<i>Encarsia intermedia</i> (Ferrière, 1961)		
	<i>Encarsia lahorensis</i> (Howard, 1911)		
	<i>Encarsia leucaspidis</i> (Mercet, 1932)		Schmidt, pers. comm.
	<i>Encarsia margaritiventris</i> (Mercet, 1931)		Baermann, pers. comm.
	<i>Encarsia perniciosi</i> (Tower, 1913)		

Family	Species	Remarks	Source of information
	<i>Encarsia tricolor</i> Förster, 1879		
	<i>Eretmocerus mundus</i> Mercet, 1931		
	<i>Marietta picta</i> (André, 1878)		
	<i>Pteroptrix bicolor</i> (Howard, 1898)		
	<i>Pteroptrix longiclava</i> (Girault, 1915)		
<b>Azotidae</b>			
	<i>Ablerus atomon</i> (Walker, 1847)		Hoffmann (2002)
	<i>Ablerus celsus</i> (Walker, 1839)		
	<i>Ablerus pinifoliae</i> (Mercet, 1912)		
<b>Chalcididae</b>			
	<i>Belaspida nigra</i> (Siebold, 1856)		
	<i>Brachymeria femorata</i> (Panzer, 1801)		
	<i>Brachymeria minuta</i> (Linnaeus, 1767)		von Heyden (1887)
	<i>Brachymeria moerens</i> (Ruschka, 1922)		
	<i>Brachymeria obtusata</i> (Förster, 1859)	CL01: <i>Brachymeria walkeri</i> Dalla Torre	Schmidt, pers. comm.
	<i>Brachymeria parvula</i> (Walker, 1834)	CL01: <i>Chalcis femorata</i> Nees	
	<i>Brachymeria podagrica</i> (Fabricius, 1787)		
	<i>Brachymeria rugulosa</i> (Förster, 1859)		

Family	Species	Remarks	Source of information
	<i>Brachymeria secundaria</i> (Ruschka, 1922)		
	<i>Brachymeria tibialis</i> (Walker, 1834)		von Heyden (1887)
	<i>Brachymeria vitripennis</i> (Förster, 1859)		
	<i>Chalcis biguttata</i> Spinola, 1808		
	<i>Chalcis myrifex</i> (Sulzer, 1776)		
	<i>Chalcis sispes</i> (Linnaeus, 1761)		Hörren and Enns (2017)
	<i>Conura xanthostigma</i> (Dalman, 1820)		
	<i>Euchalcis magna</i> (Bouček, 1952)	CL01: <i>Hockeria magna</i> Bouček	
	<i>Haltichella rufipes</i> (Olivier, 1791)		von Heyden (1887), Anton et al. (2020)
	<i>Hockeria unicolor</i> Walker, 1834		
	<i>Hybothorax graffii</i> Ratzeburg, 1844	CL01: <i>Hybpthorax graffi</i> , misspelling	
	<i>Neohybothorax hetera</i> (Walker, 1834)		
	<i>Psilochalcis benoisti</i> (Steffan, 1948)		
	<i>Psilochalcis subarmata</i> (Förster, 1859)		
<b>Encyrtidae</b>			
	<i>Acerophagus austriacus</i> (Mercet, 1925)	CL01: <i>Pseudaphycus austriacus</i> Mercet	
	<i>Acerophagus malinus</i> (Gahan, 1946)	CL01: <i>Pseudaphycus malinus</i> Gahan	Hoffmann (2002)
	<i>Adelencyrtus aulacaspidis</i> (Brèthes, 1914)		



Family	Species	Remarks	Source of information
	<i>Adelencyrtus intersectus</i> (Fonscolombe, 1832)	CL01: <i>Epitetracnemus intersectus</i> Fonscolombe	
	<i>Ageniaspis atricollis</i> (Dalman, 1820)		
	<i>Ageniaspis fuscicollis</i> (Dalman, 1820)		
	<i>Ageniaspis testaceipes</i> (Ratzeburg, 1848)	CL01: <i>Holcothorax testaceipes</i> Ratzeburg	
	<i>Aglyptus rufus</i> (Dalman, 1820)		
	<i>Anagyrietta pantherina</i> Ferrière, 1955		
	<i>Anagyrus belibus</i> (Walker, 1837)		
	<i>Anagyrus matritensis</i> (Mercet, 1921)		
	<i>Anagyrus orbitalis</i> (Ruschka, 1923)		
	<i>Anagyrus schmuttereri</i> Ferrière, 1955		
	<i>Anagyrus schoenherri</i> (Westwood, 1838)		Hoffmann (2002)
	<i>Anagyrus securicornis</i> Domenichini, 1953		
	<i>Anomalicornia tenuicornis</i> Mercet, 1921		Hoffmann (2002)
	<i>Anthemus pini</i> Ferrière, 1927		
	<i>Anusia nasicornis</i> Förster, 1860		Hoffmann (2002)
	<i>Aphycoides clavellatus</i> (Dalman, 1820)		Hoffmann (2002)
	<i>Aphycus apicalis</i> (Dalman, 1820)		
	<i>Aphycus hederaceus</i> (Westwood, 1837)		

Family	Species	Remarks	Source of information
	<i>Aphycus sumavicus</i> Hoffer, 1954		
	<i>Baeocharis pascuorum</i> Mayr, 1876		Hoffmann (2002)
	<i>Blastothrix brittanica</i> Girault, 1917		
	<i>Blastothrix erythrosetha</i> (Walker, 1847)		
	<i>Blastothrix hedqvisti</i> Sugonjaev, 1984		
	<i>Blastothrix hungarica</i> Erdős, 1959		Hoffmann (2002)
	<i>Blastothrix ilicicola</i> Mercet, 1921		
	<i>Blastothrix klapaleki</i> Hoffer, 1963		
	<i>Blastothrix longipennis</i> Howard, 1881		Hoffmann (2002)
	<i>Blastothrix matesovae</i> Sugonjaev, 1964		
	<i>Blastothrix nikolskajae</i> Sugonjaev, 1965		
	<i>Blastothrix sericea</i> (Dalman, 1820)		Hoffmann (2002)
	<i>Blastothrix truncatipennis</i> (Ferrière, 1955)		
	<i>Bothriothorax altensteinii</i> Ratzeburg, 1844		
	<i>Bothriothorax clavicornis</i> (Dalman, 1820)		
	<i>Bothriothorax intermedius</i> Claridge, 1964		
	<i>Bothriothorax paradoxus</i> (Dalman, 1820)		
	<i>Bothriothorax serratellus</i> (Dalman, 1820)		

Family	Species	Remarks	Source of information
	<i>Bothriothorax wichmani</i> Ferrière, 1956		
	<i>Boucekiella depressa</i> Hoffer, 1954		
	<i>Cerapterocerus celadus</i> (Walker, 1838)		
	<i>Cerapterocerus mirabilis</i> Westwood, 1833		Hoffmann (2002)
	<i>Cerchysius subplanus</i> (Dalman, 1820)		Hoffmann (2002), Anton et al. (2020)
	<i>Cercobelus jugaeus</i> (Walker, 1837)		
	<i>Charitopus fulviventris</i> Förster, 1860		
	<i>Cheiloneurus claviger</i> Thomson, 1876		Hoffmann (2002)
	<i>Cheiloneurus elegans</i> (Dalman, 1820)		Anton et al. (2020)
	<i>Cheiloneurus glaphyra</i> (Walker, 1837)		
	<i>Cheiloneurus paralia</i> (Walker, 1837)		
	<i>Choreia inepta</i> (Dalman, 1820)		Anton et al. (2020)
	<i>Coelopencyrtus arenarius</i> (Erdős, 1957)		
	<i>Copidosoma agrotis</i> (Fonscolombe, 1832)		
	<i>Copidosoma aithyia</i> (Walker, 1837)		
	<i>Copidosoma albipes</i> (Westwood, 1837)		
	<i>Copidosoma aretas</i> (Walker, 1838)		
	<i>Copidosoma boucheanum</i> Ratzeburg, 1844	CL01: <i>Copidosoma hilare</i> (Ratzeburg)	

Family	Species	Remarks	Source of information
	<i>Copidosoma cervius</i> (Walker, 1846)		
	<i>Copidosoma chalconotum</i> (Dalman, 1820)		
	<i>Copidosoma cuproviride</i> Springate & Noyes, 1990		
	<i>Copidosoma dius</i> (Walker, 1837)		
	<i>Copidosoma filicome</i> (Dalman, 1820)	CL01: <i>Copidosoma geniculatum</i> (Dalman)	
	<i>Copidosoma flagellare</i> (Dalman, 1820)		
	<i>Copidosoma floridanum</i> (Ashmead, 1900)		
	<i>Copidosoma fuscisquama</i> (Thomson, 1876)		
	<i>Copidosoma genale</i> (Thomson, 1876)		
	<i>Copidosoma iracundum</i> Erdős, 1957		
	<i>Copidosoma peticus</i> (Walker, 1846)		
	<i>Copidosoma serricorne</i> (Dalman, 1820)		
	<i>Copidosoma sosares</i> (Walker, 1837)		
	<i>Copidosoma terebrator</i> Mayr, 1876		
	<i>Copidosoma thebe</i> (Walker, 1838)		
	<i>Copidosoma truncatellum</i> (Dalman, 1820)		
	<i>Copidosoma varicorne</i> (Nees, 1834)	CL01: <i>Paralitomastix varicorne</i> Nees	
	<i>Dinocarsis hemiptera</i> (Dalman, 1820)		

Family	Species	Remarks	Source of information
	<i>Dinocarsis hofferi</i> Graham, 1966		
	<i>Discodes aeneus</i> (Dalman, 1820)		
	<i>Discodes coccophagus</i> (Ratzeburg, 1848)		Hoffmann (2002)
	<i>Discodes differens</i> Yasnosh, 1972		Hoffmann (2002)
	<i>Discodes encopiformis</i> (Walker, 1847)		
	<i>Echthroplexis puncticollis</i> (Thomson, 1876)		von der Dunk (2012)
	<i>Ectroma fulvescens</i> Westwood, 1833		
	<i>Ectroma reinhardi</i> (Mayr, 1876)		
	<i>Encyrtus albitarsis</i> Zetterstedt, 1838		
	<i>Encyrtus aurantii</i> (Geoffroy, 1785)		
	<i>Encyrtus infelix</i> (Embleton, 1902)		
	<i>Encyrtus infidus</i> (Rossius, 1790)		Hoffmann (2002)
	<i>Encyrtus swederi</i> Dalman, 1820		Hoffmann (2002), Anton et al. (2020)
	<i>Ericydnus apterogenes</i> Mayr, 1876		
	<i>Ericydnus baleus</i> (Walker, 1838)		
	<i>Ericydnus longicornis</i> (Dalman, 1820)		
	<i>Ericydnus robustior</i> Mercet, 1921		Hoffmann (2002)
	<i>Ericydnus sipylus</i> (Walker, 1837)		Hoffmann (2002)

Family	Species	Remarks	Source of information
	<i>Ericydnus strigosus</i> (Nees, 1834)		
	<i>Ericydnus theron</i> Trjapitzin, 1982		Hoffmann (2002)
	<i>Ericydnus ventralis</i> (Dalman, 1820)		
	<i>Eucoccidophagus semiluniger</i> (Hoffer, 1959)		Hoffmann (2002)
	<i>Eugahania fumipennis</i> (Ratzeburg, 1852)		
	<i>Eupoecilopoda perpunctata</i> (Masi, 1942)		
	<i>Eusemion cornigerum</i> (Walker, 1838)		
	<i>Eusemion longipennis</i> (Ashmead, 1888)		
	<i>Habrolepis dalmanni</i> (Westwood, 1837)		Hoffmann (2002)
	<i>Helegonatopus dimorphus</i> (Hoffer, 1954)		
	<i>Heterococcidoxenus schlehtendali</i> (Mayr, 1876)		
	<i>Homalotylus ephippium</i> (Ruschka, 1923)		
	<i>Homalotylus eytelweini</i> (Ratzeburg, 1844)		
	<i>Homalotylus flaminus</i> (Dalman, 1820)		
	<i>Homalotylus hemipterinus</i> (De, Stefani, 1898)		
	<i>Homalotylus platynaspidis</i> Hoffer, 1963		
	<i>Isodromus vinulus</i> (Dalman, 1820)		

Family	Species	Remarks	Source of information
	<i>Ixodiphagus hookeri</i> (Howard, 1908)		
	<i>Lamennaisia ambigua</i> (Nees, 1834)		
	<i>Lamennaisia nobilis</i> (Nees, 1834)	CL01: <i>Negeniaspidius nobilis</i> Nees	
	<i>Leptomastidea bifasciata</i> (Mayr, 1876)		
	<i>Leptomastix epona</i> (Walker, 1844)		
	<i>Mahencyrtus comara</i> (Walker, 1837)		
	<i>Mayrencyrtus imandes</i> (Walker, 1837)		
	<i>Mayridia merceti</i> Trjapitzin, 1969		
	<i>Mayridia myrlea</i> (Walker, 1838)		Hoffmann (2002)
	<i>Mayridia procera</i> (Mercet, 1921)		
	<i>Metaphycus asterolecanii</i> (Mercet, 1923)		
	<i>Metaphycus chermis</i> (Fonscolombe, 1832)		
	<i>Metaphycus delos</i> Guerrieri & Noyes, 2000		Hoffmann (2002)
	<i>Metaphycus insidiosus</i> (Mercet, 1921)		Hoffmann (2002)
	<i>Metaphycus maculipennis</i> (Timberlake, 1916)		Hoffmann (2002)
	<i>Metaphycus melanostomatus</i> (Timberlake, 1916)		Hoffmann (2002)
	<i>Metaphycus nitens</i> (Kurdjumov, 1912)		Hoffmann (2002)

Family	Species	Remarks	Source of information
	<i>Metaphycus punctipes</i> (Dalman, 1820)		
	<i>Metaphycus silvestrii</i> Sugonjaev, 1970		Hoffmann (2002)
	<i>Metaphycus stagnarum</i> Hoffer, 1954		
	<i>Metaphycus unicolor</i> Hoffer, 1954		
	<i>Metaphycus zebratus</i> (Mercet, 1917)	CL01: <i>Metaphycus parvus</i> Mercet	Hoffmann (2002)
	<i>Microterys aeneiventris</i> (Walker, 1837)		
	<i>Microterys apicipennis</i> Bakkendorf, 1965		Hoffmann (2002)
	<i>Microterys chalcostomus</i> (Dalman, 1820)		
	<i>Microterys duplicatus</i> (Nees, 1834)		
	<i>Microterys ferrugineus</i> (Nees, 1834)		
	<i>Microterys fuscipennis</i> (Dalman, 1820)		
	<i>Microterys hortulanus</i> Erdős, 1956		Hoffmann (2002)
	<i>Microterys lunatus</i> (Dalman, 1820)		Hoffmann (2002)
	<i>Microterys masii</i> Silvestri, 1919		Hoffmann (2002)
	<i>Microterys sylvius</i> (Dalman, 1820)		Hoffmann (2002)
	<i>Microterys tessellatus</i> (Dalman, 1820)	CL01: <i>Microterys tesselatus</i> , misspelling	
	<i>Microterys trjapitzini</i> Yanosh, 1969		Hoffmann (2002)
	<i>Microterys zarina</i> (Walker, 1837)	CL01: <i>Aschitus arina</i> Walker	



Family	Species	Remarks	Source of information
	<i>Mira mucora</i> Schellenberg, 1803		
	<i>Oobius zahaikevitchi</i> Trjapitzin, 1963		
	<i>Ooencyrtus fulvipes</i> Hoffer, 1963		
	<i>Ooencyrtus kuvanae</i> (Howard, 1910)		
	<i>Ooencyrtus tardus</i> (Ratzeburg, 1844)		
	<i>Ooencyrtus telenomicida</i> (Vassiliev, 1904)		
	<i>Ooencyrtus vinulae</i> (Masi, 1909)		
	<i>Parablastothrix metatibialis</i> Erdős, 1955		
	<i>Parablastothrix montana</i> Erdős, 1955		
	<i>Parablastothrix plugarui</i> Trjapitzin, 1971		
	<i>Parablatticida brevicornis</i> (Dalman, 1820)		
	<i>Platencyrtus parkeri</i> Ferrière, 1956		
	<i>Prionomastix morio</i> (Dalman, 1820)		
	<i>Prionomitus mitratus</i> (Dalman, 1820)		
	<i>Prionomitus tiliaris</i> (Dalman, 1820)		
	<i>Pseudencyrtus idmon</i> (Walker, 1848)		
	<i>Pseudencyrtus misellus</i> (Dalman, 1820)		

Family	Species	Remarks	Source of information
	<i>Pseudencyrtus salicisstrobbili</i> (Linnaeus, 1758)		
	<i>Pseudeptomastix brevipennis</i> (Ferrière, 1957)		Bachmeier (1965)
	<i>Pseudorhopus testaceus</i> (Ratzeburg, 1848)		Hoffmann (2002)
	<i>Psilophrys tenuicornis</i> Graham, 1969		
	<i>Rhopus parvulus</i> (Mercet, 1921)		
	<i>Sectiliclava cleone</i> (Walker, 1844)		
	<i>Subprionomitus festucae</i> (Mayr, 1876)		
	<i>Syrphophagus aeruginosus</i> (Dalman, 1820)		
	<i>Syrphophagus aphidivorus</i> (Mayr, 1876)		Höller (1988)
	<i>Syrphophagus herbicus</i> (Dalman, 1820)		
	<i>Syrphophagus mamitus</i> (Walker, 1837)		
	<i>Syrphophagus pertiades</i> (Walker, 1837)		
	<i>Syrphophagus taeniatus</i> (Förster, 1861)		
	<i>Tachinaephagus zealandicus</i> Ashmead, 1904		
	<i>Tetracnemoidea piceae</i> (Erdős, 1946)		
	<i>Tetracnemoidea spilococci</i> (Ferrière, 1957)		Bachmeier (1965)

Family	Species	Remarks	Source of information
	<i>Tetracnemus diversicornis</i> Westwood, 1837		
	<i>Tetracnemus heydeni</i> (Mayr, 1876)		
	<i>Thomsonisca amathus</i> (Walker, 1838)		
	<i>Trechnites fuscitarsis</i> (Thomson, 1876)		
	<i>Trechnites insidiosus</i> (Crawford, 1910)	CL01: <i>Trechnites psyllae</i> (Ruschka)	
	<i>Trichomasthus albimanus</i> Thomson, 1876		
	<i>Trichomasthus cyaneus</i> (Dalman, 1820)		Hoffmann (2002)
	<i>Trichomasthus cyanifrons</i> (Dalman, 1820)		
	<i>Trichomasthus dignus</i> Khlopunov, 1987		
	<i>Trichomasthus frontalis</i> Alam, 1957		Hoffmann (2002)
	<i>Tyndarichus melanacis</i> (Dalman, 1820)		
	<i>Tyndarichus navae</i> Howard, 1910		
	<i>Tyndarichus scaurus</i> (Walker, 1837)		
	<i>Zaomma eriococci</i> (Ferrière, 1955)		Hoffmann (2002)
	<i>Zaomma lambinus</i> (Walker, 1838)		Hoffmann (2002)
<b>Eucharitidae</b>			
	<i>Eucharis adscendens</i> (Fabricius, 1787)		Bürgis (2010), Creutzburg and Müller (2019)
<b>Eulophidae</b>			

Family	Species	Remarks	Source of information
	<i>Aceratoneuromyia claridgei</i> Graham, 1991		
	<i>Aceratoneuromyia granularis</i> Domenichini, 1967		
	<i>Achrysocharoides acerianus</i> (Askew, 1974)		
	<i>Achrysocharoides atys</i> (Walker, 1839)		von Heyden (1887)
	<i>Achrysocharoides carpini</i> Bryan, 1980		
	<i>Achrysocharoides cilla</i> (Walker, 1839)		
	<i>Achrysocharoides cruentus</i> Hansson, 1983		
	<i>Achrysocharoides latreillii</i> (Curtis, 1826)		
	<i>Achrysocharoides nigricoxae</i> (Delucchi, 1954)		
	<i>Achrysocharoides niveipes</i> (Thomson, 1878)		
	<i>Achrysocharoides pannonica</i> (Erdős, 1954)	CL01: <i>Achrysocharoides insignitellae</i> Erdős	
	<i>Achrysocharoides robiniae</i> Hansson & Shevtsova, 2010		
	<i>Achrysocharoides splendens</i> (Delucchi, 1954)		von Heyden (1887)
	<i>Achrysocharoides suprafolius</i> (Askew, 1974)		
	<i>Achrysocharoides usticrus</i> (Erdős, 1954)	CL01: <i>Kratoysma usticrus</i> Erdős	
	<i>Achrysocharoides zwoelferi</i> (Delucchi, 1954)		

Family	Species	Remarks	Source of information
	<i>Allocerastichus doderi</i> Masi, 1924		
	<i>Anaprostocetus acuminatus</i> (Ratzeburg, 1848)		Kopelke (1996)
	<i>Aprostocetus aethiops</i> (Zetterstedt, 1838)		
	<i>Aprostocetus annulatus</i> (Förster, 1861)		
	<i>Aprostocetus apama</i> (Walker, 1839)		
	<i>Aprostocetus apiculatus</i> Graham, 1987		
	<i>Aprostocetus aquaticus</i> (Erdős, 1954)		
	<i>Aprostocetus aquilus</i> Graham, 1987		
	<i>Aprostocetus arenarius</i> (Erdős, 1954)		
	<i>Aprostocetus aristaeus</i> (Walker, 1839)		
	<i>Aprostocetus artemisicola</i> Graham, 1987		
	<i>Aprostocetus boreus</i> (Delucchi, 1954)		
	<i>Aprostocetus brachycerus</i> (Thomson, 1878)		
	<i>Aprostocetus bruzzonis</i> (Masi, 1930)		
	<i>Aprostocetus calamarius</i> Graham, 1961		Schlemmermeyer (1994)
	<i>Aprostocetus caudatus</i> Westwood, 1833		
	<i>Aprostocetus cecidomyiarum</i> (Bouché, 1834)		

Family	Species	Remarks	Source of information
	<i>Aprostocetus ciliatus</i> (Nees, 1834)		
	<i>Aprostocetus citrinus</i> (Förster, 1841)		
	<i>Aprostocetus citripes</i> (Thomson, 1878)		
	<i>Aprostocetus clavicornis</i> (Zetterstedt, 1848)		
	<i>Aprostocetus collega</i> (Ratzeburg, 1844)		Dorow et al. (1992)
	<i>Aprostocetus crino</i> (Walker, 1838)		
	<i>Aprostocetus diversus</i> (Förster, 1841)		
	<i>Aprostocetus elongatus</i> (Förster, 1841)		Hassan (1967), von Heyden (1887)
	<i>Aprostocetus emesa</i> (Walker, 1839)		
	<i>Aprostocetus epicharmus</i> (Walker, 1839)		
	<i>Aprostocetus eriophyes</i> (Taylor, 1909)		
	<i>Aprostocetus escherichi</i> (Szelényi, 1941)		
	<i>Aprostocetus eupatorii</i> Kurdjumov, 1913		
	<i>Aprostocetus forsteri</i> (Walker, 1847)		Nitschke et al. (2017)
	<i>Aprostocetus fulvipes</i> (Förster, 1878)		
	<i>Aprostocetus gaus</i> (Walker, 1839)		
	<i>Aprostocetus gratus</i> (Giraud, 1863)		Schlemmermeyer (1994)
	<i>Aprostocetus hagenowii</i> (Ratzeburg, 1852)		

Family	Species	Remarks	Source of information
	<i>Aprostocetus leptoneuros</i> (Ratzeburg, 1844)		
	<i>Aprostocetus leucone</i> (Walker, 1839)		
	<i>Aprostocetus longicauda</i> (Thomson, 1878)		
	<i>Aprostocetus longiscapus</i> (Thomson, 1878)		Schlemmermeyer (1994)
	<i>Aprostocetus luteus</i> (Ratzeburg, 1848)		Dorow et al. (1992)
	<i>Aprostocetus lycidas</i> (Walker, 1839)		
	<i>Aprostocetus lysippe</i> (Walker, 1839)		
	<i>Aprostocetus mandanis</i> (Walker, 1839)		
	<i>Aprostocetus metra</i> (Walker, 1839)		
	<i>Aprostocetus</i> <i>microscopicus</i> (Rondani, 1877)		
	<i>Aprostocetus minimus</i> (Ratzeburg, 1848)		
	<i>Aprostocetus mycerinus</i> (Walker, 1839)		
	<i>Aprostocetus neglectus</i> (Domenichini, 1957)		
	<i>Aprostocetus novatus</i> (Walker, 1839)		
	<i>Aprostocetus orithyia</i> (Walker, 1839)		Schlemmermeyer (1994)
	<i>Aprostocetus ovivorax</i> (Silvestri, 1920)		
	<i>Aprostocetus pachyneuros</i> (Ratzeburg, 1844)		

Family	Species	Remarks	Source of information
	<i>Aprostocetus pallipes</i> (Dalman, 1820)		
	<i>Aprostocetus pausiris</i> (Walker, 1839)		
	<i>Aprostocetus percaudatus</i> (Silvestri, 1920)		
	<i>Aprostocetus phineus</i> (Walker, 1839)		
	<i>Aprostocetus phragmiticola</i> Graham, 1987		Schlemmermeyer (1994)
	<i>Aprostocetus pseudopodiellus</i> (Bakkendorf, 1953)		
	<i>Aprostocetus ptarmicae</i> Graham, 1987		
	<i>Aprostocetus pygmaeus</i> (Zetterstedt, 1838)		
	<i>Aprostocetus roesellae</i> (Nees, 1834)		
	<i>Aprostocetus rubi</i> Graham, 1987		
	<i>Aprostocetus rubicola</i> Graham, 1987		
	<i>Aprostocetus rumicis</i> Graham, 1987		
	<i>Aprostocetus salictorum</i> Graham, 1987		
	<i>Aprostocetus serratularum</i> Graham, 1987		
	<i>Aprostocetus strobilanae</i> (Ratzeburg, 1844)		
	<i>Aprostocetus subplanus</i> Graham, 1987		
	<i>Aprostocetus tanaceticola</i> Graham, 1987		



Family	Species	Remarks	Source of information
	<i>Aprostocetus terebrans</i> Erdős, 1954		
	<i>Aprostocetus torquentis</i> Graham, 1987		
	<i>Aprostocetus trjapitzini</i> (Kostjukov, 1976)		Hoffmann (2002)
	<i>Aprostocetus vassolensis</i> Graham, 1987		Kruess (1996)
	<i>Aprostocetus venustus</i> (Gahan, 1914)		
	<i>Aprostocetus veronicae</i> Graham, 1987		
	<i>Aprostocetus xanthopus</i> (Nees, 1834)		
	<i>Aprostocetus zosimus</i> (Walker, 1839)		
	<i>Asecodes congruens</i> (Nees, 1834)		
	<i>Asecodes erxias</i> (Walker, 1848)		
	<i>Asecodes lagus</i> (Walker, 1838)		
	<i>Asecodes lucens</i> (Nees, 1834)		
	<i>Astichus arithmeticus</i> (Förster, 1851)		von Heyden (1887), Dorow et al. (1992)
	<i>Astichus maculatus</i> Hedqvist, 1969		
	<i>Astichus solutus</i> Förster, 1856		von Heyden (1887)
	<i>Aulogymnus aceris</i> Förster, 1851		
	<i>Aulogymnus arsames</i> (Walker, 1838)		

Family	Species	Remarks	Source of information
	<i>Aulogymnus euedoreschus</i> (Walker, 1839)		
	<i>Aulogymnus gallarum</i> (Linnaeus, 1761)		Hassan (1967)
	<i>Aulogymnus obscuripes</i> (Mayr, 1877)		
	<i>Aulogymnus skianeuros</i> (Ratzeburg, 1844)		
	<i>Baryscapus adalia</i> (Walker, 1839)		
	<i>Baryscapus agrilorum</i> (Ratzeburg, 1844)		
	<i>Baryscapus anasillus</i> Graham, 1991		
	<i>Baryscapus bonessi</i> Askew, 2007		
	<i>Baryscapus bruchophagi</i> (Gahan, 1913)		
	<i>Baryscapus conwentziae</i> (Ferrière, 1959)		
	<i>Baryscapus crassicornis</i> (Erdős, 1954)		
	<i>Baryscapus daira</i> (Walker, 1839)		
	<i>Baryscapus diaphantus</i> (Walker, 1839)		
	<i>Baryscapus endemus</i> (Walker, 1839)		
	<i>Baryscapus evonymellae</i> (Bouché, 1834)		
	<i>Baryscapus galactopus</i> (Ratzeburg, 1844)		
	<i>Baryscapus garganus</i> (Domenichini, 1958)		

Family	Species	Remarks	Source of information
	<i>Baryscapus gradwelli</i> Graham, 1991		Nitschke et al. (2017)
	<i>Baryscapus impeditus</i> (Nees, 1834)		
	<i>Baryscapus lotellae</i> (Delucchi, 1954)		
	<i>Baryscapus nigroviolaceus</i> (Nees, 1834)		
	<i>Baryscapus oophagus</i> (Otten, 1942)		
	<i>Baryscapus pallidae</i> Graham, 1991		
	<i>Baryscapus servadeii</i> (Domenichini, 1965)		
	<i>Baryscapus spartifoliellae</i> Graham, 1991		
	<i>Baryscapus sugonjaevi</i> (Kostjukov, 1976)		Hoffmann (2002)
	<i>Baryscapus turionum</i> (Hartig, 1838)		
	<i>Ceranisus menes</i> (Walker, 1839)		
	<i>Ceranisus pacuvius</i> (Walker, 1838)		
	<i>Chaenotetrastichus</i> <i>grangeri</i> (Erdős, 1958)		
	<i>Chaenotetrastichus</i> <i>semiflavus</i> (Girault, 1917)		
	<i>Chrysocharis acoris</i> (Walker, 1839)		von Heyden (1887)
	<i>Chrysocharis acutigaster</i> Hansson, 1985		
	<i>Chrysocharis amasis</i> (Walker, 1839)		
	<i>Chrysocharis amyite</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Chrysocharis antoni</i> Hansson, 1985		
	<i>Chrysocharis assis</i> (Walker, 1839)		
	<i>Chrysocharis avia</i> Hansson, 1985		
	<i>Chrysocharis budensis</i> (Erdős, 1954)	CL01: <i>Achrysocharoides budensis</i> Erdős	
	<i>Chrysocharis chlorus</i> Graham, 1963		
	<i>Chrysocharis clarkae</i> Yoshimoto, 1973		
	<i>Chrysocharis crassiscapus</i> (Thomson, 1878)		
	<i>Chrysocharis elongata</i> (Thomson, 1878)		
	<i>Chrysocharis entedonoides</i> (Walker, 1872)		Dorow et al. (1992)
	<i>Chrysocharis equiseti</i> Hansson, 1985		
	<i>Chrysocharis eurynota</i> Graham, 1963		
	<i>Chrysocharis gemma</i> (Walker, 1839)		Neiber (2010)
	<i>Chrysocharis idyia</i> (Walker, 1839)		Greiler (1993), Hassan (1967)
	<i>Chrysocharis illustris</i> Graham, 1963		
	<i>Chrysocharis laomedon</i> (Walker, 1839)		
	<i>Chrysocharis laricinellae</i> (Ratzeburg, 1848)		
	<i>Chrysocharis liriomyzae</i> Delucchi, 1954		

Family	Species	Remarks	Source of information
	<i>Chrysocharis mediana</i> Förster, 1861		Dorow et al. (1992)
	<i>Chrysocharis nautius</i> (Walker, 1846)		
	<i>Chrysocharis nephereus</i> (Walker, 1839)		Hassan (1967)
	<i>Chrysocharis nigricrus</i> (Thomson, 1878)		Hassan (1967)
	<i>Chrysocharis nitetis</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Chrysocharis nitidifrons</i> Graham, 1963		
	<i>Chrysocharis orbicularis</i> (Nees, 1834)		Hassan (1967)
	<i>Chrysocharis pallipes</i> (Nees, 1834)		
	<i>Chrysocharis pentheus</i> (Walker, 1839)		Greiler (1993)
	<i>Chrysocharis phryne</i> (Walker, 1839)		Bachmeier (1965), von Heyden (1887)
	<i>Chrysocharis pilosa</i> Delucchi, 1954		
	<i>Chrysocharis polyzo</i> (Walker, 1839)		
	<i>Chrysocharis prodice</i> (Walker, 1839)		Dorow et al. (1992), Hassan (1967)
	<i>Chrysocharis pubens</i> Delucchi, 1954		
	<i>Chrysocharis pubicornis</i> (Zetterstedt, 1838)		Neiber (2010)
	<i>Chrysocharis purpurea</i> Bukovskii, 1938		
	<i>Chrysocharis submutica</i> Graham, 1963		
	<i>Chrysocharis viridis</i> (Nees, 1834)		Dorow et al. (1992), Hassan (1967)

Family	Species	Remarks	Source of information
	<i>Chrysonotomyia germanica</i> (Erdős, 1956)		
	<i>Cirrospilus argei</i> (Crawford, 1911)		Hassan (1967)
	<i>Cirrospilus diallus</i> Walker, 1838		Hassan (1967), von Heyden (1887)
	<i>Cirrospilus elegantissimus</i> Westwood, 1832		von Heyden (1887)
	<i>Cirrospilus elongatus</i> Bouček, 1959		
	<i>Cirrospilus lynceus</i> Walker, 1838		von Heyden (1887)
	<i>Cirrospilus pictus</i> (Nees, 1834)		von Heyden (1887)
	<i>Cirrospilus salatis</i> Walker, 1838		
	<i>Cirrospilus singa</i> Walker, 1838		
	<i>Cirrospilus staryi</i> Bouček, 1959		
	<i>Cirrospilus viticola</i> (Rondani, 1877)		von Heyden (1887)
	<i>Cirrospilus vittatus</i> Walker, 1838		Bachmeier (1965), von Heyden (1887)
	<i>Closterocerus lanassa</i> (Walker, 1839)		
	<i>Closterocerus lyonetiae</i> (Ferrière, 1952)		
	<i>Closterocerus ruforum</i> (Krause, 1917)		Eichhorn (1992)
	<i>Closterocerus trifasciatus</i> Westwood, 1833		Neiber (2010)
	<i>Colpoclypeus florus</i> (Walker, 1839)		
	<i>Crataepus marbis</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Dahlbominus fuscipennis</i> (Zetterstedt, 1838)		von der Dunk (1987)
	<i>Dermatopelte budensis</i> Erdős & Novicky, 1951		
	<i>Derostenus gemmeus</i> Westwood, 1833		Hassan (1967)
	<i>Derostenus punctiscuta</i> Thomson, 1878		
	<i>Dichatomus acerinus</i> Förster, 1878		
	<i>Dicladocerus albitarsis</i> Ashmead, 1900		
	<i>Dicladocerus euryalus</i> (Haliday, 1844)		
	<i>Dicladocerus westwoodii</i> Westwood, 1832		
	<i>Diglyphus begini</i> (Ashmead, 1904)		
	<i>Diglyphus chabrias</i> (Walker, 1838)		Dorow et al. (1992), Hassan (1967)
	<i>Diglyphus crassinervis</i> Erdős, 1958		
	<i>Diglyphus isaea</i> (Walker, 1838)		Greiler (1993), Hassan (1967), Dorow et al. (1992) von Heyden (1887)
	<i>Diglyphus minoeus</i> (Walker, 1838)		Greiler (1993), Hassan (1967)
	<i>Diglyphus pachyneurus</i> Graham, 1963		
	<i>Diglyphus poppoea</i> (Walker, 1848)		Greiler (1993), Hassan (1967)
	<i>Diglyphus pusztensis</i> (Erdős & Novicky, 1951)		
	<i>Diglyphus subplanus</i> (Erdős, 1958)	CL01: <i>Danuviella subplana</i> Erdős	

Family	Species	Remarks	Source of information
	<i>Dimmockia brevicornis</i> (Erdős, 1954)		
	<i>Elachertus artaeus</i> (Walker, 1839)		
	<i>Elachertus charondas</i> (Walker, 1839)		Bathon and Ruppert (1996)
	<i>Elachertus fenestratus</i> Nees, 1834		
	<i>Elachertus gallicus</i> Erdős, 1958		
	<i>Elachertus inunctus</i> Nees, 1834		Dorow et al. (1992), Hassan (1967), von Heyden (1887)
	<i>Elachertus isadas</i> (Walker, 1839)		Bachmeier (1965)
	<i>Elachertus lateralis</i> (Spinola, 1808)		von Heyden (1887)
	<i>Elachertus pilosiscuta</i> Bouček, 1971		
	<i>Elachertus pulcher</i> (Erdős, 1961)		
	<i>Elasmus flabellatus</i> (Fonscolombe, 1832)		von Heyden (1887)
	<i>Elasmus nudus</i> (Nees, 1834)		
	<i>Elasmus platydrae</i> Ferrière, 1935		
	<i>Elasmus rufiventris</i> Ferrière, 1947		Anton et al. (2020)
	<i>Elasmus schmitti</i> Ruschka, 1920		
	<i>Elasmus unicolor</i> (Rondani, 1877)		
	<i>Elasmus viridiceps</i> Thomson, 1878		Bachmeier (1965)
	<i>Elasmus westwoodi</i> Giraud, 1856		



Family	Species	Remarks	Source of information
	<i>Entedon abdera</i> Walker, 1839		
	<i>Entedon calcicola</i> Graham, 1971		
	<i>Entedon cioni</i> Thomson, 1878		
	<i>Entedon cionobius</i> Thomson, 1878		
	<i>Entedon costalis</i> Dalman, 1820		
	<i>Entedon crassiscapus</i> Erdős, 1944		
	<i>Entedon diotimus</i> Walker, 1839		
	<i>Entedon ergias</i> Walker, 1839		
	<i>Entedon gracilior</i> Graham, 1971		
	<i>Entedon hagenowii</i> (Ratzeburg, 1852)		
	<i>Entedon heyeri</i> (Ratzeburg, 1848)		Kopelke (1996)
	<i>Entedon incultus</i> Askew, 1991		
	<i>Entedon insignis</i> Erdős, 1944		
	<i>Entedon lixi</i> Erdős, 1951		
	<i>Entedon longus</i> Bouček, 1968		
	<i>Entedon mecini</i> Askew, 1992		
	<i>Entedon methion</i> Walker, 1839		
	<i>Entedon oxys</i> Askew, 1991		

Family	Species	Remarks	Source of information
	<i>Entedon parvicar</i> Thomson, 1878	CL01: <i>Entedon subovatus</i> Thomson	
	<i>Entedon philiscus</i> Walker, 1851		
	<i>Entedon procioni</i> Erdős, 1944	CL01: <i>Entedon molybdaenus</i> Erdős	
	<i>Entedon punctiscapus</i> Thomson, 1878		
	<i>Entedon rumicis</i> Graham, 1970		
	<i>Entedon setifrons</i> Askew, 1991		
	<i>Entedon tenuitarsis</i> Thomson, 1878		
	<i>Entedon thomsonianus</i> Erdős, 1944		
	<i>Entedon tibialis</i> (Nees, 1834)		
	<i>Entedon zanara</i> Walker, 1839		
	<i>Entedonomphale</i> <i>bicolorata</i> (Ishii, 1933)	CL01: <i>Entedonastichus gaussi</i> Ferrière	
	<i>Entedonomphale</i> <i>carbonaria</i> (Erdős, 1954)	CL01: <i>Entedonastichus carbonarius</i> (Erdős)	
	<i>Euderomphale chelidonii</i> Erdős, 1966		
	<i>Euderus agrili</i> Bouček, 1963		Dorow et al. (1992), von Heyden (1887)
	<i>Euderus albitarsis</i> (Zetterstedt, 1838)		Hassan (1967), Kopelke (1996)
	<i>Euderus viridis</i> Thomson, 1878		
	<i>Eulophus abdominalis</i> Nees, 1834		
	<i>Eulophus cyanescens</i> Bouček, 1958		

Family	Species	Remarks	Source of information
	<i>Eulophus larvarum</i> (Linnaeus, 1758)		Hassan (1967), von Heyden (1887), Reder (2018)
	<i>Eulophus pennicornis</i> Nees, 1834		Hassan (1967), von Heyden (1887)
	<i>Eulophus ramicornis</i> (Fabricius, 1781)		
	<i>Eulophus smerinthicida</i> Bouček, 1958		
	<i>Eulophus thespius</i> Walker, 1839		
	<i>Euplectrus bicolor</i> (Swederus, 1795)		Dorow et al. (1992), von Heyden (1887)
	<i>Hemiptarsenus fulvicollis</i> Westwood, 1833		von Heyden (1887)
	<i>Hemiptarsenus ornatus</i> (Nees, 1834)		Bachmeier (1965), Dorow et al. (1992), von Heyden (1887)
	<i>Hemiptarsenus unguicellus</i> (Zetterstedt, 1838)		Dorow et al. (1992), Greiler (1993)
	<i>Hemiptarsenus wailesellae</i> Novwicki, 1929		
	<i>Hemiptarsenus waterhousii</i> Westwood, 1833		
	<i>Holarcticesa clinius</i> (Walker, 1839)	CL01: <i>Grahamia clinius</i> Walker	Hassan (1967)
	<i>Holcotetrastichus rhosaces</i> (Walker, 1839)		
	<i>Hyssopus geniculatus</i> (Hartig, 1838)		von Heyden (1887)
	<i>Hyssopus nigrutilus</i> (Zetterstedt, 1838)		Hassan (1967), von Heyden (1887)
	<i>Hyssopus olivaceus</i> (Thomson, 1878)		Hassan (1967), von Heyden (1887)
	<i>Hyssopus tephridus</i> Yefremova, 1997		

Family	Species	Remarks	Source of information
	<i>Kocourekia debilis</i> (Ratzeburg, 1852)		
	<i>Melittobia acasta</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Mestocharis bimacularis</i> (Dalman, 1820)		
	<i>Mestocharis maculata</i> (Förster, 1841)		
	<i>Microlycus biroi</i> Erdős, 1951		von Heyden (1887)
	<i>Microlycus heterocerus</i> Thomson, 1878		
	<i>Minotetrastichus frontalis</i> (Nees, 1834)		Freise and Heitland (2003)
	<i>Minotetrastichus platanellus</i> (Mercet, 1992)		
	<i>Minotetrastichus prolongatus</i> Graham, 1987		
	<i>Miotropis unipuncta</i> (Nees, 1834)		von Heyden (1887)
	<i>Necremnus artynes</i> (Walker, 1839)		
	<i>Necremnus capitatus</i> Bouček, 1959		von Heyden (1887)
	<i>Necremnus cosconius</i> (Walker, 1839)		
	<i>Necremnus croton</i> (Walker, 1839)		Vogel et al. (2021)
	<i>Necremnus folia</i> (Walker, 1839)		
	<i>Necremnus leucarthros</i> (Nees, 1834)		Hassan (1967)
	<i>Necremnus metalarus</i> (Walker, 1839)		
	<i>Necremnus tidius</i> (Walker, 1839)		Dorow et al. (1992)

Family	Species	Remarks	Source of information
	<i>Neochrysocharis albiscapus</i> Erdős, 1954		
	<i>Neochrysocharis aratus</i> (Walker, 1838)		
	<i>Neochrysocharis chlorogaster</i> (Erdős, 1966)		
	<i>Neochrysocharis clinias</i> (Walker, 1838)		
	<i>Neochrysocharis cuprifrons</i> Erdős, 1954		
	<i>Neochrysocharis dimas</i> (Walker, 1839)		
	<i>Neochrysocharis formosus</i> (Westwood, 1833)		Eichhorn (1992)
	<i>Neochrysocharis microstoma</i> (Graham, 1963)	CL01: <i>Omphale microstoma</i> Graham	
	<i>Neochrysocharis nunbergi</i> (Szczepanski, 1960)		
	<i>Omphale acuminata</i> Gijswijt, 1976		
	<i>Omphale aethiops</i> Graham, 1963		
	<i>Omphale aetius</i> (Walker, 1839)		Lübbe (1990)
	<i>Omphale betulicola</i> Graham, 1963		Dorow et al. (1992)
	<i>Omphale brevis</i> Graham, 1963		
	<i>Omphale breviventris</i> Graham, 1970		
	<i>Omphale chryseis</i> Graham, 1963		
	<i>Omphale clymene</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Omphale clypealis</i> (Thomson, 1878)		
	<i>Omphale connectens</i> Graham, 1963		
	<i>Omphale grahami</i> Gijswijt, 1976		Dorow et al. (1992)
	<i>Omphale incognita</i> Hansson & Shevtsova, 2012		
	<i>Omphale isander</i> (Walker, 1839)		
	<i>Omphale lugens</i> (Nees, 1834)		Dorow et al. (1992), Hassan (1967), von Heyden (1887)
	<i>Omphale lugubris</i> Askew, 2003		
	<i>Omphale matrana</i> Erdős, 1954		
	<i>Omphale nitens</i> Graham, 1963		
	<i>Omphale obscura</i> (Förster, 1841)	CL01: <i>Holcopelte obscura</i> Förster	
	<i>Omphale phruron</i> (Walker, 1839)		
	<i>Omphale rubigus</i> (Walker, 1839)		
	<i>Omphale salicis</i> (Haliday, 1833)		
	<i>Omphale stelteri</i> (Bouček, 1971)	CL01: <i>Holcopelte stelteri</i> Bouček	
	<i>Omphale sulciscuta</i> (Thomson, 1878)	CL01: <i>Holcopelte sulciscuta</i> Thomson	
	<i>Omphale telephe</i> (Walker, 1839)		
	<i>Omphale theana</i> (Walker, 1839)	CL01: <i>Omphale radialis</i> Thomson	

Family	Species	Remarks	Source of information
	<i>Omphale varipes</i> (Thomson, 1878)		
	<i>Omphale versicolor</i> (Nees, 1834)		
	<i>Oomyzus galerucivorus</i> (Hedqvist, 1959)		Meiners (1999)
	<i>Oomyzus gallerucae</i> (Fonscolombe, 1832)		
	<i>Oomyzus incertus</i> (Ratzeburg, 1844)		
	<i>Oomyzus pegomyae</i> Graham, 1991		
	<i>Oomyzus scaposus</i> (Thomson, 1878)		Triltsch (1997)
	<i>Oomyzus sempronius</i> (Erdős, 1954)		
	<i>Parasecodella obscura</i> (Thomson, 1878)		
	<i>Pediobius alaspharus</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Pediobius alcaeus</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Pediobius brachycerus</i> (Thomson, 1878)		
	<i>Pediobius calamagrostidis</i> Dawah, 1988		Dorow et al. (1992)
	<i>Pediobius cassidae</i> Erdős, 1958		
	<i>Pediobius chilaspidis</i> Bouček, 1965		
	<i>Pediobius claridgei</i> Dawah, 1988		Neugebauer (1997)
	<i>Pediobius clita</i> (Walker, 1839)		von Heyden (1887)
	<i>Pediobius crassicornis</i> (Thomson, 1878)		Hassan (1967)

Family	Species	Remarks	Source of information
	<i>Pediobius dactylicola</i> Dawah, 1988		Greiler (1993)
	<i>Pediobius epeus</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Pediobius epigonus</i> (Walker, 1839)		Hassan (1967)
	<i>Pediobius eubius</i> (Walker, 1839)		Greiler (1993), Hassan (1967), von Heyden (1887)
	<i>Pediobius facialis</i> (Giraud, 1863)		
	<i>Pediobius festucae</i> Dawah, 1988		Dorow et al. (1992)
	<i>Pediobius flaviscapus</i> (Thomson, 1878)		
	<i>Pediobius foliorum</i> (Geoffroy, 1785)		
	<i>Pediobius lysis</i> (Walker, 1839)		Hassan (1967)
	<i>Pediobius metallicus</i> (Nees, 1834)		Greiler (1993), Hassan (1967), von Heyden (1887), Neiber (2010)
	<i>Pediobius nigrirarsis</i> (Thomson, 1878)		
	<i>Pediobius phalaridis</i> Dawah, 1988		
	<i>Pediobius phragmitis</i> Bouček, 1965		
	<i>Pediobius phyllotretae</i> (Riley, 1884)		
	<i>Pediobius planiventris</i> (Thomson, 1878)		
	<i>Pediobius polanensis</i> Bouček, 1965		
	<i>Pediobius pyrgo</i> (Walker, 1839)		
	<i>Pediobius saulius</i> (Walker, 1839)		Kopelke (1996), von Heyden (1887)



Family	Species	Remarks	Source of information
	<i>Pediobius tenuicornis</i> Graham, 1993		S. Schmidt, pers. obs.
	<i>Pediobius termerus</i> (Walker, 1839)		
	<i>Pediobius tetratomus</i> (Thomson, 1878)		
	<i>Platyplectrus chlorocephalus</i> (Nees, 1834)		
	<i>Platyplectrus laeviscuta</i> (Thomson, 1878)		
	<i>Platyplectrus pannonica</i> (Erdős, 1966)		
	<i>Pnigalio agraulis</i> (Walker, 1839)		Hassan (1967), von Heyden (1887), Freise and Heitland (2003)
	<i>Pnigalio cristatus</i> (Ratzeburg, 1848)		
	<i>Pnigalio epilobii</i> Bouček, 1966		
	<i>Pnigalio longulus</i> (Zetterstedt, 1838)		von Heyden (1887)
	<i>Pnigalio monilicornis</i> (Zetterstedt, 1838)		
	<i>Pnigalio nemati</i> (Westwood, 1838)		Kopelke (1996)
	<i>Pnigalio pectinicornis</i> (Linnaeus, 1758)		Bachmeier (1965), Greiler (1993), Bachmeier (1965)
	<i>Pnigalio phragmitis</i> (Erdős, 1954)		
	<i>Pnigalio soemius</i> (Walker, 1839)		von Heyden (1887)
	<i>Pnigalio tricuspis</i> (Erdős, 1954)		
	<i>Pnigalio tridentatus</i> (Thomson, 1878)		

Family	Species	Remarks	Source of information
	<i>Pronotalia carlinarum</i> (Szelényi & Erdős, 1951)		Nitschke et al. (2017)
	<i>Pronotalia inflata</i> Graham, 1991		
	<i>Pronotalia trypetae</i> Gradwell, 1957		Nitschke et al. (2017)
	<i>Quadrastichus misellus</i> (Delucchi, 1954)		
	<i>Quadrastichus pedicellaris</i> (Thomson, 1878)		
	<i>Quadrastichus saji</i> (Szelényi, 1941)		
	<i>Rhichopelte crassicornis</i> (Nees, 1834)		
	<i>Sigmophora brevicornis</i> (Panzer, 1804)		
	<i>Sphenolepis pygmaea</i> Nees, 1834		
	<i>Stenomesus rufescens</i> (Retzius, 1783)		von Heyden (1887)
	<i>Stepanovia aurantiaca</i> (Ratzeburg, 1852)	CL01: <i>Aprostocetus aurantiacus</i> Ratzeburg	
	<i>Stepanovia eurytomae</i> (Nees, 1834)	CL01: <i>Aprostocetus eurytomae</i> Nees	
	<i>Sympiesis acalle</i> (Walker, 1848)		von Heyden (1887)
	<i>Sympiesis dolichogaster</i> Ashmead, 1888		
	<i>Sympiesis euspilapterygis</i> (Erdős, 1958)		
	<i>Sympiesis flavopicta</i> Bouček, 1959		
	<i>Sympiesis gordius</i> (Walker, 1839)		Dorow et al. (1992), von Heyden (1887)
	<i>Sympiesis grahami</i> Erdős, 1966		

Family	Species	Remarks	Source of information
	<i>Sympiesis gregori</i> Bouček, 1959		
	<i>Sympiesis kelebiana</i> Erdős, 1966		
	<i>Sympiesis lucida</i> Storozheva, 1981		
	<i>Sympiesis notata</i> (Zetterstedt, 1838)		
	<i>Sympiesis sericeicornis</i> (Nees, 1834)		von Heyden (1887)
	<i>Sympiesis solitaria</i> Szelényi, 1977		
	<i>Sympiesis viridula</i> (Thomson, 1878)		
	<i>Sympiesis xanthostoma</i> (Nees, 1834)		
	<i>Tamarixia actis</i> (Walker, 1839)		
	<i>Tamarixia monesus</i> (Walker, 1839)		
	<i>Tamarixia pronomus</i> (Walker 1839)		
	<i>Tamarixia pubescens</i> (Nees, 1834)		
	<i>Tamarixia upis</i> (Walker, 1839)		Dorow et al. (1992)
	<i>Tetrastichus acutiusculus</i> (Graham, 1961)		
	<i>Tetrastichus agriloides</i> Graham, 1991		Hansson and Schmidt (2020)
	<i>Tetrastichus asilis</i> Hansson & Schmidt, 2020		Hansson and Schmidt (2020)
	<i>Tetrastichus atratulus</i> (Nees, 1834)		Hansson and Schmidt (2020)
	<i>Tetrastichus clito</i> (Walker, 1840)		Hansson and Schmidt (2020)

Family	Species	Remarks	Source of information
	<i>Tetrastichus coelarchus</i> Graham, 1991		
	<i>Tetrastichus coeruleus</i> (Nees, 1834)		Hansson and Schmidt (2020)
	<i>Tetrastichus delvareii</i> Hansson & Schmidt, 2019		Hansson and Schmidt (2020)
	<i>Tetrastichus doczkali</i> Hansson & Schmidt, 2020		Hansson and Schmidt (2020)
	<i>Tetrastichus elodius</i> Hansson & Schmidt, 2020		Hansson and Schmidt (2020)
	<i>Tetrastichus halidayi</i> (Graham, 1961)		Hansson and Schmidt (2020)
	<i>Tetrastichus heeringi</i> Delucchi, 1954		Hansson and Schmidt (2020)
	<i>Tetrastichus hylotomarum</i> (Bouché, 1834)		Hansson and Schmidt (2020)
	<i>Tetrastichus ilithyia</i> (Walker, 1839)		Hansson and Schmidt (2020)
	<i>Tetrastichus illydris</i> Hansson & Schmidt, 2020		Hansson and Schmidt (2020)
	<i>Tetrastichus julis</i> (Walker, 1839)		Hansson and Schmidt (2020)
	<i>Tetrastichus legionarius</i> Giraud, 1863		
	<i>Tetrastichus lyridice</i> (Walker, 1839)		
	<i>Tetrastichus miser</i> (Nees, 1834)		Hansson and Schmidt (2020)
	<i>Tetrastichus murcia</i> (Walker, 1839)		Hansson and Schmidt (2020)
	<i>Tetrastichus polyporinus</i> Askew, 2007		
	<i>Tetrastichus setifer</i> Thomson, 1878		
	<i>Tetrastichus sinope</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Tetrastichus tacitus</i> Hansson & Schmidt, 2020		Hansson and Schmidt (2020)
	<i>Tetrastichus telon</i> (Graham, 1961)		Hansson and Schmidt (2020)
	<i>Tetrastichus ulmi</i> Erdős, 1954		Hansson and Schmidt (2020)
	<i>Trijapitzinichus evanescens</i> (Ratzeburg, 1848)	CL01: <i>Aceratenuromyia evanescens</i> Ratzeburg	
	<i>Xanthella szabopatayi</i> Moczar, 1950	CL01: <i>Xanthellum transsylvanicum</i> Erdős	von Heyden (1887)
<b>Eupelmidae</b>			
	<i>Anastatus bifasciatus</i> (Geoffroy, 1785)		
	<i>Anastatus catalonicus</i> Bolivar, y, Pieltain, 1935		Anton et al. (2020)
	<i>Anastatus giraudi</i> (Ruschka, 1921)		
	<i>Anastatus japonicus</i> Ashmead, 1904		
	<i>Anastatus oscar</i> (Ruthe, 1859)		
	<i>Brasema stenus</i> (Bouček, 1968)	CL01: <i>Eupelmus stenus</i> Bouček	
	<i>Calosota acron</i> Ruschka, 1921		von Heyden (1887)
	<i>Calosota aestivalis</i> Curtis, 1836		
	<i>Calosota metallica</i> (Gahan, 1922)	CL01: <i>Calosota viridis</i> Masi	
	<i>Calosota obscura</i> Ruschka, 1921		
	<i>Calosota vernalis</i> Curtis, 1836		von Heyden (1887), Anton et al. (2020)
	<i>Calymmochilus subnubilus</i> (Walker, 1872)		

Family	Species	Remarks	Source of information
	<i>Eupelmus annulatus</i> Nees, 1834		Dorow et al. (1992), von Heyden (1887)
	<i>Eupelmus atropurpureus</i> Dalman, 1820		
	<i>Eupelmus azureus</i> Ratzeburg, 1844		
	<i>Eupelmus confusus</i> Al Khatib, 2015		Anton et al. (2020)
	<i>Eupelmus fulvipes</i> Förster, 1860		
	<i>Eupelmus fuscipennis</i> Förster, 1860		
	<i>Eupelmus hartigi</i> Förster, 1841		
	<i>Eupelmus kiefferi</i> De Stefani, 1898		
	<i>Eupelmus linearis</i> Förster, 1860		
	<i>Eupelmus longicalvus</i> Al Khatib & Fusu, 2015		
	<i>Eupelmus messene</i> Walker, 1839		
	<i>Eupelmus microzonus</i> Förster, 1860		
	<i>Eupelmus opacus</i> Delvare, 2015		
	<i>Eupelmus phragmitis</i> Erdős, 1955		
	<i>Eupelmus pini</i> Taylor, 1927		
	<i>Eupelmus simizonus</i> Al Khatib, 2015		
	<i>Eupelmus splendens</i> Giraud, 1872		
	<i>Eupelmus stramineipes</i> Nikol'skaya, 1952		

Family	Species	Remarks	Source of information
	<i>Eupelmus urozonus</i> Dalman, 1820	CL01: <i>Eupelmus bedeguaris</i> Ratzeburg; <i>E. hostilis</i> Förster	Dorow et al. (1992), Greiler (1993) , Hassan (1967), Kopelke (1996)
	<i>Eupelmus vesicularis</i> (Retzius, 1783)		Dorow et al. (1992), Kopelke (1996), Neugebauer (1997), von Heyden (1887), Nitschke et al. (2017)
	<i>Eusandalum coronatum</i> (Thomson, 1876)		
	<i>Eusandalum elongatum</i> (Ruschka, 1921)		
	<i>Eusandalum flavipenne</i> Ruschka, 1921		
	<i>Eusandalum inerme</i> (Ratzeburg, 1848)		
	<i>Eusandalum merceti</i> (Bolivar y Pieltain, 1926)		Anton et al. (2020)
	<i>Eusandalum walkeri</i> (Curtis, 1836)		
	<i>Merostenus excavatus</i> (Dalman, 1820)		
	<i>Merostenus hungaricus</i> (Erdős, 1959)		
	<i>Merostenus rostratus</i> (Ruschka, 1921)	CL01: <i>Eupelmus rostratus</i> Ruschka	
	<i>Metapelma nobile</i> (Förster, 1860)	CL01: <i>Metapelma nobilis</i> Förster	Anton et al. (2020)
<b>Eurytomidae</b>			
	<i>Aximopsis nodularis</i> (Boheman, 1836)	CL01: <i>Eurytoma nodularis</i> Boheman	
	<i>Bruchophagus astragali</i> Fedoseeva, 1954		
	<i>Bruchophagus ater</i> (Walker, 1832)	CL01: <i>Eurytoma atra</i> Walker	
	<i>Bruchophagus gibbus</i> (Boheman, 1836)		Kruess (1996), Anton et al. (2020)

Family	Species	Remarks	Source of information
	<i>Bruchophagus phlei</i> (Erdős, 1969)		Neugebauer (1997)
	<i>Bruchophagus platypterus</i> (Walker, 1834)		Anton et al. (2020)
	<i>Bruchophagus roddi</i> Gussakovskiy, 1933		Anton et al. (2020)
	<i>Eurytoma aciculata</i> Ratzeburg, 1848		
	<i>Eurytoma adleriae</i> Zerova, 1995		
	<i>Eurytoma afra</i> Boheman, 1836	CL01: <i>Eurytoma spessivtsevi</i> Bouček & Novicky	
	<i>Eurytoma aloineae</i> (Burks, 1958)		
	<i>Eurytoma appendigaster</i> (Swederus, 1795)		
	<i>Eurytoma aquatica</i> Erdős, 1955		
	<i>Eurytoma arctica</i> Thomson, 1876	CL01: <i>Eurytoma blastophagi</i> Heqvist	
	<i>Eurytoma aspila</i> (Walker, 1836)		Anton et al. (2020)
	<i>Eurytoma baldingerae</i> Erdős, 1961		
	<i>Eurytoma brunniventris</i> Ratzeburg, 1852		
	<i>Eurytoma castor</i> Claridge, 1959		Hassan (1967)
	<i>Eurytoma caulicola</i> Zerova, 1971		
	<i>Eurytoma centaureae</i> Claridge, 1960		
	<i>Eurytoma collaris</i> Walker, 1832		
	<i>Eurytoma compressa</i> (Fabricius, 1794)		Nitschke et al. (2017)



Family	Species	Remarks	Source of information
	<i>Eurytoma coxalis</i> Erdős, 1969		
	<i>Eurytoma crassinervis</i> Thomson, 1876		Schlemmermeyer (1994)
	<i>Eurytoma curculionum</i> Mayr, 1878		Thies et al. (1997)
	<i>Eurytoma curta</i> Walker, 1832		
	<i>Eurytoma cynipsea</i> Boheman, 1836		Anton et al. (2020)
	<i>Eurytoma danilovi</i> Zerova, 1985		
	<i>Eurytoma danuvica</i> Erdős, 1955		Dorow et al. (1992)
	<i>Eurytoma dentata</i> Mayr, 1878		
	<i>Eurytoma erdoesi</i> Szelényi, 1974		
	<i>Eurytoma flavimana</i> Boheman, 1836		
	<i>Eurytoma goidanichi</i> Bouček, 1970		
	<i>Eurytoma hypochoeridis</i> Claridge, 1960		
	<i>Eurytoma jaceae</i> Mayr, 1878		
	<i>Eurytoma kangasi</i> Hedqvist, 1966		
	<i>Eurytoma maura</i> (Boheman, 1836)	CL01: <i>Bruchophagus maura</i> Boheman	
	<i>Eurytoma mayri</i> Ashmead, 1877		
	<i>Eurytoma morio</i> Boheman, 1836	CL01: <i>Eurytoma eccoptogastris</i> Ratzeburg; <i>E. flavoscapularis</i> Ratzeburg; <i>E. flavovaria</i> Ratzeburg	

Family	Species	Remarks	Source of information
	<i>Eurytoma nobbei</i> Mayr, 1878		
	<i>Eurytoma obscura</i> Boheman, 1836		
	<i>Eurytoma onobrychidis</i> Nikol'skaya, 1933		
	<i>Eurytoma oophaga</i> Silvestri, 1920		
	<i>Eurytoma pediaspisi</i> Pujade i Villar, 1994		
	<i>Eurytoma phalaridis</i> Graham, 1974		
	<i>Eurytoma pistaciae</i> Rondani, 1877		
	<i>Eurytoma pollux</i> Claridge, 1959		Hassan (1967)
	<i>Eurytoma robusta</i> Mayr, 1878		
	<i>Eurytoma rosae</i> Nees, 1834		
	<i>Eurytoma roseni</i> Claridge, 1959		
	<i>Eurytoma rufa</i> Zerova, 1970		
	<i>Eurytoma rufipes</i> Walker, 1832		
	<i>Eurytoma serratulae</i> (Fabricius, 1798)		
	<i>Eurytoma setigera</i> Mayr, 1878		
	<i>Eurytoma strigifrons</i> Thomson, 1876		
	<i>Eurytoma striolata</i> Ratzeburg, 1848		
	<i>Eurytoma tapio</i> Claridge, 1959		

Family	Species	Remarks	Source of information
	<i>Eurytoma truncatella</i> Zerova, 1978		
	<i>Eurytoma verticillata</i> (Fabricius, 1798)		Anton et al. (2020)
	<i>Eurytoma wachtli</i> Mayr, 1878		
	<i>Mangoma salicis</i> (Walker, 1834)		
	<i>Sycophila biguttata</i> (Swederus, 1795)		
	<i>Sycophila concinna</i> (Boheman, 1836)		
	<i>Sycophila fasciata</i> (Thomson, 1876)	CL01: <i>Sycophila stagnalis</i> Erdős	
	<i>Sycophila flavicollis</i> (Walker, 1834)		Thies et al. (1997)
	<i>Sycophila mellea</i> (Curtis, 1831)		Dorow et al. (1992)
	<i>Sycophila submutica</i> (Thomson, 1876)		Bathon and Ruppert (1996)
	<i>Systole albipennis</i> Walker, 1832		
	<i>Systole atratula</i> (Dalla, Torre, 1898)		
	<i>Tetramesa aciculata</i> (Schlechtendal, 1891)		
	<i>Tetramesa affinis</i> (Hedicke, 1921)		
	<i>Tetramesa agrostidis</i> (Howard, 1896)		
	<i>Tetramesa airae</i> (Schlechtendal, 1891)		Hassan (1967)
	<i>Tetramesa albomaculatum</i> (Ashmead, 1894)		
	<i>Tetramesa brachypodii</i> (Schlechtendal, 1891)		

Family	Species	Remarks	Source of information
	<i>Tetramesa brevicollis</i> (Walker, 1836)		
	<i>Tetramesa brevicornis</i> (Walker, 1832)		
	<i>Tetramesa brischkei</i> (Schlechtendal, 1891)		
	<i>Tetramesa calamagrostidis</i> (Schlechtendal, 1891)		
	<i>Tetramesa cylindrica</i> (Schlechtendal, 1891)		
	<i>Tetramesa eximia</i> (Giraud, 1863)		Dorow et al. (1992)
	<i>Tetramesa foersteri</i> (Hedicke, 1921)		
	<i>Tetramesa fulvicollis</i> (Walker, 1832)		
	<i>Tetramesa fumipennis</i> (Walker, 1832)		
	<i>Tetramesa giraudi</i> (Schlechtendal, 1891)		Hassan (1967)
	<i>Tetramesa hordei</i> (Harris, 1830)		
	<i>Tetramesa hyalipennis</i> (Walker, 1832)		
	<i>Tetramesa laevigata</i> (Hedicke, 1921)		
	<i>Tetramesa linearis</i> (Walker, 1832)		
	<i>Tetramesa longicornis</i> (Walker, 1832)		
	<i>Tetramesa longula</i> (Dalman, 1820)		
	<i>Tetramesa maritima</i> (Hedicke, 1921)		
	<i>Tetramesa novalis</i> Zerova, 1978		

Family	Species	Remarks	Source of information
	<i>Tetramesa petiolata</i> (Walker, 1832)		Hassan (1967)
	<i>Tetramesa phleicola</i> (Hedicke, 1921)		
	<i>Tetramesa phragmitis</i> (Erdős, 1952)		
	<i>Tetramesa poae</i> (Schlechtendal, 1891)		
	<i>Tetramesa puccinellae</i> Zerova, 1976		
	<i>Tetramesa scheppigi</i> (Schlechtendal, 1891)		
	<i>Tetramesa schlechtendali</i> (Hedicke, 1921)		
	<i>Tetramesa schmidti</i> (Hedicke, 1921)		
<b>Leucospidae</b>			
	<i>Leucospis dorsigera</i> Fabricius, 1775		von Heyden (1887), Reder (2015), Reder (2005)
	<i>Leucospis gigas</i> Fabricius, 1793		
	<i>Leucospis intermedia</i> Illiger, 1807		
<b>Megastigmidae</b>			
	<i>Bootonomyia dorsalis</i> (Fabricius, 1798)	CL01: <i>Megastigmus dorsalis</i> Fabricius	
	<i>Bootonomyia stigmatizans</i> (Fabricius, 1798)	CL01: <i>Megastigmus stigmatizans</i> Fabricius	
	<i>Megastigmus aculeatus</i> (Swederus, 1795)		Anton et al. (2020)
	<i>Megastigmus atedius</i> Walker, 1851		
	<i>Megastigmus bipunctatus</i> (Swederus, 1795)		

Family	Species	Remarks	Source of information
	<i>Megastigmus brevicaudis</i> Ratzeburg, 1852		
	<i>Megastigmus pictus</i> (Förster, 1841)	CL01: <i>Megastigmus seitneri</i> Hoffmeyer	Anton et al. (2020)
	<i>Megastigmus pinus</i> Parfitt, 1857		
	<i>Megastigmus rosae</i> Bouček, 1971		
	<i>Megastigmus spermotrophus</i> Wachtl, 1893		
	<i>Megastigmus strobilobius</i> Ratzeburg, 1848		
	<i>Megastigmus suspectus</i> Borries, 1895		
<b>Mymaridae</b>			
	<i>Alaptus fuscus</i> Walker, 1846	CL01: <i>Alaptus extremus</i> Soyka; <i>A. novickyi</i> Soyka	Müller and Triapitsyn (2020)
	<i>Alaptus minimus</i> Westwood, 1839	CL01: <i>Alaptus auranti</i> Mercet; <i>A. malachinensis</i> Soyka	Triapitsyn et al. (2020), Anton et al. (2020), Müller and Triapitsyn (2020)
	<i>Alaptus pallidicornis</i> Förster, 1856		Anton et al. (2020), Müller (2020)
	<i>Alaptus stammeri</i> Soyka, 1939		
	<i>Anagrus atomus</i> (Linnaeus, 1767)		
	<i>Anagrus bakkendorfi</i> Sokya, 1946	CL01: <i>Anagrus avalae</i> Soyka	Böll et al. (1999)
	<i>Anagrus ensifer</i> Debauche, 1948		
	<i>Anagrus incarnatosimilis</i> Soyka, 1956		
	<i>Anagrus incarnatus</i> Haliday, 1833	CL01: <i>Anagrus breviphragma</i> Soyka	

Family	Species	Remarks	Source of information
	<i>Anagrus nigriceps</i> (Smits, van, Burgst, 1914)	CL01: <i>Anagrus similis</i> Soyka	
	<i>Anagrus optabilis</i> (Perkins, 1905)		Müller and Triapitsyn (2020)
	<i>Anagrus subfuscus</i> Förster, 1847	CL01: <i>Anagrus supremosimilis</i> Soyka	
	<i>Anaphes brevis</i> Walker, 1846	CL01: <i>Anaphes malchinensis</i> Soyka	
	<i>Anaphes collinus</i> Walker, 1846	CL01: <i>Anaphes discolorisimilis</i> Soyka	
	<i>Anaphes crassicornis</i> (Walker, 1846)	CL01: <i>Anaphes variatus</i> Soyka	
	<i>Anaphes crassipennis</i> (Soyka, 1946)	CL01: <i>Anaphes aries</i> Debauche; <i>A. gracillimus</i> Soyka; <i>A. serenus</i> Soyka; <i>A. sulphuripes</i> Soyka; <i>A. wertaneki</i> Soyka	
	<i>Anaphes diana</i> (Girault, 1911)	CL01: <i>Anaphes compressus</i> Soyka	Müller and Triapitsyn (2020)
	<i>Anaphes flavipes</i> (Förster, 1841)	CL01: <i>Anaphes gauthieri</i> Debauche; <i>A. neospecialis</i> Soyka; <i>A. pilicornis</i> Soyka	
	<i>Anaphes fuscipennis</i> Haliday, 1833		
	<i>Anaphes gauthieri</i> Debauche, 1948	CL01: <i>Anaphes flavus</i> Soyka	
	<i>Anaphes longicornis</i> Walker, 1846	CL01: <i>Anaphes leptoceras</i> Debauche; <i>A. pannonicus</i> Soyka	
	<i>Anaphes luna</i> (Girault, 1914)	CL01: <i>Anaphes brachygaster</i> Debauche; <i>A. dorcas</i> Debauche	
	<i>Anaphes medius</i> Soyka, 1946	CL01: <i>Anaphes intermedius</i> Soyka	Müller and Triapitsyn (2020)
	<i>Anaphes ovipositor</i> Soyka, 1946	CL01: <i>Anaphes brevitarsis</i> Soyka; <i>A. angustipennis</i> Soyka	
	<i>Anaphes parallelipennis</i> (Soyka, 1949)	CL01: <i>Anaphes rectipennis</i> Soyka	
	<i>Anaphes quadraticornis</i> (Soyka, 1949)		

Family	Species	Remarks	Source of information
	<i>Anaphes regulus</i> Walker, 1846		
	<i>Anaphes silesicus</i> (Soyka, 1946)	CL01: <i>Anaphes exiguus</i> Soyka	
	<i>Arescon dimidiatus</i> (Curtis, 1832)	CL01: <i>Arescon dimidiata</i>	Müller and Triapitsyn (2020),
	<i>Camptoptera cardui</i> (Förster, 1856)	CL01: <i>Camptoptera aula</i> Debauche; <i>C. stammeri</i> Soyka; <i>C. tenuis</i> Soyka	Müller and Triapitsyn (2020)
	<i>Camptoptera magna</i> Soyka, 1946		
	<i>Camptoptera papaveris</i> Förster, 1856	CL01: <i>Camptoptera annulata</i> Soyka; <i>C. parva</i> Soyka	Müller and Triapitsyn (2020)
	<i>Camptoptera punctum</i> (Shaw, 1798)	CL01: <i>Camptoptera ellifranzae</i> Strassen	
	<i>Cleruchus janetscheki</i> Novicky, 1965		
	<i>Cleruchus pluteus</i> Enoch, 1909		
	<i>Cosmocomoidea atra</i> (Förster, 1841)	CL01: <i>Gonatocerus ater</i>	Anton et al. (2020), Müller and Triapitsyn (2020)
	<i>Cosmocomoidea oxygygus</i> (Foerster, 1856)		
	<i>Erythmelus agilis</i> (Enock, 1909)		Müller and Triapitsyn (2020)
	<i>Erythmelus dichromocnemus</i> Nowicki, 1953		Müller and Triapitsyn (2020)
	<i>Erythmelus flavovarius</i> (Walker, 1846)	CL01: <i>Erythmelus goochi</i> Enoch	
	<i>Erythmelus panis</i> (Enock, 1909)		
	<i>Erythmelus rex</i> (Girault, 1911)		
	<i>Eustochus atripennis</i> (Curtis, 1832)		Müller and Triapitsyn (2020)



Family	Species	Remarks	Source of information
	<i>Eustochus cinctus</i> (Walker, 1846)		Triapitsyn et al. (2020)
	<i>Eustochus confusus</i> Huber & Baquero, 2007		Müller and Triapitsyn (2020)
	<i>Eustochus koponeni</i> Triapitsyn, 2020		
	<i>Gonatocerus fuscicornis</i> (Walker, 1846)	CL01: <i>Gonatocerus sulphuripes</i> (Förster)	Müller and Triapitsyn (2020)
	<i>Gonatocerus longicornis</i> Nees, 1834		Anton et al. (2020), Müller and Triapitsyn (2020)
	<i>Gonatocerus pictus</i> (Haliday, 1833)		Müller and Triapitsyn (2020)
	<i>Litus cynipseus</i> Haliday, 1833		Anton et al. (2020), Müller (2020)
	<i>Lymaenon acuminatus</i> Walker, 1846		
	<i>Lymaenon aureus</i> (Girault, 1911)		Müller and Triapitsyn (2020)
	<i>Lymaenon litoralis</i> (Haliday, 1833)	CL01: <i>Gonatocerus litoralis</i> Soyka	Anton et al. (2020), Müller and Triapitsyn (2020)
	<i>Lymaenon longior</i> (Soyka, 1946)	CL01: <i>Gonatocerus longior</i> Soyka	
	<i>Mymar pulchellum</i> Curtis, 1832		Müller and Triapitsyn (2020)
	<i>Mymar regale</i> Enock, 1911		Müller and Triapitsyn (2020)
	<i>Mymar taprobanicum</i> Ward, 1875		Müller and Triapitsyn (2020)
	<i>Ooctonus hemipterus</i> Haliday, 1833	CL01: <i>Ooctonus wagneri</i> Soyka	Müller and Triapitsyn (2020)
	<i>Ooctonus insignis</i> Haliday, 1833	CL01: <i>Ooctonus major</i> Girault	
	<i>Ooctonus notatus</i> Walker, 1846		Anton et al. (2020), Müller and Triapitsyn (2020)
	<i>Ooctonus novickyi</i> Soyka, 1950		Müller and Triapitsyn (2020)

Family	Species	Remarks	Source of information
	<i>Ooctonus sublaevis</i> Förster, 1847		Anton et al. (2020)
	<i>Ooctonus vulgatus</i> Haliday, 1833		Müller and Triapitsyn (2020)
	<i>Polynema atratum</i> Haliday, 1833		Müller and Triapitsyn (2020)
	<i>Polynema capillatum</i> Soyka, 1956		
	<i>Polynema crassicorne</i> Förster, 1847		
	<i>Polynema euchariforme</i> Haliday, 1833		Müller and Triapitsyn (2020)
	<i>Polynema flavipes</i> Walker, 1846		
	<i>Polynema foersteri</i> Soyka, 1946		
	<i>Polynema fumipenne</i> Walker, 1846		Müller and Triapitsyn (2020)
	<i>Polynema fuscipes</i> Haliday, 1833		
	<i>Polynema gracile</i> (Nees, 1834)		
	<i>Polynema gracilior</i> Soyka, 1946		
	<i>Polynema laetum</i> Förster, 1847		
	<i>Polynema latipenne</i> Förster, 1847		
	<i>Polynema malkwitzi</i> Soyka, 1956		
	<i>Polynema marginatum</i> (Soyka, 1940)		
	<i>Polynema neustadti</i> Soyka, 1956		
	<i>Polynema ovatum</i> Soyka, 1956		

Family	Species	Remarks	Source of information
	<i>Polynema ovulorum</i> (Linnaeus, 1758)		
	<i>Polynema pusillum</i> Haliday, 1833		
	<i>Polynema sachtlebeni</i> Soyka, 1956		
	<i>Polynema schmitzi</i> Soyka, 1956		
	<i>Polynema spectabile</i> (Soyka, 1956)		
	<i>Polynema stammeri</i> Soyka, 1946		
	<i>Polynema vitripenne</i> (Förster, 1847)		
	<i>Stephanodes similis</i> (Förster, 1847)		
	<i>Stethynium triclavatum</i> Enock, 1909		Böll et al. (1999)
<b>Ormyridae</b>			
	<i>Ormyrus cingulatus</i> (Förster, 1860)		
	<i>Ormyrus diffinis</i> (Fonscolombe, 1832)		
	<i>Ormyrus gratiosus</i> (Förster, 1860)		Bathon and Ruppert (1996), Anton et al. (2020)
	<i>Ormyrus nitidulus</i> (Fabricius, 1804)		
	<i>Ormyrus orientalis</i> Walker, 1871		Nitschke et al. (2017)
	<i>Ormyrus papaveris</i> (Perris, 1840)		
	<i>Ormyrus pomaceus</i> (Geoffroy, 1785)		
	<i>Ormyrus rufimanus</i> Mayr, 1904		Schmidt, pers. comm.

Family	Species	Remarks	Source of information
	<i>Ormyrus wachtli</i> Mayr, 1904		
<b>Perilampidae</b>			
	<i>Chrysolampus punctatus</i> (Förster, 1859)		
	<i>Chrysolampus rufitarsis</i> (Förster, 1859)		
	<i>Chrysolampus splendidulus</i> (Spinola, 1808)		
	<i>Chrysolampus thenae</i> (Walker, 1848)		
	<i>Chrysomalla roseri</i> Förster, 1859		
	<i>Perilampus aeneus</i> (Rossius, 1790)		Anton et al. (2020)
	<i>Perilampus auratus</i> (Panzer, 1798)		
	<i>Perilampus aureoviridis</i> Walker, 1833		
	<i>Perilampus chrysonotus</i> Förster, 1859		Agricola (1984)
	<i>Perilampus intermedius</i> Bouček, 1956		
	<i>Perilampus laevifrons</i> Dalman, 1822		Agricola (1984)
	<i>Perilampus masculinus</i> Bouček, 1956		
	<i>Perilampus micans</i> Dalman, 1820		von Heyden (1887)
	<i>Perilampus minutalis</i> Steffan, 1952		
	<i>Perilampus neglectus</i> Bouček, 1956		
	<i>Perilampus nitens</i> Walker, 1834		von Heyden (1887)

Family	Species	Remarks	Source of information
	<i>Perilampus ruficornis</i> (Fabricius, 1793)		
	<i>Perilampus ruschkai</i> Hellén, 1924		
	<i>Perilampus tristis</i> Mayr, 1905		Agricola (1984)
<b>Pteromalidae</b>			
	<i>Ablaxia robusta</i> Hedqvist, 1978		
	<i>Acrocormus semifasciatus</i> Thomson, 1878		Haas et al. (2021)
	<i>Aggelma violacea</i> (Zetterstedt, 1838)		
	<i>Anisopteromalus calandrae</i> (Howard, 1881)		
	<i>Anogmus hohenheimensis</i> Ratzeburg, 1844		
	<i>Anogmus hungaricus</i> (Erdős, 1948)		
	<i>Anogmus piceae</i> (Ruschka, 1921)		
	<i>Anogmus strobilorum</i> (Thomson, 1878)		
	<i>Anogmus vala</i> (Walker, 1839)		
	<i>Apelioma pteromalinum</i> (Thomson, 1878)		Haas et al. (2021)
	<i>Apsilocera bramleyi</i> Graham, 1966		
	<i>Arthrolytus discoideus</i> (Nees, 1834)		
	<i>Arthrolytus maculipennis</i> (Walker, 1835)		
	<i>Arthrolytus ocellus</i> (Walker, 1834)		

Family	Species	Remarks	Source of information
	<i>Arthrolytus slovacus</i> Graham, 1969		Haas et al. (2021)
	<i>Asaphes suspensus</i> (Nees, 1834)		Blüthgen (1929)
	<i>Asaphes vulgaris</i> Walker, 1834		Blüthgen (1929), Anton et al. (2020)
	<i>Atrichomalus trianellatus</i> Graham, 1956		Haas et al. (2021)
	<i>Caenacis inflexa</i> (Ratzeburg, 1848)		
	<i>Caenacis lauta</i> (Walker, 1835)		
	<i>Caenocrepis arenicola</i> (Thomson, 1878)		
	<i>Callitula bicolor</i> Spinola, 1811		
	<i>Callitula elongata</i> (Thomson, 1878)		
	<i>Callitula ferrierei</i> Bouček, 1964		
	<i>Callitula pyrrhogaster</i> (Walker, 1833)		
	<i>Capellia cecidomyiae</i> (Ratzeburg, 1844)		
	<i>Capellia orneus</i> (Walker, 1839)		
	<i>Catolaccus ater</i> (Ratzeburg, 1852)		
	<i>Cea pulicaris</i> Walker, 1837		Anton et al. (2020)
	<i>Cecidolampa barbotini</i> Askew, 1975		
	<i>Cecidostiba docimus</i> (Walker, 1839)		
	<i>Cecidostiba fungosa</i> (Geoffroy, 1785)		

Family	Species	Remarks	Source of information
	<i>Cecidostiba geganius</i> (Walker, 1848)		
	<i>Cecidostiba jucundus</i> (Förster, 1841)		Wall (1973)
	<i>Cecidostiba semifascia</i> (Walker, 1835)		
	<i>Cerocephala cornigera</i> Westwood, 1832		
	<i>Cerocephala rufa</i> (Walker, 1833)		
	<i>Cheiopachus quadrum</i> (Fabricius, 1787)		Anton et al. (2020), Greiler (1993), von Heyden (1887)
	<i>Chlorocythus alticomis</i> Graham, 1984		
	<i>Chlorocythus breviscapus</i> Graham, 1965		Dorow et al. (1992)
	<i>Chlorocythus diversus</i> (Walker, 1836)		
	<i>Chlorocythus formosus</i> (Walker, 1835)		
	<i>Chlorocythus harmolitae</i> Bouček, 1957		Blüthgen (1929)
	<i>Chlorocythus inchoatus</i> Graham, 1965		
	<i>Chlorocythus longicauda</i> (Thomson, 1878)		
	<i>Chlorocythus phalaridis</i> Graham, 1965		
	<i>Chlorocythus polichna</i> (Walker, 1848)		
	<i>Chlorocythus spicatus</i> (Walker, 1835)		Lübbe (1990)
	<i>Chlorocythus terminalis</i> (Walker, 1839)		
	<i>Chlorocythus ultonicus</i> Graham, 1965		

Family	Species	Remarks	Source of information
	<i>Cleonymus brevis</i> Bouček, 1972		Haas et al. (2021)
	<i>Cleonymus laticornis</i> Walker, 1837		
	<i>Cleonymus obscurus</i> Walker, 1837		Haas et al. (2021)
	<i>Cleonymus vrevis</i> Bouček, 1972		
	<i>Coelopisthia areolata</i> Askew, 1980	CL01: <i>Kranophorus areolata</i> Askew	
	<i>Coelopisthia caledonica</i> Askew, 1980		
	<i>Coelopisthia extenta</i> (Walker, 1835)	CL01: <i>Kranophorus extentus</i> Walker	Dorow et al. (1992), Anton et al. (2020)
	<i>Coelopisthia pachycera</i> Masi, 1934		Haas et al. (2021)
	<i>Collentis suecicus</i> Graham, 1969	CL01: <i>Callimerismus suecicus</i> Graham	
	<i>Colotrechnus subcoeruleus</i> Thomson, 1878		
	<i>Conomorium amplum</i> (Walker, 1835)		
	<i>Conomorium patulum</i> (Walker, 1835)		
	<i>Coruna clavata</i> Walker, 1833		Blüthgen (1929)
	<i>Cratomus megacephalus</i> (Fabricius, 1793)		
	<i>Cryptoprymna atra</i> (Walker, 1833)		
	<i>Cryptoprymna paludicola</i> Askew, 1991		Haas et al. (2021)
	<i>Cyclogastrella clypealis</i> Bouček, 1965		Haas et al. (2021)



Family	Species	Remarks	Source of information
	<i>Cyclogastrella simplex</i> (Walker, 1834)		
	<i>Cyrtogaster clavicornis</i> Walker, 1833		
	<i>Cyrtogaster vulgaris</i> Walker, 1833		Greiler (1993), Neiber (2010)
	<i>Dibrachoides cionobius</i> Graham, 1969		Anton et al. (2020)
	<i>Dibrachoides dynastes</i> (Förster, 1841)		
	<i>Dibrachys affinis</i> Masi, 1907		
	<i>Dibrachys fuscicornis</i> (Walker, 1836)		
	<i>Dibrachys hians</i> Bouček, 1965		Haas et al. (2021)
	<i>Dibrachys lignicola</i> Graham, 1969	CL01: <i>Dibrachys goettingenus</i> Doganlar	
	<i>Dibrachys microgastris</i> (Bouché, 1834)	CL01: <i>Dibrachys boarmiae</i> Walker; <i>D. cavus</i> Walker; <i>D. vesparum</i> Ratzeburg	Bachmeier (1965)
	<i>Dibrachys verovesparum</i> Peters & Baur, 2011		
	<i>Diglochis paludicola</i> Abraham, 1986		
	<i>Diglochis sylvicola</i> (Walker, 1835)		
	<i>Dimachus cingulum</i> (Nees, 1834)		
	<i>Dinarmus acutus</i> (Thomson, 1878)		
	<i>Dinotiscus aponius</i> (Walker, 1848)		
	<i>Dinotiscus avrupanensis</i> Doganlar, 2007		
	<i>Dinotiscus calcaratus</i> (Thomson, 1878)		

Family	Species	Remarks	Source of information
	<i>Dinotiscus colon</i> (Linnaeus, 1758)		
	<i>Dinotiscus eupterus</i> (Walker, 1836)		
	<i>Dinotiscus isvicrensis</i> Doganlar, 2007		
	<i>Dinotoides tenebricus</i> (Walker, 1834)		Haas et al. (2021)
	<i>Dipara petiolata</i> Walker, 1833		
	<i>Dirhicnus ramealis</i> (Nees, 1834)		
	<i>Ecrizotes longicornis</i> (Walker, 1848)		Haas et al. (2021)
	<i>Ecrizotes monticola</i> Förster, 1861		Haas et al. (2021)
	<i>Endomychobius endomychi</i> (Walker, 1836)		
	<i>Epicopterus choreiformis</i> Westwood, 1833		
	<i>Erdoesia tessellata</i> Bouček, 1957	CL01: <i>Erdoesia tessellata</i> ; misspelling	
	<i>Erdoesina alboannulata</i> (Ratzeburg, 1852)		
	<i>Erythromalus rufiventris</i> (Walker, 1835)		Haas et al. (2021)
	<i>Eulonchetron torymoides</i> (Thomson, 1878)		
	<i>Eumacepolus einersbergensis</i> Ratzeburg, 1844	CL01: <i>Anogmus einersbergensis</i> Ratzeburg	
	<i>Eumacepolus saxeseni</i> Graham, 1957		
	<i>Euneura lachni</i> (Ashmead, 1887)		

Family	Species	Remarks	Source of information
	<i>Euneura saetosa</i> (Delucchi, 1955)		
	<i>Euneura sopolis</i> (Walker, 1844)		
	<i>Eunotus acutus</i> Kurdjumov, 1912		Hoffmann (2002)
	<i>Eunotus areolatus</i> (Ratzeburg, 1852)		
	<i>Eunotus cretaceus</i> Walker, 1834		Hoffmann (2002)
	<i>Eunotus nigriclavus</i> (Förster, 1856)		
	<i>Eunotus obscurus</i> Masi, 1931		
	<i>Eunotus parvulus</i> Masi, 1931		
	<i>Eurydinota leptomera</i> Förster, 1878		
	<i>Gastracanthus pulcherrimus</i> Westwood, 1833		
	<i>Gastrancistrus acontes</i> Walker, 1840		
	<i>Gastrancistrus acutus</i> Graham, 1969		Haas et al. (2021)
	<i>Gastrancistrus affinis</i> Graham, 1969		Haas et al. (2021)
	<i>Gastrancistrus amabilis</i> (Girault & Dodd, 1915)		
	<i>Gastrancistrus autumnalis</i> (Walker, 1834)		
	<i>Gastrancistrus claviger</i> Förster, 1861		
	<i>Gastrancistrus compressus</i> Walker, 1834		Haas et al. (2021)

Family	Species	Remarks	Source of information
	<i>Gastrancistrus fulvicornis</i> (Walker, 1874)		
	<i>Gastrancistrus fulvicoxis</i> Graham, 1969		
	<i>Gastrancistrus fumipennis</i> Walker, 1834		Haas et al. (2021)
	<i>Gastrancistrus fuscicornis</i> Walker, 1834		
	<i>Gastrancistrus glabellus</i> (Nees, 1834)		
	<i>Gastrancistrus latifrons</i> (Thomson, 1876)		
	<i>Gastrancistrus picipes</i> (Nees, 1834)		
	<i>Gastrancistrus pusztensis</i> (Erdős, 1946)		
	<i>Gastrancistrus salicis</i> (Nees, 1834)		
	<i>Gastrancistrus torymiformis</i> (Ratzeburg, 1852)		Wall (1973)
	<i>Gbelcia crassiceps</i> Bouček, 1961		Haas et al. (2021)
	<i>Glyphognathus convexus</i> (Delucchi, 1953)		
	<i>Glyphognathus flammeus</i> (Delucchi, 1953)		
	<i>Glyphognathus laevigatus</i> (Delucchi, 1953)		
	<i>Glyphognathus nitidus</i> (Delucchi, 1955)	CL01: <i>Sphaeripalpus nitidus</i> Delucchi	
	<i>Gyrinophagus aper</i> (Walker, 1839)		
	<i>Gyrinophagus luteipes</i> Ruschka, 1914		

Family	Species	Remarks	Source of information
	<i>Habritys brevicornis</i> (Ratzeburg, 1844)		
	<i>Halticoptera aenea</i> (Walker, 1833)		
	<i>Halticoptera circulus</i> (Walker, 1833)		
	<i>Halticoptera collaris</i> (Walker, 1836)		
	<i>Halticoptera crius</i> (Walker 1839)		
	<i>Halticoptera dimidiata</i> (Förster, 1841)		
	<i>Halticoptera elongatula</i> Graham, 1972		
	<i>Halticoptera flavicornis</i> (Spinola, 1808)	CL01: <i>Halticoptera smaragdina</i> Curtis	
	<i>Halticoptera izzetbaysali</i> Doganlar, 2006		
	<i>Halticoptera laevigata</i> Thomson, 1876		
	<i>Halticoptera longipetiolus</i> Hedqvist, 1975		Haas et al. (2021)
	<i>Halticoptera mustela</i> (Walker, 1839)		
	<i>Halticoptera patellana</i> (Dalman, 1818)		
	<i>Halticoptera polita</i> (Walker, 1834)		
	<i>Halticoptera smaragdina</i> (Walker, 1862)		
	<i>Halticoptera triannulata</i> (Erdős, 1946)		
	<i>Halticoptera vehbikoci</i> Doganlar, 2006		
	<i>Hemitrichus seniculus</i> (Nees, 1834)		H. Baur det., von Heyden (1887)

Family	Species	Remarks	Source of information
	<i>Heteroprymna longicornis</i> (Walker, 1835)		Haas et al. (2021)
	<i>Heydenia pretiosa</i> Förster, 1856		
	<i>Hobbya stenonota</i> (Ratzeburg, 1848)		
	<i>Holcaeus calligetus</i> (Walker, 1839)		
	<i>Holcaeus compressus</i> (Walker, 1836)		
	<i>Holcaeus decipiens</i> (Thomson, 1878)		
	<i>Holcaeus gorgasus</i> (Walker, 1839)		
	<i>Holcaeus gracilentus</i> (Bouček, 1954)		
	<i>Holcaeus stenogaster</i> (Walker, 1836)		
	<i>Holcaeus stylatus</i> Graham, 1969		
	<i>Homoporus apharetus</i> (Walker, 1839)		Anton et al. (2020)
	<i>Homoporus arestor</i> (Walker, 1848)		
	<i>Homoporus destructor</i> (Say, 1817)		Dorow et al. (1992)
	<i>Homoporus febriculosus</i> (Girault, 1917)		
	<i>Homoporus fulviventris</i> (Walker, 1835)		Anton et al. (2020)
	<i>Homoporus gibbiscuta</i> (Thomson, 1878)		
	<i>Homoporus luniger</i> (Nees, 1834)		Dorow et al. (1992), Neugebauer (1997)
	<i>Homoporus nypsius</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Homoporus pulchripes</i> Erdős, 1953		Haas et al. (2021)
	<i>Homoporus semiluteus</i> (Walker, 1872)		
	<i>Homoporus subniger</i> (Walker, 1835)		Anton et al. (2020)
	<i>Hyperimerus pusillus</i> (Walker, 1833)		
	<i>Isocyrtus laetus</i> Walker, 1833		
	<i>Janssoniella ambigua</i> Graham, 1969		
	<i>Janssoniella caudata</i> Kerrich, 1957		
	<i>Kaleva corynocera</i> Graham, 1957		Haas et al. (2021)
	<i>Ksenoplata quadrata</i> Bouček, 1965		Haas et al. (2021)
	<i>Lampoterma bianellatum</i> Graham, 1969		
	<i>Lampoterma viride</i> (Thomson, 1876)		
	<i>Lamprotatus annularis</i> (Walker, 1833)		
	<i>Lamprotatus brevicornis</i> Thomson, 1876		
	<i>Lamprotatus claviger</i> Thomson, 1876		
	<i>Lamprotatus picinervis</i> Thomson, 1876		
	<i>Lamprotatus pschorni</i> Delucchi, 1953		
	<i>Lamprotatus simillimus</i> Delucchi, 1953		
	<i>Lamprotatus splendens</i> Westwood, 1833	CL01: <i>Lamprotatus ornatus</i> Delucchi	

Family	Species	Remarks	Source of information
	<i>Lamprotatus truncatus</i> (Fonscolombe, 1832)	CL01: <i>Lamprotatus cerebrosus</i> Delucchi; <i>Lamprotatus mirabilis</i> Delucchi	
	<i>Lariophagus distinguendus</i> (Förster, 1841)		
	<i>Lariophagus puncticollis</i> (Möller, 1882)		
	<i>Lariophagus rufipes</i> Hedqvist, 1978		
	<i>Leptomeraporus nicaee</i> (Walker, 1839)		
	<i>Macroglenes bouceki</i> (Graham, 1969)		
	<i>Macroglenes chalybeus</i> (Haliday, 1833)		
	<i>Macroglenes compressus</i> (Förster, 1841)	CL01: <i>Stenophrus compressus</i> Förster	
	<i>Macroglenes conjungens</i> (Graham, 1969)		
	<i>Macroglenes eximius</i> (Haliday, 1833)		Haas et al. (2021)
	<i>Macroglenes gramineus</i> (Haliday, 1833)		Anton et al. (2020)
	<i>Macroglenes microcerus</i> Haliday, 1844		
	<i>Macroglenes paludum</i> (Graham, 1969)		Haas et al. (2021)
	<i>Macroglenes penetrans</i> (Kirby, 1800)		Anton et al. (2020)
	<i>Macroglenes varicornis</i> (Haliday, 1833)		
	<i>Macromesus amphiretus</i> (Walker, 1848)		
	<i>Meraporus glaber</i> Szelényi, 1981	CL01: <i>Anisopteromalus glaber</i> Szelényi	
	<i>Meraporus graminicola</i> (Walker, 1834)		



Family	Species	Remarks	Source of information
	<i>Merismus megapterus</i> Walker, 1833		
	<i>Merismus nitidus</i> (Walker, 1833)		
	<i>Merismus rufipes</i> Walker, 1833		
	<i>Merismus splendens</i> Graham, 1969		
	<i>Merismus viridis</i> (Delucchi, 1955)		
	<i>Merisus flagellatus</i> Bouček, 1965		Dorow et al. (1992)
	<i>Merisus splendidus</i> Walker, 1834		Anton et al. (2020)
	<i>Mesopolobus aequus</i> (Walker, 1834)		
	<i>Mesopolobus albitarsus</i> (Walker, 1834)		
	<i>Mesopolobus amaenus</i> (Walker, 1834)		
	<i>Mesopolobus citrinus</i> (Ratzeburg, 1852)		
	<i>Mesopolobus clavicornis</i> (Förster, 1878)		
	<i>Mesopolobus diffinis</i> (Walker, 1834)		
	<i>Mesopolobus dubius</i> (Walker, 1834)		
	<i>Mesopolobus fagi</i> Askew & Lampe, 1998		
	<i>Mesopolobus fasciventris</i> Westwood, 1833		
	<i>Mesopolobus fuscipes</i> (Walker, 1834)		
	<i>Mesopolobus gemellus</i> Baur & Muller, 2007		

Family	Species	Remarks	Source of information
	<i>Mesopolobus graminum</i> (Hardh, 1950)		Anton et al. (2020)
	<i>Mesopolobus incultus</i> (Walker, 1834)		
	<i>Mesopolobus laticornis</i> (Walker, 1834)		
	<i>Mesopolobus longicollis</i> Graham, 1969		
	<i>Mesopolobus maculicornis</i> (Giraud, 1863)		
	<i>Mesopolobus mediterraneus</i> (Mayr, 1903)		
	<i>Mesopolobus morys</i> (Walker, 1848)		Greiler (1993)
	<i>Mesopolobus nobilis</i> (Walker, 1834)		Anton et al. (2020)
	<i>Mesopolobus phragmitis</i> (Erdős, 1957)		
	<i>Mesopolobus prasinus</i> (Walker, 1834)		
	<i>Mesopolobus rhabdophagae</i> (Graham, 1957)		
	<i>Mesopolobus semiclavatus</i> (Ratzeburg, 1848)		
	<i>Mesopolobus sericeus</i> (Forster, 1770)		
	<i>Mesopolobus spermotrophus</i> Hussey, 1960		
	<i>Mesopolobus subfumatus</i> (Ratzeburg, 1852)		H. Baur det.
	<i>Mesopolobus tarsatus</i> (Nees, 1834)		

Family	Species	Remarks	Source of information
	<i>Mesopolobus teliformis</i> (Walker, 1834)		
	<i>Mesopolobus tibialis</i> (Westwood, 1833)		
	<i>Mesopolobus typographi</i> (Ruschka, 1924)		
	<i>Mesopolobus verditer</i> (Norton, 1869)		
	<i>Mesopolobus xanthocerus</i> (Thomson, 1878)		
	<i>Metacolus azureus</i> (Ratzeburg, 1844)		
	<i>Metacolus unifasciatus</i> Förster, 1856		
	<i>Metastenus concinnus</i> Walker, 1834		
	<i>Micradelus acutus</i> Graham, 1969		Haas et al. (2021)
	<i>Micradelus rotundus</i> Walker, 1834		
	<i>Miscogaster elegans</i> Walker, 1834		
	<i>Miscogaster hortensis</i> Walker, 1833		
	<i>Miscogaster maculata</i> Walker, 1833		
	<i>Miscogaster necopina</i> Delucchi, 1953		
	<i>Miscogaster rufipes</i> Walker, 1833	CL01: <i>Miscogaster fulgens</i> Delucchi	
	<i>Mokrzeckia pini</i> (Hartig, 1838)		von Heyden (1887)
	<i>Muscidifurax raptor</i> Girault & Sanders, 1910		
	<i>Nasonia vitripennis</i> (Walker, 1836)		Franz and Wellenstein (1958), Greiler (1993), H. Baur det.

Family	Species	Remarks	Source of information
	<i>Nodisoplata diffinis</i> (Walker, 1874)		
	<i>Norbanus obscurus</i> (Masi, 1922)		
	<i>Norbanus scabriculus</i> (Nees, 1834)		
	<i>Notanisis sexramosus</i> (Erdős, 1946)		
	<i>Oodera formosa</i> (Giraud 1863)		Werner and Peters (2018), Doczkal (2017)
	<i>Ormocerus latus</i> Walker, 1834		
	<i>Ormocerus vernalis</i> Walker, 1834		
	<i>Oxyglypta rugosa</i> Ruschka, 1912		
	<i>Oxysychus pilosulus</i> (Thomson, 1878)		
	<i>Pachycrepoideus vindemmiae</i> (Rondani, 1875)		
	<i>Pachyneuron aphidis</i> (Bouché, 1834)		Blüthgen (1929)
	<i>Pachyneuron formosum</i> Walker, 1833		Anton et al. (2020)
	<i>Pachyneuron gibbiscuta</i> Thomson, 1878		Thies et al. (1997)
	<i>Pachyneuron grande</i> Thomson, 1878		
	<i>Pachyneuron groenlandicum</i> (Holmgren, 1872)		
	<i>Pachyneuron leucopiscida</i> Mani, 1939		
	<i>Pachyneuron muscarum</i> (Linnaeus, 1758)		Greiler (1993), Hoffmann (2002)

Family	Species	Remarks	Source of information
	<i>Pachyneuron nelsoni</i> Girault, 1928		
	<i>Pachyneuron planiscuta</i> Thomson, 1878		
	<i>Pachyneuron solitarium</i> (Hartig, 1838)		Blüthgen (1929)
	<i>Pachyneuron vitodurens</i> Delucchi, 1955		
	<i>Pandelus flavipes</i> (Förster, 1841)		
	<i>Panstenon agylla</i> (Walker, 1850)		
	<i>Panstenon oxylus</i> (Walker, 1839)		
	<i>Pegopus inornatus</i> (Walker, 1834)		
	<i>Peridesmia congrua</i> (Walker, 1835)		
	<i>Peridesmia discus</i> (Walker, 1835)		
	<i>Perniphora robusta</i> Ruschka, 1923		
	<i>Phaenocythus glechomae</i> (Förster, 1841)		
	<i>Platygerrhus affinis</i> (Walker, 1836)		
	<i>Platygerrhus dolosus</i> (Walker, 1836)		
	<i>Platygerrhus ductilis</i> (Walker, 1836)		
	<i>Platygerrhus unicolor</i> Graham, 1969		Haas et al. (2021)
	<i>Plutothrix bicolorata</i> (Spinola, 1808)		von Heyden (1887)
	<i>Plutothrix coelius</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Plutothrix trifasciata</i> (Thomson, 1878)		von Heyden (1887)
	<i>Pseudocatolaccus nitescens</i> (Walker, 1834)		
	<i>Psilocera confusa</i> Graham, 1992		Haas et al. (2021)
	<i>Psilocera crassispina</i> (Thomson, 1878)		Haas et al. (2021)
	<i>Psilocera obscura</i> Walker, 1833		
	<i>Psilocera punctifrons</i> (Thomson, 1878)		
	<i>Psilonotus achaeus</i> Walker, 1848		
	<i>Psilonotus adamas</i> Walker, 1834		
	<i>Psilonotus hortensia</i> Walker, 1846		
	<i>Psychophagoides crassicornis</i> Graham, 1969		Haas et al. (2021)
	<i>Psychophagus omnivorus</i> (Walker, 1835)		
	<i>Pteromalus albipennis</i> Walker, 1835		Nitschke et al. (2017)
	<i>Pteromalus altus</i> (Walker, 1834)		Haas et al. (2021)
	<i>Pteromalus aureolus</i> (Thomson, 1878)		
	<i>Pteromalus bedeguaris</i> (Thomson, 1878)		Cölln (1998)
	<i>Pteromalus berylli</i> Walker, 1835		
	<i>Pteromalus bifoveolatus</i> Förster, 1861		
	<i>Pteromalus cardui</i> (Erdős, 1953)		Nitschke et al. (2017)

Family	Species	Remarks	Source of information
	<i>Pteromalus caudiger</i> (Graham, 1969)		
	<i>Pteromalus chlorogaster</i> (Thomson, 1878)		
	<i>Pteromalus chlorospilus</i> (Walker, 1834)		
	<i>Pteromalus chrysos</i> Walker, 1836		Bachmeier (1965), Greiler (1993)
	<i>Pteromalus cioni</i> (Thomson, 1878)		
	<i>Pteromalus cionobius</i> (Erdős, 1953)		
	<i>Pteromalus conformis</i> (Graham, 1969)		
	<i>Pteromalus conopidarum</i> (Bouček, 1961)		
	<i>Pteromalus crassinervis</i> (Thomson, 1878)		
	<i>Pteromalus cyniphidis</i> (Linnaeus, 1758)	CL01: <i>Pteromalus capreae</i> Linnaeus	
	<i>Pteromalus dispar</i> (Curtis, 1827)		
	<i>Pteromalus dolichurus</i> (Thomson, 1878)		
	<i>Pteromalus elevatus</i> (Walker, 1834)		Nitschke et al. (2017)
	<i>Pteromalus euurae</i> Askew, 1995		
	<i>Pteromalus fasciatus</i> (Thomson, 1878)		
	<i>Pteromalus hieracii</i> (Thomson, 1878)		
	<i>Pteromalus intermedius</i> (Walker, 1834)		
	<i>Pteromalus laricinellae</i> Ratzeburg, 1849		

Family	Species	Remarks	Source of information
	<i>Pteromalus microps</i> (Graham, 1969)		
	<i>Pteromalus musaeus</i> Walker, 1844		
	<i>Pteromalus ochrocerus</i> (Thomson, 1878)		Bathon and Ruppert (1996)
	<i>Pteromalus papaveris</i> Förster, 1841		
	<i>Pteromalus parietinae</i> (Graham, 1969)		
	<i>Pteromalus patro</i> Walker, 1848		
	<i>Pteromalus platyphilus</i> Walker, 1874		
	<i>Pteromalus puparum</i> (Linnaeus, 1758)		Greiler (1993), von Heyden (1887)
	<i>Pteromalus scandiae</i> (Graham, 1969)		
	<i>Pteromalus semotus</i> (Walker, 1834)		Greiler (1993)
	<i>Pteromalus sequester</i> Walker, 1835		Kruess (1996)
	<i>Pteromalus tereus</i> Walker, 1839		
	<i>Pteromalus tripolii</i> Graham, 1969		
	<i>Pteromalus varians</i> (Spinola, 1808)		
	<i>Pteromalus vibulenus</i> (Walker, 1839)		
	<i>Rakosina deplanata</i> Bouček, 1956		
	<i>Rhaphitelus ladenbergii</i> (Ratzeburg, 1844)		
	<i>Rhaphitelus maculatus</i> Walker, 1834		



Family	Species	Remarks	Source of information
	<i>Rhynocoelia constans</i> (Walker, 1836)		
	<i>Rhynocoelia impar</i> (Walker, 1836)		Haas et al. (2021)
	<i>Rhopalicus guttatus</i> (Ratzeburg, 1844)		
	<i>Rhopalicus quadratus</i> (Ratzeburg, 1844)		Höller (1988)
	<i>Rhopalicus tutela</i> (Walker, 1836)		von Heyden (1887)
	<i>Rohatina inermis</i> Bouček, 1954		Haas et al. (2021)
	<i>Rohatina monstrosa</i> Bouček, 1954		Haas et al. (2021)
	<i>Roptrocerus mirus</i> (Walker, 1834)		
	<i>Roptrocerus</i> <i>xylophagorum</i> (Ratzeburg, 1844)		
	<i>Sceptrothelys deione</i> (Walker, 1839)		
	<i>Sceptrothelys grandiclava</i> (Walker, 1835)		
	<i>Sceptrothelys intermedia</i> Graham, 1969		
	<i>Sceptrothelys occultus</i> (Förster, 1841)		
	<i>Schimitschekia populi</i> Bouček, 1965		Greiler (1993)
	<i>Schizonotus latus</i> (Walker, 1835)		
	<i>Schizonotus sieboldi</i> (Ratzeburg, 1848)		Georgi et al. (2012)
	<i>Seladerma berani</i> (Delucchi, 1953)		

Family	Species	Remarks	Source of information
	<i>Seladerma bicolor</i> Walker, 1834	CL01: <i>Seladerma luteolum</i> Delucchi	
	<i>Seladerma breve</i> Walker, 1834		
	<i>Seladerma coeruleovirens</i> (Förster, 1861)		
	<i>Seladerma convexum</i> Walker, 1834	CL01: <i>Seladerma agreste</i> Delucchi	
	<i>Seladerma diffine</i> (Walker, 1833)		
	<i>Seladerma diutinum</i> (Delucchi, 1955)		
	<i>Seladerma geniculatum</i> (Zetterstedt, 1838)		
	<i>Seladerma globosum</i> (Delucchi, 1953)		
	<i>Seladerma laetum</i> Walker, 1834	CL01: <i>Seladerma nobile</i> Delucchi; <i>S. violaceum</i> Delucchi	
	<i>Seladerma scaea</i> (Walker, 1844)		
	<i>Seladerma simplex</i> (Thomson, 1876)		
	<i>Semiotellus diversus</i> (Walker, 1834)	CL01: <i>Seladerma diversus</i> Walker	
	<i>Semiotellus mundus</i> (Walker, 1834)		
	<i>Semiotellus rujanensis</i> Bouček, 1972		
	<i>Spalangia cameroni</i> Perkins, 1910		
	<i>Spalangia crassicornis</i> Bouček, 1963		von Heyden (1887)
	<i>Spalangia endius</i> Walker, 1839		
	<i>Spalangia erythromera</i> Förster, 1850		

Family	Species	Remarks	Source of information
	<i>Spalangia fuscipes</i> Nees, 1834		
	<i>Spalangia nigra</i> Latreille, 1805		
	<i>Spalangia nigripes</i> Curtis, 1839		von Heyden (1887)
	<i>Spalangia nigroaenea</i> Curtis, 1839		von Heyden (1887)
	<i>Spalangia rugulosa</i> Förster, 1850		
	<i>Spalangia subpunctata</i> Förster, 1850		Anton et al. (2020)
	<i>Spalangiopecta alata</i> Bouček, 1953		
	<i>Spalangiopecta dudichi</i> Erdős, 1955		Haas et al. (2021)
	<i>Spaniopus amoenus</i> Förster, 1856		
	<i>Spaniopus dissimilis</i> Walker, 1833		von Heyden (1887)
	<i>Spaniopus peisonis</i> (Erdős, 1957)		
	<i>Sphaeripalpus fuscipes</i> (Walker, 1833)		
	<i>Sphaeripalpus viridis</i> Förster, 1841		
	<i>Sphegigaster cuscutae</i> Ferrière, 1959		
	<i>Sphegigaster intersita</i> Graham, 1969		
	<i>Sphegigaster nigricornis</i> (Nees, 1834)		
	<i>Sphegigaster pallicornis</i> (Spinola, 1808)		Neiber (2010)

Family	Species	Remarks	Source of information
	<i>Sphegigaster pedunculiventris</i> (Spinola, 1808)		
	<i>Sphegigaster truncata</i> (Thomson, 1878)		
	<i>Spintherus dubius</i> (Nees, 1834)		Kruess (1996)
	<i>Staurothyreus cruciger</i> Graham, 1956		
	<i>Stenomalina communis</i> (Nees, 1834)		
	<i>Stenomalina dives</i> (Walker, 1835)		
	<i>Stenomalina epistena</i> (Walker, 1835)		
	<i>Stenomalina favorinus</i> (Walker, 1839)		
	<i>Stenomalina gracilis</i> (Walker, 1834)		Kruess (1996), Anton et al. (2020)
	<i>Stenomalina iera</i> (Walker, 1844)		
	<i>Stenomalina illudens</i> (Walker, 1836)		
	<i>Stenomalina laticeps</i> (Walker, 1850)		
	<i>Stenomalina liparæ</i> (Giraud, 1863)		Schlemmermeyer (1994)
	<i>Stenomalina micans</i> (Olivier, 1813)		
	<i>Stenomalina oxygyne</i> (Walker, 1835)		
	<i>Stenoselma nigrum</i> Delucchi, 1956	CL01: <i>Stenoselma nigrinum</i> ; misspelling	
	<i>Stichocrepis armata</i> (Förster, 1860)		Haas et al. (2021)

Family	Species	Remarks	Source of information
	<i>Stictomischus gibbus</i> (Walker, 1833)		
	<i>Stictomischus groschkei</i> Delucchi, 1953		
	<i>Stictomischus longiventris</i> Thomson, 1876		
	<i>Stictomischus miniatus</i> Delucchi, 1953		
	<i>Stictomischus nitentis</i> Delucchi, 1955		
	<i>Stictomischus obscurus</i> (Walker, 1833)		
	<i>Stictomischus scaposus</i> Thomson, 1876		
	<i>Stictomischus tumidus</i> (Walker, 1833)		
	<i>Stinoplus lapsanae</i> Graham, 1969		
	<i>Syntomopus incisus</i> Thomson, 1878		Lübbe (1990)
	<i>Syntomopus incurvus</i> Walker, 1833		Lübbe (1990)
	<i>Syntomopus oviceps</i> Thomson, 1878		Lübbe (1990)
	<i>Syntomopus thoracicus</i> Walker, 1833		
	<i>Systasis annulipes</i> (Walker, 1834)		Anton et al. (2020), Haas et al. (2021)
	<i>Systasis encyrtoides</i> Walker, 1834		von Heyden (1887)
	<i>Systasis tenuicornis</i> Walker, 1834		
	<i>Termolampa pinicola</i> Bouček, 1961		
	<i>Theocolax elegans</i> (Westwood, 1874)		

Family	Species	Remarks	Source of information
	<i>Theocolax formiciformis</i> Westwood, 1832		
	<i>Thinodytes cyzicus</i> (Walker, 1839)		
	<i>Tomicobia pityophthori</i> (Bouček, 1955)		
	<i>Tomicobia seitneri</i> (Ruschka, 1924)		
	<i>Toxeuma acilius</i> (Walker, 1848)		
	<i>Toxeuma discretum</i> Graham, 1984		Haas et al. (2021)
	<i>Toxeuma fuscicorne</i> Walker, 1833		
	<i>Trichomalus germanus</i> (Dalla, Torre, 1889)	In Graham 1969 possible syn. of <i>Trichomalus conifer</i> (Walker)	Wall (1973)
	<i>Trichomalus gracilicornis</i> (Zetterstedt, 1838)		
	<i>Trichomalopsis acuminata</i> (Graham, 1969)	CL01: <i>Trichomalopsis acuminatus</i> Graham	
	<i>Trichomalopsis exigua</i> (Walker, 1834)		
	<i>Trichomalopsis fucicola</i> (Walker, 1835)		
	<i>Trichomalopsis germanica</i> (Graham, 1969)		
	<i>Trichomalopsis hemiptera</i> (Walker, 1835)		von Heyden (1887)
	<i>Trichomalopsis microptera</i> (Lindeman, 1887)		
	<i>Trichomalopsis peregrina</i> (Graham, 1969)		
	<i>Trichomalopsis potatoriae</i> (Graham, 1969)		
	<i>Trichomalopsis tigas</i> (Walker, 1839)		

Family	Species	Remarks	Source of information
	<i>Trichomalus annulatus</i> (Förster, 1841)		
	<i>Trichomalus apertus</i> (Walker, 1835)		
	<i>Trichomalus bracteatus</i> (Walker, 1835)	CL01: <i>Trichomalus fasciatus</i> Förster	
	<i>Trichomalus campestris</i> (Walker, 1834)		Kruess (1996)
	<i>Trichomalus conifer</i> (Walker, 1836)		
	<i>Trichomalus coryphe</i> (Walker, 1839)		
	<i>Trichomalus elongatus</i> Delucchi & Graham, 1956		
	<i>Trichomalus flagellaris</i> Graham, 1969		
	<i>Trichomalus frontalis</i> (Thomson, 1878)		
	<i>Trichomalus fulvipes</i> (Walker, 1836)		Kruess (1996)
	<i>Trichomalus gynotelus</i> (Walker, 1835)		
	<i>Trichomalus helvipes</i> (Walker, 1834)		Kruess (1996)
	<i>Trichomalus inscitus</i> (Walker, 1835)		Aerts (1955)
	<i>Trichomalus lepidus</i> (Förster, 1841)		
	<i>Trichomalus lonchaeae</i> Bouček, 1959		
	<i>Trichomalus lucidus</i> (Walker, 1835)		
	<i>Trichomalus nanus</i> (Walker, 1836)		
	<i>Trichomalus perfectus</i> (Walker, 1835)		Thies et al. (1997)

Family	Species	Remarks	Source of information
	<i>Trichomalus pexatus</i> (Walker, 1835)		
	<i>Trichomalus posticus</i> (Walker, 1834)		
	<i>Trichomalus repandus</i> (Walker, 1835)		Kruess (1996)
	<i>Trichomalus robustus</i> (Walker, 1835)		
	<i>Trichomalus rufinus</i> (Walker, 1835)		Anton et al. (2020)
	<i>Trichomalus rugosus</i> Delucchi & Graham, 1956		
	<i>Trichomalus statutus</i> (Förster, 1841)		
	<i>Trichomalus tenellus</i> (Walker, 1834)		
	<i>Tricolas xylocleptis</i> Bouček, 1967		
	<i>Tricyclomischus celticus</i> Graham, 1956		Haas et al. (2021)
	<i>Trigonoderus cyanescens</i> (Förster, 1841)		Anton et al. (2020)
	<i>Trigonoderus filatus</i> Walker, 1836		
	<i>Trigonoderus nobilitatus</i> Graham, 1993		Haas et al. (2021)
	<i>Trigonoderus princeps</i> Westwood, 1832		
	<i>Tritneptis affinis</i> (Nees, 1834)		
	<i>Tritneptis diprionis</i> Gahan, 1938		
	<i>Tritneptis klugii</i> (Ratzeburg, 1844)		
	<i>Trychnosoma punctipleura</i> (Thomson, 1878)		Haas et al. (2021)



Family	Species	Remarks	Source of information
	<i>Urolepis maritima</i> (Walker, 1834)		
	<i>Urolepis rufipes</i> (Ashmead, 1896)		
	<i>Vrestovia fidenas</i> (Walker, 1848)		
	<i>Xestomnaster chrysochlorus</i> (Walker, 1846)		
	<i>Xestomnaster mazares</i> (Walker, 1844)		
	<i>Xiphydriophagus meyerinckii</i> (Ratzeburg, 1848)		
	<i>Yusufia acerina</i> (Bouček, 1972)		
<b>Signiphoridae</b>			
	<i>Chartocerus subaeneus</i> (Förster, 1878)		
	<i>Thysanus ater</i> Walker, 1840		Anton et al. (2020)
<b>Tetracampidae</b>			
	<i>Dipriocampe diprioni</i> (Ferrière, 1935)		
	<i>Epiclerus nomocerus</i> (Masi, 1934)		Neiber (2010)
	<i>Epiclerus panyas</i> (Walker, 1839)		
	<i>Epiclerus temenus</i> (Walker, 1839)		
	<i>Foersterella erdoesi</i> Bouček, 1958		
	<i>Foersterella fuscicornis</i> Hansson, 2016		
	<i>Foersterella reptans</i> (Nees, 1834)		

Family	Species	Remarks	Source of information
	<i>Platynocheilus cuprifrons</i> (Nees, 1834)		
	<i>Tetracampe impressa</i> Förster, 1841		
<b>Torymidae</b>			
	<i>Cryptopristus caliginosus</i> (Walker, 1833)	CL01: <i>Eriodontomerus illiesi</i> Szelenyi	
	<i>Eriodontomerus isosomatis</i> (Riley, 1882)		
	<i>Eriodontomerus laticornis</i> (Förster, 1859)		
	<i>Eriodontomerus syrphi</i> (Förster, 1859)		
	<i>Exopristus trigonomerus</i> (Masi, 1916)		
	<i>Glyphomerus stigma</i> (Fabricius, 1793)		Cölln (1998)
	<i>Glyphomerus tibialis</i> Förster, 1856		
	<i>Idiomacromerus papaveris</i> (Förster, 1856)		
	<i>Idiomacromerus terebrator</i> (Masi, 1916)	CL01: <i>Idiomacromerus longfellowi</i> Girault	
	<i>Microdontomerus annulatus</i> (Spinola, 1808)		Nitschke et al. (2017)
	<i>Monodontomerus aeneus</i> (Fonscolombe, 1832)		
	<i>Monodontomerus aereus</i> Walker, 1834		
	<i>Monodontomerus dentipes</i> (Dalman, 1820)		von der Dunk (1987)
	<i>Monodontomerus laricis</i> Mayr, 1874		
	<i>Monodontomerus minor</i> (Ratzeburg, 1848)		

Family	Species	Remarks	Source of information
	<i>Monodontomerus obscurus</i> Westwood, 1833		Anton et al. (2020)
	<i>Monodontomerus vicicellae</i> (Walker, 1847)		
	<i>Podagrion pachymerum</i> (Walker, 1833)		Petruschak and Ulrich (2012)
	<i>Pseudotorymus arvernicus</i> (Walker, 1833)	CL01: <i>Pseudotorymus dubius</i> Nees	Kruess (1996)
	<i>Pseudotorymus leguminus</i> Ruschka, 1923		
	<i>Pseudotorymus medicaginis</i> (Mayr, 1874)		Anton et al. (2020)
	<i>Pseudotorymus militaris</i> (Boheman, 1834)		
	<i>Pseudotorymus napi</i> (Amerling & Kirchner, 1860)		
	<i>Pseudotorymus papaveris</i> (Thomson, 1876)		
	<i>Pseudotorymus salicis</i> Ruschka, 1923		
	<i>Pseudotorymus salviae</i> Ruschka, 1923		
	<i>Pseudotorymus sapphyrinus</i> (Fonscolombe, 1832)		
	<i>Torymoides kiesenwetteri</i> (Mayr, 1874)		Nitschke et al. (2017)
	<i>Torymus affinis</i> (Fonscolombe, 1832)		
	<i>Torymus arcticus</i> (Thomson, 1876)		Claessens et al. (2016)
	<i>Torymus argei</i> Bouček, 1994		
	<i>Torymus armatus</i> (Boheman, 1834)		

Family	Species	Remarks	Source of information
	<i>Torymus artemisiae</i> Mayr, 1874		
	<i>Torymus arundinis</i> (Walker, 1833)		Schlemmermeyer (1994)
	<i>Torymus auratus</i> (Müller, 1764)		
	<i>Torymus austriacus</i> Graham, 1994		
	<i>Torymus azureus</i> Boheman, 1834		
	<i>Torymus basalis</i> (Walker, 1833)		
	<i>Torymus baudysi</i> Bouček, 1954		
	<i>Torymus bedeguaris</i> (Linnaeus, 1758)		
	<i>Torymus calcaratus</i> (Nees, 1834)		
	<i>Torymus caudatus</i> Boheman, 1834		
	<i>Torymus cerri</i> (Mayr, 1874)		
	<i>Torymus chloromerus</i> (Walker, 1833)		Nitschke et al. (2017)
	<i>Torymus chrysocephalus</i> Boheman, 1834		
	<i>Torymus cingulatus</i> Nees, 1834		
	<i>Torymus confinis</i> (Walker, 1833)		Lübbe (1990)
	<i>Torymus cultriventris</i> Ratzeburg, 1844		
	<i>Torymus cupreus</i> (Spinola, 1808)		
	<i>Torymus cyaneus</i> Walker, 1847		

Family	Species	Remarks	Source of information
	<i>Torymus druparum</i> Boheman, 1834		Anton et al. (2020)
	<i>Torymus eadyi</i> Graham & Gijswijt, 1998		
	<i>Torymus eglanteriae</i> Mayr, 1874	CL01: <i>Torymus eleganteriae</i> ; misspelling	
	<i>Torymus epilobii</i> Graham & Gijswijt, 1998		
	<i>Torymus erucarum</i> (Schrank, 1781)		
	<i>Torymus fagi</i> (Hoffmeyer, 1930)		
	<i>Torymus fagineus</i> Graham, 1994		
	<i>Torymus fastuosus</i> Boheman, 1834		
	<i>Torymus flavipes</i> (Walker, 1833)		
	<i>Torymus formosus</i> (Walker, 1833)		
	<i>Torymus fuscicornis</i> (Walker, 1833)		
	<i>Torymus galii</i> Boheman, 1834		
	<i>Torymus geranii</i> (Walker, 1833)		
	<i>Torymus heyeri</i> Wachtl, 1833		
	<i>Torymus igniceps</i> Mayr, 1874		
	<i>Torymus impar</i> Rondani, 1877		
	<i>Torymus laetus</i> (Walker, 1833)		
	<i>Torymus longicalcar</i> Graham, 1994		

Family	Species	Remarks	Source of information
	<i>Torymus microcerus</i> (Walker, 1833)		
	<i>Torymus microstigma</i> (Walker, 1833)		
	<i>Torymus micrurus</i> Bouček, 1994		
	<i>Torymus nitidulus</i> (Walker, 1833)		
	<i>Torymus nobilis</i> Boheman, 1834		
	<i>Torymus notatus</i> (Walker, 1833)		
	<i>Torymus pascuorum</i> Bouček, 1994		
	<i>Torymus pastinacae</i> Graham & Gijswijt, 1998		
	<i>Torymus persicariae</i> Mayr, 1874		
	<i>Torymus phillyreae</i> Ruschka, 1921		
	<i>Torymus poae</i> (Hoffmeyer, 1930)		
	<i>Torymus quercinus</i> Boheman, 1834		
	<i>Torymus roboris</i> (Walker, 1833)		
	<i>Torymus rosariae</i> Graham & Gijswijt, 1998		
	<i>Torymus rubi</i> (Schränk, 1781)		
	<i>Torymus ruschkai</i> (Hoffmeyer, 1930)		
	<i>Torymus scutellaris</i> (Walker, 1833)		
	<i>Torymus seminum</i> (Hoffmeyer, 1929)		

Family	Species	Remarks	Source of information
	<i>Torymus sinensis</i> Kamijo, 1982		
	<i>Torymus speciosus</i> Boheman, 1834		
	<i>Torymus spinosus</i> (Kamijo, 1979)		
	<i>Torymus tanaceticola</i> Ruschka, 1921		
	<i>Torymus tipulariarum</i> Zetterstedt, 1838		
	<i>Torymus varians</i> (Walker, 1833)		
	<i>Torymus ventralis</i> (Fonscolombe, 1832)		
<b>Trichogrammatidae</b>			
	<i>Asynacta exigua</i> (Nees, 1834)		
	<i>Chaetostricha walkeri</i> (Förster, 1851)		
	<i>Chaetostrichella pungens</i> (Mayr, 1904)		
	<i>Lathromeris danica</i> (Kryger, 1919)		
	<i>Lathromeris germanica</i> (Girault, 1914)		
	<i>Lathromeris scutellaris</i> Förster, 1856		Anton et al. (2020)
	<i>Oligosita foersteri</i> Girault, 1914		Anton et al. (2020)
	<i>Oligosita subfasciata</i> Westwood, 1879		
	<i>Ophioneurus signatus</i> Ratzeburg, 1852		
	<i>Poropoea stollwerckii</i> Förster, 1851		

Family	Species	Remarks	Source of information
	<i>Prestwichia aquatica</i> Lubbock, 1864		
	<i>Prestwichia solitaria</i> Ruschka, 1913		
	<i>Pseudoligosita nigripes</i> (Girault, 1914)		
	<i>Trichogramma brassicae</i> Bezdenko, 1968		
	<i>Trichogramma cacaeciae</i> Marchal, 1927		
	<i>Trichogramma cephalciae</i> Hochmut & Martinek, 1963		
	<i>Trichogramma chilonis</i> Ishii, 1941		
	<i>Trichogramma dendrolimi</i> Matsumura, 1926		
	<i>Trichogramma</i> <i>embryophagum</i> (Hartig, 1838)		
	<i>Trichogramma euproctidis</i> (Girault, 1911)		
	<i>Trichogramma</i> <i>evanescens</i> Westwood, 1833		
	<i>Trichogramma minutum</i> Riley, 1871		
	<i>Trichogramma semblidis</i> (Aurivillius, 1898)		
	<i>Trichogramma zeirapherae</i> Walter, 1985		
	<i>Trichogrammatoidea</i> <i>stammeri</i> (Novicky, 1946)		
	<i>Ufens foersteri</i> (Kryger, 1919)		
<b>Mymaromatidae</b> <b>(Mymarommatoidea)</b>			



Family	Species	Remarks	Source of information
	<i>Mymaromma anomalum</i> (Blood & Kryger, 1922)	CL01: <i>Paleomyrma anomalum</i> (Blood & Kryger)	

### List of species excluded from the checklist of German species of Chalcidoidea

The species listed in Table 3 were excluded from the updated critical checklist of species recorded from Germany. We followed the same rationale as Horstmann (2001) for the checklist of German Ichneumonidae (see also Riedel et al. 2021). Horstmann (2001) included only species that were either described as new after 1945 or, for species described before that year, if the species were mentioned at least once in the entomological literature after 1945. Horstmann (2001) excluded species if they were mentioned only once in the literature before 1945 (i.e. in the original citation), because all of these species most likely are representing synonyms.

Table 3.

List of species excluded from the present checklist. The species were included in Vidal (2001) or erroneously omitted from the previous checklist by Vidal (2001). For details see information in the main text and comments given for each species.

Family	Species	Comments
Aphelinidae	<i>Aphelinus circumscriptus</i> (Ratzeburg, 1852)	Not included in Ferrière (1965).
Aphelinidae	<i>Aphelinus flavus</i> (Nees, 1834)	Interpretation of the species is unclear.
Chalcididae	<i>Belaspida obscura</i> Masi, 1916	According to Delvare et al. (1999), the Central European specimens of <i>B. obscura</i> sensu Bouček belongs to <i>B. nigra</i> Masi; <i>B. obscura</i> is west-Mediterranean and not verified in Germany.
Chalcididae	<i>Chalcis ramicornis</i> Gravenhorst, 1834	Doubtful species status.
Encyrtidae	<i>Encyrtus flavipes</i> Nees, 1834	Not listed in Trjapitzin (1989) for Germany.
Encyrtidae	<i>Encyrtus foersteri</i> Mayr, 1876	Not listed in Trjapitzin (1989) for Germany.
Encyrtidae	<i>Encyrtus mucronatus</i> Ratzeburg, 1848	Not listed in Trjapitzin (1989) for Germany.
Encyrtidae	<i>Leptomastix histrio</i> (Förster, 1856)	According to Trjapitzin (1989) uncertain collecting location.

Family	Species	Comments
Encyrtidae	<i>Zaomma hirsuta</i> (Ratzeburg, 1852)	Trjapitzin (1989): name unclear, Graham (1969): possible synonym of <i>Apterencyrtus microphagus</i> (Mayr).
Eucharitidae	<i>Stilbula cyniformis</i> (Rossius, 1792)	Listed erroneously in UCD
Eulophidae	<i>Aprostocetus flavovarius</i> (Nees, 1834)	Graham (1987): possible synonym of <i>A. forsteri</i> (Walker).
Eulophidae	<i>Aulogymnus fumatus</i> (Ratzeburg, 1852)	Doubtful species status.
Eulophidae	<i>Chrysocharis foliincolarum</i> (Christ, 1791)	Not included in Hansson (1985).
Eulophidae	<i>Elachertus aequalis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus aeruginosus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus albipes</i> Nees, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus albitarsus</i> (Ratzeburg, 1844)	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus coeruleascens</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus cyaneus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus deplanatus</i> (Ratzeburg, 1852)	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus ditissimus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus facialis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.

Family	Species	Comments
Eulophidae	<i>Elachertus laevis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; doubtful species status.
Eulophidae	<i>Elachertus lunatus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus orbicularis</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus pallipes</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus pellucens</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus plagiatus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus pulcherrimus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus reticulatus</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus subauratus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Elachertus tardulus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Elachertus timidus</i> Förster 1841	Doubtful species status.
Eulophidae	<i>Elachertus walkeri</i> (Ratzeburg, 1848)	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon aequilongus</i> Ratzeburg, 1852	In Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon caudatus</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon cavicornis</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.

Family	Species	Comments
Eulophidae	<i>Entedon chalybaeus</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon confinis</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon connexus</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon debilis</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon fumatus</i> Ratzeburg, 1852	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon hylotomarum</i> (Ratzeburg, 1844)	In Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon inconspicuus</i> Ratzeburg, 1852	In Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon longiventris</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Entedon luteipes</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon pinetorum</i> Ratzeburg, 1852	Graham (1991): incertae sedis.
Eulophidae	<i>Entedon transparens</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon unicastatus</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost; in Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon vaginulae</i> Ratzeburg, 1852	In Graham (1971) not listed for Germany.
Eulophidae	<i>Entedon xanthostoma</i> (Ratzeburg, 1844)	In Graham (1971) not listed for Germany.
Eulophidae	<i>Eulophus ater</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus albitarsus</i> Ratzeburg, 1844	In Bouček (1959) not listed for Germany.

Family	Species	Comments
Eulophidae	<i>Eulophus binotatus</i> Förster, 1841	In Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus blancardellae</i> Bouché, 1834	In Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus breviramulis</i> Förster, 1841	In Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus cephalotes</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus chrysomelae</i> Nees, 1834	In Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus coccorum</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus depressus</i> Nees, 1834	In Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus dubitabilis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus emicans</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus eurytomae</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus fissicornis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus foveolatus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus fuscicornis</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus harmocerus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.

Family	Species	Comments
<i>Eulophus</i>	<i>Eulophus hylesinorum</i> Ratzeburg, 1844	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus inconspicuus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus lucens</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus medius</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus metallicus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus nitidulus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus obscurus</i> Ratzeburg, 1848	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus polycerus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus rupicapra</i> Förster, 1841	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus scutellaris</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus semicupreus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus sexradiatus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Eulophus tabidus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.
Eulophidae	<i>Eulophus tarandus</i> Förster, 1841	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Eulophus tibialis</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost.
Eulophidae	<i>Eulophus vagus</i> Nees, 1834	Bouček and Askew (1968): incertae sedis; type probably lost; in Bouček (1959) not listed for Germany.

Family	Species	Comments
Eulophidae	<i>Eulophus xanthostoma</i> Ratzeburg, 1844	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Pnigalio cruciatus</i> (Ratzeburg, 1848)	Bouček and Askew (1968): incertae sedis; type probably lost; Graham (1969): possible synonym of <i>P. agraules</i> Walker.
Eulophidae	<i>Pnigalio obscurus</i> (Ratzeburg, 1848)	Bouček and Askew (1968): incertae sedis.
Eulophidae	<i>Pnigalio tardulus</i> (Nees, 1834)	Graham (1969): possible synonym of <i>P. pectinicornis</i> L.
Eulophidae	<i>Tetrastichus atrocoeruleus</i> (Nees, 1834)	Not included in Hansson and Schmidt (2020).
Eulophidae	<i>Tetrastichus capitatus</i> (Ratzeburg, 1852)	Not included in Hansson and Schmidt (2020).
Eulophidae	<i>Tetrastichus inunctus</i> (Ratzeburg, 1848)	Not included in Hansson and Schmidt (2020).
Eulophidae	<i>Tetrastichus ooctonus</i> (Kawall, 1858)	Not included in Hansson and Schmidt (2020).
Eupelmidae	<i>Eupelmus brachynterae</i> (Schwäggrichen, 1835)	Gibson and Fusu (2016): name unclear.
Eupelmidae	<i>Eupelmus hostilis</i> Förster, 1860	Gibson and Fusu (2016): Synonym of <i>E. urozonus</i> Dalman.
Eupelmidae	<i>Metapelma insignis</i> (Förster, 1860)	Gibson and Fusu (2016): name unclear, the type (male) is an unidentifiable <i>Anastatus</i> ; in Vidal (2001) as <i>M. insignis</i> (Förster).
Eurytomidae	<i>Eurytoma abrotani</i> (Panzer, 1801)	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma aterrima</i> (Schrank, 1781)	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma extincta</i> Ratzeburg, 1852	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma gracilior</i> Dalla Torre, 1898	Not included in Zerova (1995).

Family	Species	Comments
Eurytomidae	<i>Eurytoma microneura</i> Ratzeburg, 1852	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma nodulosa</i> Ratzeburg, 1848	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma petiolata</i> Förster, 1841	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma pumila</i> Förster, 1841	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma punctulata</i> Förster, 1841	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma scabra</i> Förster, 1841	Not included in Zerova (1995).
Eurytomidae	<i>Eurytoma sphegum</i> (Fabricius, 1787)	Not included in Zerova (1995).
Eurytomidae	<i>Tetramesa flavipes</i> (Förster, 1841)	Doubtful species status.
Megastigmidae	<i>Bootonomyia bohemanii</i> (Ratzeburg, 1848)	Doubtful species status.
Mymaridae	<i>Alaptus schmitzi</i> Soyka, 1939	Triapitsyn (2017): type location in Poland, not Gemany; in Triapitsyn et al. (2020) not listed for Germany.
Mymaridae	<i>Anaphes angustipennis</i> (Debauche, 1948)	In Huber and Thuróczy (2018) not listed for Germany, synonym of <i>A. ovipositor</i> Soyka.
Mymaridae	<i>Erythmelus foersteri</i> (Ratzeburg, 1848)	Doubtful species status.
Ormyridae	<i>Ormyrus chalybeus</i> (Ratzeburg, 1844)	Not included in Zerova and Seryogina (2006).
Ormyridae	<i>Ormyrus cosmozonus</i> Förster, 1860	Förster (1860): described from Tyrol.
Ormyridae	<i>Ormyrus punctulatus</i> (Förster, 1860)	Not included in Zerova and Seryogina (2006).



Family	Species	Comments
Ormyridae	<i>Ormyrus versicolor</i> Förster, 1860	Not included in Zerova and Seryogina (2006).
Ormyridae	<i>Ormyrus violaceus</i> Förster, 1860	Not included in Zerova and Seryogina (2006).
Perilampidae	<i>Chrysolampus aeneicornis</i> Ratzeburg, 1852	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus anguliventris</i> Nees, 1834	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus attenuatus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus brevicornis</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus coeruleovirens</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus dubius</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus ellipticus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus excellens</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus fuscimanus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus gibbosus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus gilvipes</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).

Family	Species	Comments
Perilampidae	<i>Chrysolampus granulatus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014), in Vidal (2001) as <i>C. granularis</i> Förster.
Perilampidae	<i>Chrysolampus indubitatus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus interruptus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus laevipetiolatus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus pachymerus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus pallitarsis</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus scapularis</i> Ratzeburg, 1852	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus subcarinatus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus subsessilis</i> Nees, 1834	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus tenuiscapus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Chrysolampus transversus</i> Förster, 1841	Not included in Graham (1969) and Doganlar and Doganlar (2014).
Perilampidae	<i>Perilampus angustus</i> Nees, 1834	Not included in Bouček (1956).
Pteromalidae	<i>Acroclisis nigricornis</i> Förster, 1878	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Caenacis flavipes</i> Masi, 1931	Not included in Graham (1969); Masi (1911): specimens in HMB, collected by Strand in Norway and Germany, status unclear.
Pteromalidae	<i>Cleonymus apicalis</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Cleonymus cyaneus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Cleonymus elongatus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Cleonymus eximius</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Cleonymus viridinitens</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Coelopisthia eurynota</i> (Förster, 1841)	Graham (1969): possible synonym of <i>Coelopisthia extenta</i> (Walker).
Pteromalidae	<i>Dirhicnus clandestinus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Gastracanthus erythrogaster</i> (Dalla Torre, 1898)	Not included in Graham (1969).
Pteromalidae	<i>Halticoptera corrusca</i> (Gravenhorst, 1807)	Not included in Graham (1969).
Pteromalidae	<i>Halticoptera plana</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Holcaeus glabriculus</i> (Nees, 1834)	Not included in Graham (1969).
Pteromalidae	<i>Holcaeus siccatorum</i> (Ratzeburg, 1852)	Not included in Graham (1969).
Pteromalidae	<i>Homoporus femoralis</i> (Förster, 1841)	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Lariophagus teutonus</i> (Dalla Torre, 1898)	Doubtful species status.
Pteromalidae	<i>Macroglenes brevicornis</i> (Nees, 1834)	Not included in Graham (1969), Mitroiu (2010): possible synonym of <i>M. chalybaeus</i> (Haliday); Dale-Skey et al. (2016): invalid.
Pteromalidae	<i>Meraporus foveolatus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Meraporus modestus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Mesopolobus bidentis</i> (Ratzeburg, 1848)	Not included in Graham (1969).
Pteromalidae	<i>Mesopolobus clavatus</i> (Ratzeburg, 1844)	Not included in Graham (1969).
Pteromalidae	<i>Mesopolobus crassipes</i> (Ratzeburg, 1844)	Not included in Graham (1969).
Pteromalidae	<i>Mesopolobus dilutipes</i> (Ratzeburg, 1848)	Not included in Graham (1969).
Pteromalidae	<i>Metacolus azurescens</i> (Ratzeburg, 1852)	Graham (1969): possible synonym of <i>M. azureus</i> (Ratzeburg).
Pteromalidae	<i>Mokrzeckia halidayana</i> (Ratzeburg, 1848)	Tselikh and Целих (2012): Synonym of <i>M. pini</i> (Hartig).
Pteromalidae	<i>Neocatolaccus proximus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Pachyneuron flavipes</i> (Förster, 1841)	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Pachyneuron innoxius</i> (Förster 1841)	Not included in Graham (1969).
Pteromalidae	<i>Pachyneuron piceae</i> (Ratzeburg, 1848)	Not included in Graham (1969).
Pteromalidae	<i>Pachyneuron ratzeburgi</i> Özdikmen, 2011	Not included in Graham (1969).
Pteromalidae	<i>Polycystus oscinidis</i> Kurdjumov, 1958	Noyes (2019): unavailable name, genus synonym of <i>Cyrtogaster</i> (Dale-Skey et al. 2016).
Pteromalidae	<i>Psilocera verticillata</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus aberrans</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus abieticola</i> Ratzeburg, 1848	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus acicularis</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus acuminatus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus aequus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus aerosus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus agilis</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus albescens</i> Ratzeburg, 1844	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus alternans</i> Förster, 1841	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Pteromalus ambiguus</i> Förster, 1861	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus angustus</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Pteromalus anomalipennis</i> Förster, 1841	Doubtful species status, in Vidal (2001) as <i>P. anomalipes</i> Förster.
Pteromalidae	<i>Pteromalus apicalis</i> Nees, 1834	Doubtful species status.
Pteromalidae	<i>Pteromalus arborivagus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus atramentarius</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus aurantiacus</i> (Ratzeburg, 1852)	Doubtful species status.
Pteromalidae	<i>Pteromalus aurifacies</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus aurinitens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus barycerus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus blandus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus breviscapus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus brunnicans</i> Ratzeburg, 1848	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus carinatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus cerinopus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus chalcophanes</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus chalybaeus</i> Nees, 1834	Doubtful species status.
Pteromalidae	<i>Pteromalus chrysis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus clavipes</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus coeruleus</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus coeruleus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus colosseus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus compactus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus compos</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus concinnus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus conoideus</i> Ratzeburg, 1848	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus crassus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus cryptocephali</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus cubocephalus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus cupreus</i> Nees, 1834	Doubtful species status.
Pteromalidae	<i>Pteromalus curculionoides</i> (Bouché, 1834)	Doubtful species status.
Pteromalidae	<i>Pteromalus cylindraceus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus dahlbomi</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus dalmanni</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus decipiens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus depressus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus devorator</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus diadema</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus diatatus</i> Schmidt, 1851	Doubtful species status.



Family	Species	Comments
Pteromalidae	<i>Pteromalus difficilis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus dimidius</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus diminator</i> Förster , 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus dirutor</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus divitissimus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus ecarinatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus egregius</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus elatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus elongatus</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus eminens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus esuriens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus euryops</i> Förster, 1861	Listed in Noyes (2019) for Gemany, but collecting location in Switzerland (Förster 1861).
Pteromalidae	<i>Pteromalus exiguus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus exoletus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus exsertus</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus extensus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus facilis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus fagi</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus faunigena</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus ferox</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus fervidus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus festivus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus flavipalpis</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus fugax</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus furtivus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus fuscopalpus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus genuinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus germanicus</i> Özdikmen, 2011	Doubtful species status.
Pteromalidae	<i>Pteromalus gnavis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus gracillimus</i> Dalla Torre, 1898	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus gratiosus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus guttula</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus habilis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus herbaceus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus hercyniae</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus honestus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus hyalopterus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus hypocyaneus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus ignobilis</i> Förster, 1861	Listed in Noyes (2019) for Gemany, but collecting location in Switzerland (Förster 1861).
Pteromalidae	<i>Pteromalus illustratus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus immundus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus impressifrons</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus inanis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus incertus</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus inclytus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus inconspicuus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus inermis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus infelix</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus infestus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus infinitus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus inquilinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus insignis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus jejunos</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus laetus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus laevis</i> Förster, 1842	Doubtful species status.
Pteromalidae	<i>Pteromalus latreillei</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus lazulinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus lepidotus</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus leptogaster</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus leptostictus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus limbatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus lineolatus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus lugens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus lutulentus</i> Dalla Torre 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus macrocerus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus maculiscapus</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus mandibulatus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus mariae</i> Dalla Torre, 1899	Doubtful species status.
Pteromalidae	<i>Pteromalus maurus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus melancholicus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus melanocerus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus melanochlorus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus micros</i> Dalla Torre, 1898	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus mixtus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus mobilis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus molestus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus monochrous</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus nanulus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus napaeus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus naucus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus navis</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus nebulosus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus neesii</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus neglectus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus nigricans</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus nobilis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus nodulosus</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus nuperus</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus obductus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus obscurus</i> Nees, 1834	Doubtful species status.
Pteromalidae	<i>Pteromalus obvolitans</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus opacus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus opimus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus ornatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pachygaster</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pachymerus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pellucidiventris</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus pellucidus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus picinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pilosellus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus planiusculus</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus pogonochoeri</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus polychlori</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus polycyclus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pomacearum</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus praeceps</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus praelongus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus praepes</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus praepotens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus princeps</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus propinquus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus psyllus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pulcherrimus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pullus</i> Förster, 1841	Doubtful species status.



Family	Species	Comments
Pteromalidae	<i>Pteromalus punctum</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pungens</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pusillus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus pygmaeanae</i> Ratzeburg, 1844	Doubtful species status.
Pteromalidae	<i>Pteromalus pygmaeus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus questionis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus racemosi</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus ramulorum</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus rapax</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus ratzeburgii</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus regius</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus relevatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus rhombicus</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus saltatorius</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sapphireus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus similis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus simplex</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sincerus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus singularis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus smaragdinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus solidus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sparsus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sphaerogaster</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus splendidus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus strobilobius</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus subaequalis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sublaevis</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Pteromalus subpunctatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus subterraneus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sulphuripes</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sybarita</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus sylvarum</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus syntomus</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus terebrans</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus tessellatus</i> Ratzeburg, 1852	Doubtful species status, in Vidal (2001) as <i>P. tessellatus</i> Ratzeburg.
Pteromalidae	<i>Pteromalus tibialis</i> Nees, 1834	Doubtful species status.
Pteromalidae	<i>Pteromalus timidus</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus tricollis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus troglodytes</i> Dalla Torre, 1899	Doubtful species status.
Pteromalidae	<i>Pteromalus unicolor</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus uyari</i> Özdikmen, 2011	Doubtful species status, in Vidal (2001) as <i>P. aeneus</i> Nees.

Family	Species	Comments
Pteromalidae	<i>Pteromalus vaginatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus vaginulae</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus vallatus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus valleculea</i> Ratzeburg, 1848	Doubtful species status.
Pteromalidae	<i>Pteromalus variolosus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus velox</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus veneris</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus ventricosus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus verticalis</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus vicarius</i> Ratzeburg, 1852	Doubtful species status.
Pteromalidae	<i>Pteromalus vicinus</i> Förster, 1841	Doubtful species status.
Pteromalidae	<i>Pteromalus violarum</i> Dalla Torre, 1898	Doubtful species status.
Pteromalidae	<i>Pteromalus viridicans</i> Förster, 1841	Doubtful species status, in Vidal (2001) as <i>P. viridicanus</i> Förster.
Pteromalidae	<i>Pteromalus vorax</i> Förster, 1841	Doubtful species status.

Family	Species	Comments
Pteromalidae	<i>Rhopalicus atricornis</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Rhopalicus magdalis</i> (Ratzeburg, 1844)	Not included in Graham (1969).
Pteromalidae	<i>Rhopalicus opisthotomus</i> (Ratzeburg, 1848)	Not included in Graham (1969).
Pteromalidae	<i>Rhopalicus virescens</i> (Ratzeburg, 1844)	Not included in Graham (1969).
Pteromalidae	<i>Roptrocerus polychromus</i> Förster, 1856	Not included in Graham (1969).
Pteromalidae	<i>Roptrocerus xylobius</i> Förster, 1856	Not included in Graham (1969).
Pteromalidae	<i>Scutellista obscura</i> (Förster, 1878)	Doubtful species status.
Pteromalidae	<i>Semiotellus punctifrons</i> (Nees, 1834)	Doubtful species status.
Pteromalidae	<i>Sphegigaster clavicornis</i> Förster, 1841	Not included in Graham (1969), in Vidal (2001) as <i>Chrysolampus clavicornis</i> Förster.
Pteromalidae	<i>Stenomalina bicolor</i> Förster, 1841	Not included in Graham (1969).
Pteromalidae	<i>Stenomalina fallax</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Stenomalina spectabilis</i> (Förster, 1841)	Graham (1969): possible synonym of <i>S. liparae</i> (Giraud).
Pteromalidae	<i>Trichomalopsis punctata</i> (Ratzeburg, 1844)	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Trichomalus cinctus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus cristatus</i> Förster, 1841	Graham (1969): ?Synonym of <i>T. posticus</i> (Walker).
Pteromalidae	<i>Trichomalus exquisitus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus fulgidus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus generalis</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus glabellus</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus intestinalarius</i> (Förster, 1841)	Graham (1969): possible synonym of <i>T. posticus</i> (Walker).
Pteromalidae	<i>Trichomalus notabilis</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus obsessorius</i> (Förster, 1841)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalus pilosus</i> (Ratzeburg, 1844)	Not included in Graham (1969).
Pteromalidae	<i>Trichomalopsis caesareus</i> (Dalla Torre, 1889)	Nomen nudum according to Graham (1969) who writes: "Type ♀ (Germany) recognized by Delucchi (1958) who stated that it is a valid species. I have not seen the type and cannot recognize the species."
Pteromalidae	<i>Trigonoderus bimaculatus</i> (Nees, 1834)	Not included in Graham (1969).
Pteromalidae	<i>Trigonoderus immaculatus</i> (Nees, 1834)	Not included in Graham (1969).

Family	Species	Comments
Pteromalidae	<i>Trigonoderus occultus</i> (Förster, 1841)	Graham (1969): possible synonym of <i>T. filatus</i> Walker.
Torymidae	<i>Pseudotorymus tarsatus</i> Nees, 1834	Graham and Gijswijt (1998): possible synonym of <i>P. sapphyrinus</i> (Fonscolombe).
Torymidae	<i>Torymus approximatus</i> Förster, 1841	Doubtful species status.
Torymidae	<i>Torymus associatus</i> Förster, 1841	Doubtful species status.
Torymidae	<i>Torymus confluens</i> Ratzeburg, 1852	Doubtful species status.
Torymidae	<i>Torymus difficilis</i> Nees, 1834	Doubtful species status.
Torymidae	<i>Torymus kaltenbachi</i> Förster, 1840	Doubtful species status.
Torymidae	<i>Torymus minutus</i> Förster, 1840	Doubtful species status.
Torymidae	<i>Torymus resinanae</i> Ratzeburg, 1852	Doubtful species status.
Trichogrammatidae	<i>Aphelinoidea bischoffi</i> (Novicky, 1946)	Triapitsyn (2018): "Its listings from Germany (e.g. Viggiani (2011)) are incorrect, as both localities of the type series are in Burgenland, Austria, the other one (of the unspecified number of paratypes) being Jungerberg (near [W of] Jois, 47°57'38"N 16°46'44"E) between Jois and Winden am See (Novicky (1946): 46, as "Jungenberg")."

For the present checklist of German Chalcidoidea, we followed this principle in that we excluded species that were described by early authors during the 19<sup>th</sup> century, including Dalla Torre (1898), Förster (1841), Förster (1859), Förster (1860), Förster (1861) and Ratzeburg (1844a), Ratzeburg (1844b), Ratzeburg (1848), Ratzeburg (1852) and that were not mentioned again in the literature after the original description. Since the type material is often regarded as being lost, an exact verification of the species status with previously or later described species is no longer possible (Bouček 1964, Graham 1969). Therefore, many of these species are expected to represent synonyms of known valid species from Germany. By excluding these species from the checklist, an attempt was made to minimise the risk of including species with doubtful status. The species that were not included in the main checklist are listed in Table 3, with notes explaining the reason for excluding the species from the checklist.

## Author contributions

All authors of this paper contributed equally to the compilation of the datasets and read and approved the final version of the manuscript.

## References

- Aerts W (1955) Grabwespen (Sphecidae) und andere Hymenopteren des Rheinlandes. *Decheniana* 108: 55-68.
- Agricola U (1984) Untersuchungen zur Biologie und Ökologie einiger an Bäumen und Sträuchern minierender Käfer (Coleoptera: Curculionidae et Chrysomelidae) und ihrer Parasiten. MSc Universität Kiel
- Anton E, Kopetz A, Krebs, D, Müller J, Weigel A (2020) Bericht zur Gemeinschaftsexkursion des Thüringer Entomologenverbandes e. V. (TEV) im Sommer 2020 ins Eichsfeld (Westthüringen). *Mitteilungen des Thüringer Entomologenverbandes e. V.* 27: 98-214.
- Bachmeier F (1965) Untersuchungen über die Insekten- und Milbenfauna der Zwergbirke (*Betula nana* L.) in süddeutschen und österreichischen Mooren unter besonderer Berücksichtigung der phytophagen Arten und ihrer Parasiten. (Beitrag zur Kenntnis der Fauna einer glazialen Reliktpflanze). *Veröffentlichungen der Zoologischen Staatssammlung München* 9: 165-173.
- Bathon H, Ruppert V (1996) Zur Bedeutung der Parasitoide beim Zusammenbruch der Schwammspinner-Gradation in Südhessen 1995. *Forschungsberichte der hessischen Landesanstalt für Forsteinrichtung, Waldforschung und Waldökologie* 21: 160-169.
- Blüthgen P (1929) Beiträge zur Kenntnis der Hymenopteren des Saaletales; 1. Nachtrag. *Stettiner Entomologische Zeitschrift* 90: 79-88.
- Böll S, Herrmann JV, Eichler P, Brauns P (1999) Kritische Anmerkungen zum Eiparasitoidenkomplex der grünen Rebzikade (*Empoasca viridis*). *DGaaE Nachrichten* 13 (4): 101-102.
- Bouček Z (1956) Notes on the Czechoslovak Perilampidae (Hymenoptera-Chalcidoidea). *Acta faunistica entomologica Musei nationalis Pragae* 1: 83-98.
- Bouček Z (1959) A study of Central European Eulophidae, II: *Diaulinopsis* and *Cirrospilus* (Hymenoptera). *Acta Entomologica Musei Nationalis Pragae* 33: 171-194.
- Bouček Z (1964) Proctotrupeoidea und Chalcidoidea aus den Resten der Ratzeburg-Sammlung (Hymenoptera). *Beiträge zur Entomologie* 14 (5-6): 663-673. <https://doi.org/10.21248/contrib.entomol.14.5-6.663-673>
- Bouček Z, Askew RR (1968) *Index of Palearctic Eulophidae (excl. Tetrastichinae)*. Le François, Paris.
- Bürgis H (2010) Beobachtungen zur Biologie der Erzwespe *Eucharis adscendens* (F., 1787) in Rheinhessen (Hymenoptera: Chalcidoidea: Eucharitidae). *Fauna Flora Rheinland-Pfalz* 11.
- Claessens J, Ulenberg S, Gravendeel B (2016) *Torymus arcticus* (Torymidae), ein neuer Bestäuber für *Chamorchis alpina*. *Journal Europäischer Orchideen* 48 (1): 3-10.
- Cölln K (1998) Entomologisch relevante Kleinstrukturen im ländlichen Siedlungsbereich. *Verhandlungen Westdeutscher Entomologentag 1997*: 91-104.



- Creutzburg F, Müller J (2019) *Eucharis adscendens* (Fabricius, 1787) und *Stephanus serrator* (Fabricius, 1798) - selten gefundene Parasitoiden (Insecta: Hymenoptera: Chalcidoidea & Stephanoidea). Thüringer Faunistische Abhandlungen XXIV: 219-229.
- Dale-Skey N, Askew R, Noyes J, Livermore L, Broad G (2016) Checklist of British and Irish Hymenoptera - Chalcidoidea and Mymarommatoidea. Biodiversity Data Journal 4 <https://doi.org/10.3897/BDJ.4.e8013>
- Dalla Torre CGd (1898) Catalogus Hymenopterorum hucusque descriptorum systematicus et synonymicus. V. Chalcididae et Proctotrupidae. G. Engelmann, Lipsiae.
- de Jong Y, Verbeek M, Michelsen V, Bjørn PdP, Los W, Steeman F, Bailly N, Basire C, Chylarecki P, Stloukal E, Hagedorn G, Wetzel F, Glöckler F, Kroupa A, Korb G, Hoffmann A, Häuser C, Kohlbecker A, Müller A, Güntsch A, Stoev P, Penev L (2014) Fauna Europaea – all European animal species on the web. Biodiversity Data Journal 2 <https://doi.org/10.3897/BDJ.2.e4034>
- Delucchi V (1958) Sinonimie nei Pteromalidi e descrizione di un nuovo genere (Hymenoptera : Chalcidoidea). Bollettino di Zoologia agraria e di Bachicoltura 1: 51-60.
- Delvare G, Pujade-Villar J, Rasplus J (1999) Revision of the West Palearctic *Belaspida*. Annales de la Societe Entomologique de France 35: 329-345.
- Doczkal D (2017) Remarkable records of insects (Diptera, Hymenoptera, Lepidoptera) from the Grenzach project. Mauritiana (Altenburg) 34: 821-835.
- Doganlar M, Doganlar O (2014) Review of Chrysolampinae Dalla Torre 1898 (Hymenoptera: Perilampidae) with descriptions of new species from Turkey. Entomofauna 35 (4): 49-84.
- Dorow W, Flechtner G, Kopelke JP (1992) Naturwaldreservate in Hessen 3. Zoologische Untersuchungen, Konzept. Mitteilungen der Hessischen Landesforstverwaltung 26: 1-159.
- Eichhorn O (1992) Autökologische Untersuchungen an Populationen der Gemeinen Kiefern-Buschhornblattwespe *Diprion pini* (L.) (Hym., Diprionidae) VI. Zur Kenntnis der Kokonparasiten und *Exenterus*-Arten. Zeitschrift für Angewandte Entomologie 92: 252-285. <https://doi.org/10.1111/j.1439-0418.1981.tb01675.x>
- Ferrière C (1965) Hymenoptera Aphelinidae d'Europe et du Bassin Méditerranéen. Masson et Cie, Paris.
- Förster A (1841) Beiträge zur Monographie der Pteromalinen Nees. M. Urlichs, Aachen.
- Förster A (1859) Zweite Centurie neuer Hymenopteren. Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens, Bonn 16: 87-124.
- Förster A (1860) Eine Centurie neuer Hymenopteren. Verhandlungen des Naturhistorischen Vereins der Preussischen Rheinlande und Westfalens, Bonn 17: 93-153.
- Förster A (1861) Ein Tag in den Hoch-Alpen. Programm der Realschule zu Aachen 1860/61: 1-44.
- Franz J, Wellenstein G (1958) Lassen sich durch eine Frühbegiftung die natürlichen Feinde des Tannentriebwicklers (*Choristoneura murinana* (Hb.)) schonen? Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz 65: 20-36.
- Freise J, Heitland W (2003) Parasitierungsraten: Ermittlung und Interpretation am Fallbeispiel der Roßkastanien-Miniermotte, *Cameraria ohridella*, einer invasiven und faunenfremden Schmetterlingsart in Europa. Mitteilungen der Deutschen Gesellschaft für Allgemeine und Angewandte Entomologie 14: 1-4.

- Georgi R, Helbig C, Schubert (2012) Der Rote Pappelblattkäfer in Kurzumtriebsplantagen. AFZ - Der Wald 12/2012: 11-13.
- Gibson GP, Fusu L (2016) Revision of the Palaearctic species of *Eupelmus* (*Eupelmus*) *Dalman* (Hymenoptera: Chalcidoidea: Eupelmidae). *Zootaxa* 4081 (1). <https://doi.org/10.11646/zootaxa.4081.1.1>
- Graham MRdV, Gijswijt MJ (1998) Revision of the European species of *Torymus* *Dalman* (s. lat.) (Hymenoptera: Torymidae). Nationaal Natuurhistorisch Museum, Leiden.
- Graham MWRdV (1969) The Pteromalidae of North-Western Europe Hymenoptera: Chalcidoidea. *Bulletin of The British Museum (Natural History) Entomology Suppl.* 16: 1-908.
- Graham MWRdV (1987) A reclassification of the European Tetrastichinae (Hymenoptera: Eulophidae), with a revision of certain genera. *Bulletin of The British Museum (Natural History) Entomology* 55 (1): 1-392.
- Graham MWRdV (1991) A reclassification of the European Tetrastichinae (Hymenoptera: Eulophidae): Revision of the remaining genera. *Memoirs of the American Entomological Institute* 49: 1-322.
- Graham MWRdV (1971) Revision of British *Entedon* (Hymenoptera: Chalcidoidea), with descriptions of four new species. *Transactions of the Royal Entomological Society of London* 123 (3): 313-358. <https://doi.org/10.1111/j.1365-2311.1971.tb00846.x>
- Greiler HJ (1993) Insektengesellschaften auf selbstbegrüntem und eingesättem Ackerbrachen. *Agrarökologie* 11: 5-136.
- Haas M, Baur H, Schweizer T, Monje J, Moser M, Bigalk S, Krogmann L (2021) Tiny wasps, huge diversity – A review of German Pteromalidae with new generic and species records (Hymenoptera: Chalcidoidea). *Biodiversity Data Journal* 9 <https://doi.org/10.3897/BDJ.9.e77092>
- Hansson C (1985) Taxonomy and biology of the Palaearctic species of *Chrysocharis* Förster, 1856 (Hymenoptera: Eulophidae). *Entomological Scandinavica, Supplement* 26: 1-130.
- Hansson C, Schmidt S (2020) A revision of European species of the genus *Tetrastichus* Haliday (Hymenoptera: Eulophidae) using integrative taxonomy. *Biodiversity Data Journal* 8 (e59177). <https://doi.org/10.3897/BDJ.8.e59177>
- Hassan E (1967) Untersuchungen über die Bedeutung der Kraut- und Strauchschicht als Nahrungsquelle für Imagines entomophager Hymenopteren. *Zeitschrift für Angewandte Entomologie* 60: 238-265. <https://doi.org/10.1111/j.1439-0418.1967.tb02073.x>
- Hoffmann C (2002) Schildläuse im Weinbau und ihre Antagonisten. Thesis Universität Karlsruhe
- Höller C (1988) Effizienzanalyse der Parasitoiden an Getreideblattläusen. Thesis Universität Kiel
- Hörren T, Enss J (2017) Beobachtungen zu *Chalcis sispes* (Linnaeus, 1761) (Hymenoptera: Chalcidoidea: Chalcididae) im Altrheingebiet bei Emmerich, Nordrhein-Westfalen nebst Nachweisen einiger Waffenfliegen (Diptera: Stratiomyidae). *Entomologische Zeitschrift - Schwanfeld* 127 (3): 155-158.
- Horstmann K (2001) Verzeichnis der Hautflügler Deutschlands (Entomofauna Germanica 4). Ichneumonidae. *Entomologische Nachrichten und Berichte Beiheft* 7: 69-102.

- Huber J, Thuróczy C (2018) Review of *Anaphes* Haliday (Hymenoptera: Mymaridae) with key to species in Europe and a world catalogue. *Zootaxa* 4376 (1): 1-104.
- Kopelke JP (1996) Die *Euura atra*- und *amerinae*-Gruppe in Nord- und Mitteleuropa (Insecta: Hymenoptera: Tenthredinidae: Nematinae). *Senckenbergiana biologica* 77: 93-113.
- Kruess A (1996) Folgen der Lebensraum-Fragmentierung für Pflanze-Herbivor-Parasitoid-Gesellschaften: Artendiversität und Interaktionen. *Agrarökologie* 18: 5-134.
- Lübke T (1990) Untersuchungen zur Habitatwahl endophytisch lebender Insekten am Beispiel zweier in der Brennessel (*Urtica dioica*) vorkommender Dipteren, *Dasyneura urticae* (Cecidomyiidae) und *Phytomyza flavicornis* (Agromyzidae). MSc Universität Hamburg
- Masi L (1911) Contribuzioni alla conoscenza dei Calcididi Italiani (parte IV). *Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura, Portici* 5: 140-171.
- Meiners T (1999) Chemical cues mediating interactions between chalcidoid egg parasitoids and their chrysomelid hosts. Thesis Freie Universität Berlin
- Mitroiu M (2010) Revision of the Palearctic species of *Macroglenes* Westwood (Hymenoptera: Pteromalidae). *Zootaxa* 2563: 1-34.
- Mitroiu M, Noyes J, Cetkovic A, Nonveiller G, Radchenko A, Polaszek A, Ronquist F, Forshage M, Pagliano G, Gusenleitner J, Bartalucci M, Olmi M, Fusu L, Madl M, Johnson N, Jansta P, Wahis R, Soon V, Rosa P, Osten T, Barbier Y, de Jong Y (2015) Fauna Europaea: Hymenoptera – Apocrita (excl. Ichneumonoidea). *Biodiversity Data Journal* 3 <https://doi.org/10.3897/BDJ.3.e4186>
- Müller J (2020) Checkliste der Eupelmidae (Hymenoptera: Chalcidoidea) Thüringens. *Check-Listen Thüringer Insekten und Spinnentiere* 28: 57-60.
- Müller J, Triapitsyn SV (2020) Faunistische Angaben zu Mymaridae (Insecta: Hymenoptera: Chalcidoidea) insbesondere des Erfurter Naturkundemuseums. *Thüringer Faunistische Abhandlungen* 25: 279-292.
- Neiber M (2010) Die Ilex-Minierliege im Stadtgebiet von Hannover. *Naturhistorica* 152: 29-44.
- Neugebauer A (1997) Insektengesellschaften auf Gräsern (Poaceae): Ein Vergleich von Wildformen und gezüchteten Sorten. MSc Fachgebiet Agrarökologie, Universität Göttingen.
- Nitschke N, Allan E, Zwölfer H, Wagner L, Creutzburg S, Baur H, Schmidt S, Weisser WW (2017) Plant diversity has contrasting effects on herbivore and parasitoid abundance in *Centaurea jacea* flower heads. *Ecology and Evolution* 7 (22): 9319-9332. <https://doi.org/10.1002/ece3.3142>
- Novicky S (1946) Weitere Beschreibungen von Trichogrammiden. *Zentralblatt für das Gesamtgebiet der Entomologie, Linz* 1 (2): 44-50.
- Noyes J (2000) Encyrtidae of Costa Rica (Hymenoptera: Chalcidoidea), 1: the subfamily Tetracneminae, parasitoids of mealybugs (Homoptera: Pseudococcidae). 62. American Entomological Institute, Gainesville, FL, 355 pp.
- Noyes J (2019) Catalogue of the Chalcidoidea of the world. World Wide Web electronic publication. Database last updated: March 2019. URL: <https://www.nhm.ac.uk/our-science/data/chalcidoids>
- Petrischak H, Ulrich R (2012) Die Gottesanbeterin *Mantis religiosa* LINNAEUS, 1758 im Saarland (Mantodea: Mantidae). *Abh Delattiana* 38: 229-254.

- Ratzeburg JTC (1844a) Die Ichneumonen der Forstinsecten in forstlicher und entomologischer Beziehung. Nicolaische Buchhandlung, Berlin. <https://doi.org/10.5962/bhl.title.11094>
- Ratzeburg JTC (1844b) Die Forst-Insecten. Dritter Theil. Nicolaische Buchhandlung, Berlin.
- Ratzeburg JTC (1848) Die Ichneumonen der Forstinsecten in forstlicher und entomologischer Beziehung. Zweiter Band. Nicolaische Buchhandlung, Berlin. URL: <internal-pdf://Ratzeb1852-2607415813/Ratzeb1852.pdf>
- Ratzeburg JTC (1852) Die Ichneumonen der Forstinsecten in forstlicher und entomologischer Beziehung. Nicolaische Buchhandlung, Berlin.
- Reder G (2005) Ergänzungen zur Hymenopterenfauna von Rheinland-Pfalz: Erste Nachweise von *Miscophus eatoni* S., *Mimumesa beaumonti* (V. LITH) (Sphecidae) und *Chrysis sexdentata* CHR. (Chrysididae) (Hymenoptera: Aculeata et Chalcidoidea). Fauna Flora Rheinland-Pfalz 10 (3): 927-969.
- Reder G (2015) Zur Verbreitung der Falten-Erzwespe *Leucospis dorsigera* F. in Rheinland-Pfalz und im Saarland, mit einem Blick zur grenznahen Nachweisstelle von *Leucospis gigas* F. in Nordbaden (Hymenoptera: Chalcidoidea: Leucospidae). Fauna und Flora in Rheinland-Pfalz 12 (2): 1425-1444.
- Reder G (2018) Beobachtungen an einer von Erzwespen (Eulophidae) parasitierten Raupe des Lindenschwärmers - *Mimas tiliae* (L.) (Lepidoptera: Sphingidae, Hymenoptera: Eulophidae). Fauna Flora Rheinland-Pfalz 13 (4): 1355-1360.
- Riedel M, Humala A, Schwarz M, Schnee H, Schmidt S (2021) Checklist of the Ichneumonidae of Germany (Insecta, Hymenoptera). Biodiversity Data Journal 9 <https://doi.org/10.3897/bdj.9.e64267>
- Schlemmermeyer T (1994) Beobachtungen zur Insektenzönose des Schilfs am Federsee, eine Winteruntersuchung an phytophagen Insekten, Parasitoiden und Sekundärbesiedlern. MSc Universität Tübingen, Tübingen. URL: <http://rgdoi.net/10.13140/RG.2.2.23244.00641>
- Schmidt S (2021) Zoologische Staatssammlung München - Hymenoptera Section: Checklists of German Chalcidoidea. URL: <https://zsm.snsb.de/sektion/hymenoptera/sammlungen/>
- Schnee H (2008) Die Anomaloninae der Sammlung Arnold Förster - Typenrevision und faunistische Anmerkungen (Hymenoptera, Ichneumonidae). Beiträge zur Entomologie 58 (2): 249-266. <https://doi.org/10.21248/contrib.entomol.58.2.249-266>
- Thies C, Denys C, Tschamtko T, Ulber B (1997) Der Einfluss von Saumbiotopen und Ackerbrachen auf die Schädlinge-Nützlinge-Interaktionen im Raps (*Brassica napus* spp. *oleifera*). Verhandlungen der Gesellschaft für Ökologie 27: 393-398.
- Triapitsyn S (2017) Revision of *Alaptus* (Hymenoptera: Mymaridae) in the Holarctic region, with taxonomic notes on some extralimital species. Zootaxa 4279 (1). <https://doi.org/10.11646/zootaxa.4279.1.1>
- Triapitsyn SV (2018) Review of the Palearctic *Aphelinoidea* (Hymenoptera: Trichogrammatidae). Israel Journal of Entomology 48 (2): 33-81.
- Triapitsyn SV, Koponen M, Vikberg V, Várkonyi G (2020) Taxonomy, annotated new records and a checklist of Mymaridae (Hymenoptera) of Finland, with description of a new species of *Eustochus*. Acta Entomologica Musei Nationalis Pragae 60 (2): 565-589. <https://doi.org/10.37520/aemnp.2020.039>

- Triapitsyn SV (2021) Revised taxonomy of the common northern European fairyfly *Polynema* (*Doriclytus*) *atratum* Haliday, 1833 (Hymenoptera : Mymaridae), with fourteen new synonymies. *Annales Zoologici Fennici* 58: 87-107.
- Tritsch H (1997) Der Marinekäfer *Coccinella septempunctata* L. im Komplex Winterweizen-Getreideblattlaus-Antagonist. *Agrarökologie* 24: 5-159.
- Trjapitzin VA (1989) Parasitic Hymenoptera of the Fam. Encyrtidae of Palaearctics. *Opredeleteli po Faune SSSR, Izdavavaemiye Zoologicheskim Institutom Akademii Nauk SSSR* 158: 1-489.
- Tselikh EV, Целих EB (2012) Review of species of the genus *Mokrzeckia* Mokrzecki, 1934 (Hymenoptera: Pteromalidae) from the Russian Far East. *Zoosystematic Rossica* 21 (2): 291-298.
- Ulenberg S (2016) In memoriam Theo Gijswijt, 10 november 1927 - 27 mei 2015. *Entomologische Berichten* 76 (3): 99-102.
- Vidal S (2001) Verzeichnis der Hautflügler Deutschlands (Entomofauna Germanica 4). Chalcidoidea. *Entomologische Nachrichten und Berichte Beiheft* 7: 51-69.
- Viggiani G (2011) Notes on the collection of Mymaridae and Trichogrammatidae (Hymenoptera: Chalcidoidea) of S. Nowicki and on some Aphelinoidea (Hymenoptera: Trichogrammatidae). *Frustula Entomologica* (n. s.) 32 (45): 101-110.
- Vogel S, Prinzing A, Bußler H, Müller J, Schmidt S, Thorn S (2021) Abundance, not diversity, of host beetle communities determines abundance and diversity of parasitoids in deadwood. *Ecology and Evolution* 11 (11): 6881-6888. <https://doi.org/10.1002/ece3.7535>
- Völkl W, Blick T (2004) Die quantitative Erfassung der rezenten Fauna von Deutschland – Eine Dokumentation auf der Basis der Auswertung von publizierten Artenlisten und Faunen im Jahr 2004. Bundesamtes für Naturschutz.
- von der Dunk K (1987) Untersuchungen über die Parasitierung der Kiefernbuschhornblattwespe (*Diprion pini*, Diprionidae, Hymenoptera). *Galathea* 3: 66-76.
- von der Dunk K (2012) Beitrag zur Biologie von *Libelloides coccajus* (D&S) (Neuroptera, Ascalaphidae). *Galathea* 28: 9-21.
- von Heyden L (1887) Beiträge zur Kenntnis der Hymenopteren-Fauna der weiteren Umgebung von Frankfurt a.M. *Berichte der Senckenbergischen Naturforschenden Gesellschaft* 1886: 65-87.
- Wall I (1973) Vorläufige Gliederung der Pteromaliden Mitteleuropas (Hymenoptera, Chalcidoidea, Pteromalidae). *Entomologische Abhandlungen* 39: 1-182.
- Weber M, Klimsa E, Reder G, Peters R (2018) Reliability, completeness and improvement of our knowledge on Germany's parasitoid wasp fauna – a case study in Chalcidoidea (Hymenoptera). *Bonn Zoological Bulletin* 67 (2): 101-107. <https://doi.org/10.20363/BZB-2018.67.2.101>
- Werner J, Peters RS (2018) Taxonomic revision of the genus *Oodera* Westwood, 1874 (Hymenoptera, Chalcidoidea, Pteromalidae, Cleonyminae), with description of ten new species. *Journal of Hymenoptera Research* 63: 73-123. <https://doi.org/10.3897/jhr.63.12754>
- Zerova M (1995) The Parasitic Hymenoptera–Subfamilies Eurytominae and Eudecatominae (Chalcidoidea, Eurytomidae) of the Palaearctics. *Naukova Dumka Publishers, Kiev*.

- Zerova MD, Seryogina LY (2006) Review of Palearctic Ormyridae (Hymenoptera, Chalcidoidea), with Description of Two New Species. *Vestnik zoologii* 40 (1): 27-40.