

ZooKeys 150: Three and a half years of innovative publishing and growth

Terry Erwin¹, Pavel Stoev², Teodor Georgiev³, Lyubomir Penev²

1 Smithsonian Institution, Washington, DC, USA **2** Bulgarian Academy of Sciences & Pensoft Publishers, Sofia, Bulgaria **3** Pensoft Publishers, Sofia, Bulgaria

Corresponding author: *Lyubomir Penev* (info@pensoft.net)

Received 21 November 2011 | Accepted 23 November 2011 | Published 28 November 2011

Citation: Erwin T, Stoev P, Georgiev T, Penev L (2011) ZooKeys 150: Three and a half years of innovative publishing and growth. In: Smith V, Penev L (Eds) e-Infrastructures for data publishing in biodiversity science. ZooKeys 150: 5–14. doi: 10.3897/zookeys.150.2431

‘ZooKeys publishes articles of the future’
Roderic Page, title of a blog post in iPhylo

On the 28th of November 2011, the open access journal ZooKeys published its 150th issue – an excellent occasion for the Editorial team to evaluate the journal’s development and its position among systematic biology journals worldwide.

From the very beginning, ZooKeys was designed as an innovative journal aiming at developing new methods of publication and dissemination of taxonomy information, including publishing of atomized, semantically enhanced automated exports to global data aggregators, such as Encyclopedia of Life (EOL), the Global Biodiversity Information Facility (GBIF), Plazi, Species-ID and others. Since its launch on the 4th of July 2008, the journal provided registration of all new taxa and authors in ZooBank on a mandatory basis and continues to include their Life Science Identifiers (LSID) in the published articles (Penev et al. 2008). Also since its first issue, ZooKeys made it a routine practice of supplying all new taxa to the Encyclopedia of Life through XML mark up. In the subsequent years, the journal joined GBIF and the Taxonomic Databases Working Group (TDWG) in the development of common data publishing standards and workflows.

In 2009, ZooKeys initiated several pilot projects thereby setting foundations of semantic tagging of, and enhancements to, biodiversity articles using the TaxPub XML

schema, an extension of the DTD (Document Type Definitions) of the National Library of Medicine (USA) (Penev et al. 2009a; Catapano 2010). The first one was the milestone article ‘The symphytognathoid spiders of the Gaoligongshan, Yunnan, China’ (Miller et al. 2009) where, for the first time in systematic zoology, a unique combination of data publication and semantic enhancements was applied within the mainstream process of journal publishing. The article demonstrated how all primary biodiversity data underlying a taxonomic monograph could be published as a dataset under a separate DOI within the paper and the occurrence dataset could be integrated and accessed through GBIF data portal simultaneously with the publication. In the same year, data publication practices of online identification keys (Penev et al. 2009b) were exemplified by the pioneering articles of Sharkey et al. (2009) and that was shortly followed by others (van Noort and Johnson 2009; Stoev et al. 2010).

On the 30th of June 2010, ZooKeys published a special issue ‘Taxonomy shifts up a gear: New publishing tools to accelerate biodiversity research’ which marked the journal’s brand new innovative publishing model, based on XML editorial workflow and on the TaxPub XML schema. From that time on, ZooKeys has been published in four formats – full-colour print version, PDF, HTML, and XML (Penev et al. 2010a). This happened simultaneously with the implementation in the editorial process of the Pensoft Mark Up Tool (PMT), a program specially designed for XML tagging and semantic enhancements (Penev et al. 2010b). Four papers using three different types of manuscript submission (Stoev et al. 2010; Blagoderov et al. 2010; Brake and Tschirnhaus 2010; Taekul et al. 2010) were used to exemplify the process.

Realizing the importance of Wiki environment for popularization and dissemination of the biodiversity data, in April 2011 ZooKeys undertook another major step towards its modernization. Three sample papers (Hendriks and Balke 2011; Stoev and Enghoff 2011; Bantaowong et al. 2011) demonstrated the automated integration of species descriptions at the day of publication to Species-ID – an open access Wiki-based resource for biodiversity information. This was achieved by programming a special tool, named Pensoft Wiki Convertor (PWC), which transforms the XML versions of the papers into MediaWiki-based pages (Penev et al. 2011a).

In October 2011, ZooKeys launched its *multiple-choice model* for publishing biodiversity data that provides a non-exclusive choice of mechanisms for the publication of data of different kinds and complexity, in cooperation with specialized data repositories and data aggregators, based on the previously published Pensoft Data Publishing Policies and Guidelines for Biodiversity Data (Penev et al. 2011b) One of the most important steps in this direction was the launch of an innovative route for publishing occurrence data and taxon checklists using an approved TDWG standard (Darwin Core), enriched metadata descriptions for the published datasets, and the possibility of downloading both data and metadata in a machine-readable form, the so-called Darwin Core Archive. This is supported by a specialized tool of GBIF, the Integrated Publishing Toolkit (IPT). Use of this tool allows the production of so-called “Data Paper” manuscripts that formally describe a dataset’s metadata as a peer-reviewed and citable scholarly publication (Chavan and Penev in press).

A second important element of the *multiple-choice* data publishing model of ZooKeys was the integration of its data publishing workflow with the Dryad Digital Repository, thus providing an option to its authors to archive data files of different kinds and complexity (e.g., phylogenetic, morphometric, ecological, environmental, etc.).

The latest innovation of ZooKeys was announced just a few days before publication of this editorial. On the 22nd of November 2011, ZooKeys launched an automated export and indexing of identification keys metadata published in the journal in KeyCentral – a global database of keys and other identification resources for living organisms.

ZooKeys has shown a significant publication growth for the 41 months of its existence (Fig. 1). Starting with a mere 32 articles in 2008, the journal has rapidly increased its production to 180 in 2010 and 413 in 2011 (through the 28th of November). Likewise the number of published pages has grown from 657 in 2008, 3,738 in 2009, 4,831 in 2010 to 10,082 in 2011. The growth rate for 2011 in comparison to 2010 in the number of published pages is more than 100% and will most probably exceed 120% by the end of the year. For three and a half years, ZooKeys has published overall 19,308 pages (780 articles), a figure that is comparable to the number of pages published by Zootaxa during its first 41 months of activity (16,738 pages – see Zhang 2011 and <http://www.mapress.com/zootaxa>).




Figure 1. Total number of published articles and pages on six-month intervals.

Altogether, 1,558 new species-group, 192 new genus-group and 16 new family-group taxa have been published in the journal since its launch (Table 1). This makes overall 1,766 new taxa in total, or 43 new taxa per month on average. Comparing these figures with the Index of Organism Names of Zoological Record (accessed 18 November 2011) ZooKeys has published approximately 2.5% of all the 69,224 new animal taxa described from 2008 to 2011, and ranks second (immediately after Zootaxa) in the top 10 journals publishing new taxa. The data retrieved from ZooBank show that one third of all new names registered in ZooBank since June 2008 have been published in ZooKeys. The total number of ZooKeys authors registered in ZooBank up to issue 148 reached 754 (Richard Pyle, in litt.).

Table 1. New taxa published in ZooKeys that have been registered and assigned LSIDs in ZooBank (data for issues 1-148 provided by Richard Pyle, in litt.).

Categories	Number
Species-group names	1,558
Genus-group names	192
Family-group names	16
Total	1,766

Figure 2 summarizes the distribution of articles per large taxon. Unsurprisingly, the highest number of articles published in ZooKeys dealt with insects (584). The articles on Coleoptera (249) dominate and together with those dealing with Hymenoptera (122) make up approximately 48% of all ZooKeys articles. Those on Lepidoptera (77), Hemiptera (42) and Diptera (39) also form a significant share of the published volumes. Among the non-insect invertebrates the highest number of articles were pub-




Figure 2. Distribution of the published articles per taxon.

lished on Chelicerata (74), followed by Crustacea (29) and Myriapoda (22). The total number of articles dealing with vertebrates is comparatively low (33), nearly half of them refer to reptiles (15).

The top 10 most accessed ZooKeys papers through the 20th of November 2011 are listed in Table 2. The 972 page monograph of Bouchard et al. (2011) ‘Family-Group names in Coleoptera (Insecta)’ is taking the first place reaching 8,623 page views on the 20th of November. In the top 3 most viewed articles are also the ‘Data publication and dissemination of interactive keys’ (Penev et al. 2009) and ‘Cretaceous Crocodyli-forms from the Sahara’ (Sereno and Larsson 2009), with 7,716 and 6,275 page views, respectively.

Table 2. Top ten most viewed articles of ZooKeys (according to the ZooKeys website counter accessed on the 20th of November 2011).

Article	Page views
Bouchard et al. 2011 – Family-Group names in Coleoptera (Insecta)	8,623
Penev et al. 2009 – Data publication and dissemination of interactive keys under the open access model	7,716
Sereno and Larsson 2009 – Cretaceous Crocodyliforms from the Sahara	6,275
Baldwin et al. 2011 – Seven new species within western Atlantic <i>Starksia atlantica</i> , <i>S. lepicoelia</i> , and <i>S. sluiteri</i> (Teleostei, Labrisomidae), with comments on congruence of DNA barcodes and species	5,283
Achterberg and Long 2010 – Revision of the Agathidinae (Hymenoptera, Braconidae) of Vietnam, with the description of forty-two new species and three new genera	5,107
Hendrich and Balke 2011 – A simultaneous journal / wiki publication and dissemination of a new species description: <i>Neobidessodes darwiniensis</i> sp. n. from northern Australia (Coleoptera, Dytiscidae, Bidessini)	3,986
Hong et al. 2011 – A revision of the Chinese Stephanidae (Hymenoptera, Stephanoidea)	3,888
Wizen and Gasith 2011 – Predation of amphibians by carabid beetles of the genus <i>Epomis</i> found in the central coastal plain of Israel	3,818
Heads and Leuzinger 2011 – On the placement of the Cretaceous orthopteran <i>Brauckmannia groeningae</i> from Brazil, with notes on the relationships of Schizodactylidae (Orthoptera, Ensifera)	3,655
Murphy et al. 2011 – The dazed and confused identity of Agassiz’s land tortoise, <i>Gopherus agassizii</i> (Testudines: Testudinidae) with the description of a new species and its consequences for conservation	3,653

In order to increase public awareness to the importance of taxonomy and biodiversity studies in general, in May 2011 Pensoft opened a press office and started active public relations (PR) activities. Authors are invited to draft press releases on their findings at the moment of acceptance of their publications. The Pensoft PR team offers support to the authors in “translating” the technical texts into a language that would be of interest for the public. Press releases are posted to a number of sites; the first place, EurekAlert!, is the world largest online distributor of science news supplying information to more than 7,500 mass media and independent science journalists. A list of the top 10 most accessed press releases of ZooKeys articles is

given in Table 3. The press release on the new Late Cretaceous family of wasps, Plumalexiidae, described in a Festschrift honouring the Russian paleontologist Alexandr Rasnitsyn has hitherto attracted the highest attention in the world media. Of similar high popularity in the world news outlets was the unique observation of oviposition behaviour of four ant parasitoids that was filmed for the first time and movies uploaded in YouTube (Durán and Achterberg 2011). Another ZooKeys article showing *Epomis* beetles preying on amphibians (Wizen and Gasith 2011) whose associated movies were posted on YouTube have been watched 344,325 times in 6 months. This is further evidence that taxonomic discoveries enjoy a lot of interest from the public, if they are properly and attractively distributed.

Table 3. Top 10 most accessed press releases of ZooKeys articles posted through EurekAlert! (from the EurekAlert! counter). The counter registers only the downloads from EurekAlert! mostly by science media and journalists. The actual number of readers may actually be much higher than this number.

Title	Author/s and year of publication of the original article	Date posted	Page views since posted
New family of wasps found in North American amber, closest relatives in southern hemisphere	Brothers 2011	26-Sep-2011	3,412
Death from above: Parasite wasps attacking ants from the air filmed for the first time	Durán and Achterberg 2011	29-Aug-2011	2,749
A living species of aquatic beetle found in 20-million-year-old sediments	Fikáček et al. 2011	6-Oct-2011	2,676
Chinese researchers identify insect host species of a famous Tibetan medicinal fungus	Wang and Yao 2011	8-Sep-2011	2,340
Small insects attacks and kill amphibians much bigger than themselves	Wizen and Gasith 2011	20-May-2011	2,309
A new species of fossil silky lacewing insects that lived more than 120 million years ago	Peng et al. 2011	5-Oct-2011	2,203
Jewel beetles, obtained from local people, turn out to be 4 species unknown to science	Bílý and Nakládal 2011	7-Jul-2011	1,921
A new species of a tiny freshwater snail collected from a mountainous spring in Greece	Radea 2011	1-Nov-2011	1,885
Unknown species and larval stages of extremely long-legged beetles discovered by DNA test	Freitag and Balke 2011	18-Oct-2011	1,437
Earliest psychomyiid caddisfly fossils, from 100-million-year-old Burmese amber	Wichard et al. 2011	5-Oct-2011	1,350

ZooKeys represents a new type of a journal whose mission is to create new horizons for taxonomists through modern technology and widespread promulgation of biodiversity data. Thanks to its continuously applied innovations, and especially owing to the commitment of its professional editorial team, the journal will continue

to facilitate and accelerate biodiversity research at the same pace, along with its sister journals PhytoKeys and MycoKeys. We sincerely thank all editors and reviewers for their selfless support and professional editorial work, as well as our hundreds of friends and colleagues that have been actively discussing with us and sharing their opinions on the 'ZooKeys' project throughout the years. Without your kind assistance the journal would never have become as popular as it is now and would never merit its consideration as one of the most technologically advanced journals in biological science.

Acknowledgements

Our sincere thanks are due in first place to all our authors, reviewers, editors and readers without whose support the success of ZooKeys would be simply impossible! We are also deeply indebted to all our colleagues and friends with whom we collaborated on development of several innovative workflows and projects. It is not possible to list all of them here, but we would like to especially mention Plazi (Donat Agosti, Terry Catapano, Guido Sautter, Robert A. Morris, Gregor Hagedorn), GBIF (Nickolas King, Vishwas Chavan, David Remsen, Eamonn O'Tuyama, Samy Gaiji, Tim Robertson and others), Encyclopedia of Life (Cynthia Parr, Katja Schulz), ZooBank (Richard Pyle), Dryad Data Repository (Todd Vision, Peggy Schaefer), ViBRANT FP7 project (Vincent Smith, David Roberts and all partners), Wikispecies (Stephen Thorpe), Wikimedia Commons (Andrew Leung), Species-ID and BioWikifarm (Gregor Hagedorn and Daniel Mitchen).

References

- Achterberg (van) C, Long KD (2010) Revision of the Agathidinae (Hymenoptera, Braconidae) of Vietnam, with the description of forty-two new species and three new genera. *ZooKeys* 54: 1–184. doi: 10.3897/zookeys.54.475
- Baldwin CC, Castillo CI, Weigt LA, Victor BC (2011) Seven new species within western Atlantic *Starksia atlantica*, *S. lepicoelia*, and *S. sluiteri* (Teleostei, Labrisomidae), with comments on congruence of DNA barcodes and species. *ZooKeys* 79: 21–72. doi: 10.3897/zookeys.79.1045
- Bantaowong U, Chanabun R, Piyoros Tongkerd P, Sutcharit C, James SW, Panha S (2011) New earthworm species of the genus *Amyntas* Kinberg, 1867 from Thailand (Clitellata, Oligochaeta, Megascolecidae). *ZooKeys* 90: 35–62. doi: 10.3897/zookeys.90.1121
- Bílý S, Nakládal O (2011) Four new species of the genus *Philanthaxia* Deyrolle, 1864 from Southeast Asia and comments on *P. iris* Obenberger, 1938 (Coleoptera, Buprestidae, Thomassetiini). *ZooKeys* 116: 37–47. doi: 10.3897/zookeys.116.1403
- Blagoderov V, Brake I, Georgiev T, Penev L, Roberts D, Rycroft S, Scott B, Agosti D, Catapano T, Smith VS (2010) Streamlining taxonomic publication: a working example with Scratchpads and ZooKeys. *ZooKeys* 50: 17–28. doi: 10.3897/zookeys.50.539

- Bouchard P, Bousquet Y, Davies AE, Alonso-Zarazaga MA, Lawrence JF, Lyal CHC, Newton AF, Reid CAM, Schmitt M, Ślipiński SA, Smith ABT (2011) Family-group names in Coleoptera (Insecta). *ZooKeys* 88: 1–972. doi: 10.3897/zookeys.88.807
- Brake I, von Tschirnhaus M (2010) *Stomosis arachnophila* sp. n., a new kleptoparasitic species of freeloader flies (Diptera, Milichiidae). *ZooKeys* 50: 91–96. doi: 10.3897/zookeys.50.505
- Brothers DJ (2011) A new Late Cretaceous family of Hymenoptera, and phylogeny of the Plu-mariidae and Chrysidoidea (Aculeata). In: Shcherbakov DE, Engel MS, Sharkey MJ (Eds) *Advances in the Systematics of Fossil and Modern Insects: Honouring Alexandr Rasnitsyn*. *ZooKeys* 130: 515–542. doi: 10.3897/zookeys.130.1591
- Catapano T (2010) TaxPub: An extension of the NLM/NCBI Journal Publishing DTD for taxonomic descriptions. Proceedings of the Journal Article Tag Suite Conference 2010. <http://www.ncbi.nlm.nih.gov/books/NBK47081/#ref2>
- Chavan V, Penev L (in press) Data Paper: Mechanism to incentivise discovery of biodiversity data resources. *BMC Bioinformatics*.
- Durán JM, Achterberg (van) C (2011) Oviposition behaviour of four ant parasitoids (Hymenoptera, Braconidae, Euphorinae, Neoneurini and Ichneumonidae, Hybrizontinae), with the description of three new European species. *ZooKeys* 125: 59–106. doi: 10.3897/zookeys.125.1754
- Fikáček M, Prokin A, Angus RB (2011) A long-living species of the hydrophiloid beetles: *Helophorus sibiricus* from the early Miocene deposits of Kartashevo (Siberia, Russia). In: Shcherbakov DE, Engel MS, Sharkey MJ (Eds) *Advances in the Systematics of Fossil and Modern Insects: Honouring Alexandr Rasnitsyn*. *ZooKeys* 130: 239–254. doi: 10.3897/zookeys.130.1378
- Freitag H, Balke M (2011) Larvae and a new species of *Ancyronyx* Erichson, 1847 (Insecta, Coleoptera, Elmidae) from Palawan, Philippines, using DNA sequences for the assignment of the developmental stages. *ZooKeys* 136: 47–82. doi: 10.3897/zookeys.136.1914
- Heads SW, Leuzinger L (2011) On the placement of the Cretaceous orthopteran *Brauckmannia groeningae* from Brazil, with notes on the relationships of Schizodactylidae (Orthoptera, Ensifera). *ZooKeys* 77 : 17–30. doi: 10.3897/zookeys.77.769
- Hendrich L, Balke M (2011) A simultaneous journal / wiki publication and dissemination of a new species description: *Neobidessodes darwiniensis* sp. n. from northern Australia (Coleoptera, Dytiscidae, Bidessini). *ZooKeys* 79: 11–20, doi: 10.3897/zookeys.79.803
- Hong C, van Achterberg C, Xu Z (2011) A revision of the Chinese Stephanidae (Hymenoptera, Stephanoidea). *ZooKeys* 110: 1–108. doi: 10.3897/zookeys.110.918
- Miller JA, Griswold CE, Yin CM (2009) The symphytognathoid spiders of the Gaoligongshan, Yunnan, China (Araneae, Araneoidea): Systematics and diversity of micro-orbweavers. *ZooKeys* 11: 9–195. doi: 10.3897/zookeys.11.160
- Murphy RW, Berry KH, Edwards T, Leviton AE, Lathrop A, Riedle JD (2011) The dazed and confused identity of Agassiz's land tortoise, *Gopherus agassizii* (Testudines, Testudinidae) with the description of a new species, and its consequences for conservation. *ZooKeys* 113: 39–71. doi: 10.3897/zookeys.113.1353
- Noort (van) S, Johnson NF (2009) New species of the plesiomorphic genus *Nixonia* Masner (Hymenoptera, Platygastridae, Platygastrinae, Scelioninae) from South Africa. In:

- Johnson N (Ed) Advances in the systematics of Hymenoptera. Festschrift in honour of Lubomir Masner. ZooKeys 20: 31–51. doi: 10.3897/zookeys.20.112
- Penev L, Erwin T, Thompson FC, Sues H-D, Engel MS, Agosti D, Pyle R, Ivie M, Assmann T, Henry T, Miller J, Ananjeva NB, Casale A, Lourenzo W, Golovatch S, Fagerholm H-P, Taiti S, Alonso-Zarazaga M (2008) ZooKeys, unlocking Earth's incredible biodiversity and building a sustainable bridge into the public domain: From "print-based" to "web-based" taxonomy, systematics, and natural history. ZooKeys Editorial Opening Paper. ZooKeys 1: 1–7. doi: 10.3897/zookeys.1.11
- Penev L, Erwin T, Miller J, Chavan V, Moritz T, Griswold C (2009a) Publication and dissemination of datasets in taxonomy: ZooKeys working example. ZooKeys 11: 1–8. doi: 10.3897/zookeys.11.210
- Penev L, Sharkey M, Erwin T, van Noort S, Buffington M, Seltmann K, Johnson N, Taylor M, Thompson FC, Dallwitz MJ (2009b) Data publication and dissemination of interactive keys under the open access model: ZooKeys working example. ZooKeys 21: 1–17. doi: 10.3897/zookeys.21.274
- Penev L, Roberts D, Smith VS, Erwin T (2010a) Taxonomy shifts up a gear: New publishing tools to accelerate biodiversity research. ZooKeys 50: i–iv. doi: 10.3897/zookeys.50.543
- Penev L, Agosti D, Georgiev T, Catapano T, Miller J, Blagoderov V, Roberts D, Smith VS, Brake I, Rycroft S, Scott B, Johnson NF, Morris RA, Sautter G, Chavan V, Robertson T, Remsen D, Stoev P, Parr C, Knapp S, Kress WJ, Thompson FC, Erwin T (2010b) Semantic tagging of and semantic enhancements to systematics papers: ZooKeys working examples. ZooKeys 50: 1–16. <http://dx.doi.org/10.3897/zookeys.50.538>
- Penev L, Hagedorn G, Mietchen D, Georgiev T, Stoev P, Sautter G, Agosti D, Plank A, Balke M, Hendrich L, Erwin T (2011a) Interlinking journal and wiki publications through joint citation: Working examples from ZooKeys and Plazi on Species-ID. ZooKeys 90: 1–12. doi: 10.3897/zookeys.90.1369
- Penev L, Mietchen D, Chavan V, Hagedorn G, Remsen D, Smith V, Shotton D (2011b). Pensoft Data Publishing Policies and Guidelines for Biodiversity Data. Pensoft Publishers, www.pensoft.net/J_FILES/Pensoft_Data_Publishing_Policies_and_Guidelines.pdf
- Peng Y, Makarkin VN, Wang X, Ren D (2011) A new fossil silky lacewing genus (Neuroptera, Psychopsidae) from the Early Cretaceous Yixian Formation of China. In: Shcherbakov DE, Engel MS, Sharkey MJ (Eds) Advances in the Systematics of Fossil and Modern Insects: Honouring Alexandr Rasnitsyn. ZooKeys 130: 217–228. doi: 10.3897/zookeys.130.1576
- Radea C (2011) A new species of hydrobiid snails (Mollusca, Gastropoda, Hydrobiidae) from central Greece. ZooKeys 138: 53–64. doi: 10.3897/zookeys.138.1927
- Sereno PC, Larsson HCE (2009) Cretaceous Crocodyliforms from the Sahara. ZooKeys 28: 1–143. doi: 10.3897/zookeys.28.325
- Sharkey MJ, Yu DS, van Noort S, Seltmann K, Penev L (2009) Revision of the Oriental genera of Agathidinae (Hymenoptera, Braconidae) with an emphasis on Thailand including interactive keys to genera published in three different formats. ZooKeys 21: 19–54. doi: 10.3897/zookeys.21.271
- Stoev P, Akkari N, Zapparoli M, Porco D, Enghoff H, Edgecombe GD, Georgiev T, Penev L (2010) The centipede genus *Eupolybothrus* Verhoeff, 1907 (Chilopoda: Lithobiomorpha:

- Lithobiidae) in North Africa, a cybertaxonomic revision, with a key to all species in the genus and the first use of DNA barcoding for the group. *ZooKeys* 50: 29–77. doi: 10.3897/zookeys.50.504
- Stoev P, Enghoff H (2011) A review of the millipede genus *Sinocallipus* Zhang, 1993 (Diplopoda, Callipodida, Sinocallipodidae), with notes on gonopods monotomy vs. peripheral diversity in millipedes. *ZooKeys* 90: 13–34. doi: 10.3897/zookeys.90.1291
- Taekul C, Johnson NF, Masner L, Polaszek A, Rajmohana K. (2010) World species of the genus *Platyscelio* Kieffer (Hymenoptera, Platygasteridae). *ZooKeys* 50: 97–126. doi: 10.3897/zookeys.50.485
- Wang X-L, Yao Y-J (2011) Host insect species of *Ophiocordyceps sinensis*: a review. *ZooKeys* 127: 43–59. doi: 10.3897/zookeys.127.802
- Wichard W, Ross E & Ross AJ (2011) *Palerasnitsynus* gen. n. (Trichoptera: Psychomyiidae) from Burmese amber. In: Shcherbakov DE, Engel MS, Sharkey MJ (Eds) *Advances in the Systematics of Fossil and Modern Insects: Honouring Alexandr Rasnitsyn*. *ZooKeys* 130: 323–330. doi: 10.3897/zookeys.130.1449
- Wizen G, Gasith A (2011) Predation of amphibians by carabid beetles of the genus *Epomis* found in the central coastal plain of Israel. In: Kotze DJ, Assmann T, Noordijk J, Turin H, Vermeulen R (Eds) *Carabid Beetles as Bioindicators: Biogeographical, Ecological and Environmental Studies*. *ZooKeys* 100: 181–191. doi: 10.3897/zookeys.100.1526
- Zhang Zhi-Qiang (2011) Accelerating biodiversity descriptions and transforming taxonomic publishing: the first decade of *Zootaxa*. *Zootaxa* 2896: 1–7.