

# Contributions to the knowledge of the Aleocharinae (Coleoptera, Staphylinidae) in the Maritime Provinces of Canada

Christopher G. Majka<sup>1</sup>, Jan Klimaszewski<sup>2</sup>

**1** Nova Scotia Museum, 1747 Summer Street, Halifax, Nova Scotia, Canada B3H 3A6 **2** Natural Resources Canada, Canadian Forest Service, Laurentien Forestry Centre, 1055 rue du P.E.P.S., PO Box 10380, Stn. Sainte-Foy, Québec, QC, Canada G1V 4C7

Corresponding author: *Christopher G. Majka* (c.majka@ns.sympatico.ca)

---

Academic editor: *Volker Assing* | Received 16 February 2009 | Accepted 16 April 2010 | Published 17 May 2010

---

**Citation:** Majka CG, Klimaszewski J (2010) Contributions to the knowledge of the Aleocharinae (Coleoptera, Staphylinidae) in the Maritime Provinces of Canada. *ZooKeys* 46: 15–39. doi: 10.3897/zookeys.46.413

---

## Abstract

Since 1970, 203 species of Aleocharinae have been recorded in the Maritime Provinces of Canada, 174 of which have been reported in the past decade. This rapid growth of knowledge of this hitherto neglected subfamily of rove beetles occasions the present compilation of species recorded in the region together with the chronology of their discovery. Sixteen new provincial records are reported, twelve from Nova Scotia, one from New Brunswick, and three from Prince Edward Island. Seven species, including *Oxypoda chantali* Klimaszewski, *Oxypoda perexilis* Casey, *Myllaena cuneata* Notman, *Placusa canadensis* Klimaszewski, *Geostiba* (*Sibiota*) *appalachigena* Gusarov, *Lypoglossa angularis obtusa* (LeConte), and *Trichiusa postica* Casey [tentative identification] are newly recorded in the Maritime Provinces, one of which, *Myllaena cuneata*, is newly recorded in Canada. A preliminary analysis of the composition of the fauna indicates that the percentage of adventive species (18.2%) is consistent with that of other groups of Coleoptera. Both Cape Breton Island and Prince Edward Island are comparatively faunistically under-represented, in all probability as a result of insufficient collecting effort in these areas. A species accumulation curve indicates that it is probable that further species of aleocharines remain to be documented in the region.

## Keywords

Coleoptera, Staphylinidae, Aleocharinae, Canada, Maritime Provinces, New Brunswick, Nova Scotia, Prince Edward Island, biodiversity, species accumulation

## Introduction

The recent explosion of interest and information with respect to the rove beetle subfamily Aleocharinae in the Maritime Provinces of Canada (New Brunswick, Nova Scotia, and Prince Edward Island) has been remarkable and dramatic, particularly given the long history of neglect of this group in the region. This lack of attention is in many respects unsurprising, given the complex and difficult taxonomy of the group. Even so, in comparison with other groups of Coleoptera in the region, and with interest in aleocharines in other portions of the continent, the historical attention that this group has received in the region in the past has been exceptionally meagre.

The first published report of an aleocharine from the Maritime Provinces was by Howden (1970) who recorded *Falagria dissecta* Erichson on Sable Island, Nova Scotia, along with five other species that were tentatively identified only to genus (three of these have subsequently been determined as *Atheta novaescotiae* Klimaszewski and Majka, *Mocyta breviscula* (Mäklin), and *Crataraea suturalis* (Mannerheim) (C.G. Majka and J. Klimaszewski, unpublished data). There are no records of any aleocharines from the Maritime Provinces in catalogues such as Leng (1920) and Moore and Legner (1975), nor in any of the historical papers on the Coleoptera of the region. There are voucher specimens of aleocharines from the region collected as early as 1910, however, the unresolved taxonomy of the group prohibited investigators from identifying them.

It was not until studies such as Klimaszewski (1979, 1982a, 1982b, 1984) and Hoebeke (1985) that taxonomists began examining aleocharine specimens from the Maritime Provinces and including such records in taxonomic treatments. Campbell and Davies (1991), a compilation of Coleoptera records from Canada and Alaska, listed only 27 species from the region, based almost entirely on records provided by the above studies.

There was very little further research on this subfamily in the Maritime Provinces for the next decade, until in 2001 a series of papers began that, over the span of the last decade, has dramatically increased knowledge of the aleocharine fauna of the region. One hundred and seventy-four species have been added to the region's faunal list during this time. Due to this very rapid increase in knowledge, it has been difficult to keep track of all the contributions to the region's faunal lists, and even the recent catalogue of Gouix and Klimaszewski (2007) is now substantially out of date.

The purpose of this paper is to add further jurisdictional records of aleocharines to the region's faunal list, provide a compendium of the species that have been recorded in the Maritime Provinces, and the studies that have documented their presence, and briefly examine some aspects of the fauna in general, and of the increase in knowledge of the group in the region.

## Methods and conventions

Codens (following Evenhuis 2009) of collections referred to in this study are:

<b>CBU</b>	Cape Breton University, Sydney, Nova Scotia, Canada
<b>CGMC</b>	Christopher G. Majka collection, Halifax, Nova Scotia, Canada
<b>DHWC</b>	David H. Webster collection, Kentville, Nova Scotia, Canada
<b>NSMC</b>	Nova Scotia Museum, Halifax, Nova Scotia, Canada
<b>NSNR</b>	Nova Scotia Department of Natural Resources, Shubenacadie, Nova Scotia, Canada
<b>STFX</b>	St. Francis Xavier University, Antigonish, Nova Scotia, Canada
<b>UMNB</b>	Université de Moncton, Moncton, New Brunswick, Canada

In the species treatments, the number of specimens and the collection abbreviation are indicated in parentheses.

## Results

Sixteen new provincial records of aleocharines, twelve from Nova Scotia, one from New Brunswick, and three from Prince Edward Island are reported herein. Seven species including, *Oxypoda chantali* Klimaszewski, *Oxypoda perexilis* Casey, *Myllaena cuneata* Notman, *Placusa canadensis* Klimaszewski, *Geostiba (Sibiota) appalachigena* Gusarov, *Lypoglossa angularis obtusa* (LeConte), and *Trichiusa postica* Casey [tentative identification] are newly recorded in the Maritime Provinces, one of which, *Myllaena cuneata*, is newly recorded in Canada. Specific details of new records are reported below.

*Aleochara (Coprochara) bimaculata* Gravenhorst, 1802

**NEW BRUNSWICK: Kent County:** Buctouche, 13.VI.2007, 18.X.2007, J.P.-Michaud, on decomposing pig (2, UMNB).

*Aleochara bimaculata* is newly recorded in New Brunswick. In Canada it has been previously recorded in Alberta, British Columbia, Manitoba, Newfoundland and Labrador, Nova Scotia, Northwest Territories, Ontario, Québec, and Saskatchewan. It is found throughout the United States, south to southern Mexico (Klimaszewski 1984). Adults are frequently found at dung, carrion, decomposing mushrooms, and in various kinds of leaf and grass litter (Klimaszewski 1984)

*Aleochara (Xenochara) castaneipennis* Mannerheim, 1843

**NOVA SCOTIA: Cumberland County:** VIII.1965, B. Wright, under sugar maple on mountain slope, pitfall trap (1, NSMC); **Halifax County:** Waverley, 10.VIII.1965, B. Wright, mixed forest, pitfall trap (1, NSMC); Big Indian Lake, 9.VIII.2003, P. Dollin, red spruce forest (80–120 years), pitfall trap (3, NSMC).

*Aleochara castaneipennis* is newly recorded in Nova Scotia. In Canada it has been previously recorded in Alberta, British Columbia, New Brunswick, Ontario, Québec, and the Yukon (Klimaszewski 1984; Klimaszewski et al. 2005a). In the United States it has been recorded in many jurisdictions in the eastern and western portions of the country, although it is absent in the Great Plains region (Klimaszewski 1984).

*Oxypoda chantali* Klimaszewski, 2006

**NOVA SCOTIA: Antigonish County:** Pomquet, IV.1996, R.F. Lauff, leaf litter, male (1, STFX).

*Oxypoda chantali* is newly recorded in the Maritime Provinces. This species is previously known only from Ontario and Québec (Klimaszewski et al. 2006b). It has been collected in leaf litter in deciduous forests (Klimaszewski et al. 2006b).

*Oxypoda perexilis* Casey, 1906

**NOVA SCOTIA: Colchester County:** Bible Hill, 3–9.VII.2007, C.W. D’Orsay, pasture, pitfall trap (4, CBU).

*Oxypoda perexilis* is newly recorded in the Maritime Provinces. In Canada it has been previously recorded in Ontario and Québec. In the United States it has been recorded in Mississippi, Texas, North Carolina, and Iowa (Klimaszewski et al. 2006b). In other regions it has been collected in dry alvar habitats (Klimaszewski et al. 2006b).

*Myllaena arcana* Casey, 1911

**NOVA SCOTIA: Guysborough County:** Melopseketch Lake, 14.V–2.VI.1997, D.J. Bishop, young red spruce forest, flight intercept trap (1, NSMC).

*Myllaena arcana* is newly recorded in Nova Scotia. In Canada it has been previously recorded in Alberta, New Brunswick, Ontario, and Québec. In the United States it has been found from New Hampshire, west to Iowa and south through Florida and Alabama to Veracruz and Chiapas in Mexico (Klimaszewski 1982a). Specimens have been collected from wet debris near streams, lakes, and ponds (Klimaszewski 1982a).

*Myllaena cuneata* Notman, 1920

**NOVA SCOTIA: Halifax County:** Point Pleasant Park, 20.IX.2001, C.G. Majka, coniferous forest, under bark of dead red spruce (2, CGMC).

*Myllaena cuneata* is newly recorded in Canada. In the United States this species has been found from Florida and Louisiana north to Massachusetts. Specimens have been

collected from organic detritus near a creek and in oak-beech leaf litter (Klimaszewski 1982a).

*Eumicrota socia* (Erichson, 1839)

**PRINCE EDWARD ISLAND: Queens County:** Princeton-Warburton Road, 27.VI.2003, C.G. Majka, along small stream in mixed forest (4, CGMC).

*Eumicrota socia* is newly recorded in Prince Edward Island. In Canada it has been previously recorded in New Brunswick, Nova Scotia, and Québec. It is widely distributed in the central and eastern portions of the United States. (Campbell and Davies 1991; Klimaszewski et al. 2009c). Specimens have been collected in a wide variety of coniferous and deciduous forests, frequently on slightly decayed polypore fungi and gilled fungi of a variety of species (Klimaszewski et al. 2009c).

*Gyrophæna* (*s. str.*) *gaudens* Casey, 1906

**PRINCE EDWARD ISLAND: Queens County:** St. Patricks, 17.VIII.2002, C.G. Majka, coniferous forest, on *Cantharellus cibarius* Fr. (1, CGMC).

*Gyrophæna gaudens* is newly recorded in Prince Edward Island. In Canada it has been previously recorded in New Brunswick, Ontario, and Québec. In the United States it has been recorded in northern regions of the country from Massachusetts and Pennsylvania in the east, west to Michigan and Wisconsin (Klimaszewski et al. 2009c). It is found in mixed and coniferous forests on a variety of gilled and polypore fungi (Klimaszewski et al. 2009c).

*Silusa alternans* Sachse, 1852

**PRINCE EDWARD ISLAND: Queens County:** St. Patricks, 17.VIII.2000, C.G. Majka, coniferous forest, on *Cantharellus cibarius* Fr. (1, CGMC).

*Silusa alternans* is newly recorded in Prince Edward Island. In Canada it has been previously recorded in New Brunswick, Nova Scotia, and Québec. In the United States it has been recorded from Georgia north to New Hampshire (Klimaszewski et al. 2003). It has been collected in deciduous and coniferous forests associated with gilled fungi such as *Clavaria* sp. and *Russula* sp. (Klimaszewski et al. 2003).

*Placusa canadensis* Klimaszewski, 2001

**NOVA SCOTIA: Kings County:** North Alton, 2.VI.2005, D.H. Webster, under bark of wind-fallen *Populus grandidentata* Michx. (4, DHWC).

*Placusa canadensis* is newly recorded in the Maritime Provinces. In Canada it has been previously recorded in Ontario and Québec; in the United States it is known from Ohio and West Virginia (Klimaszewski et al. 2001). In Québec this species has been found predominantly in sugar maple (*Acer saccharum* Marsh.) stands, occasionally in white spruce (*Picea glauca* (Moench) Voss) forests. They have been collected from under the bark of recently fallen trees and from rotting fungi and tree stumps (Klimaszewski et al. 2001). The specimens in Nova Scotia were found in association with specimens of *Carpophilus sayi* Parsons [Nitidulidae] (abundant), and *Corticium tenuis* (LeConte) [Tenebrionidae] (infrequent) in the same subcortical habitat.

*Acrotona subpygmaea* (Bernhauer, 1909)

**NOVA SCOTIA: Halifax County:** Point Pleasant Park, 20.IX.2001, C.G. Majka, coniferous forest, in bark of dead white pine (1, CGMC).

*Acrotona subpygmaea* is newly recorded in Nova Scotia. In Canada it has been previously recorded in New Brunswick; in the United States there are records from Massachusetts and Indiana (Klimaszewski et al. 2005a). In New Brunswick it was collected in a red spruce (*Picea rubens* Sarg.) forest (Klimaszewski et al. 2005a).

The status of *Acrotona subpygmaea*, however, is subject to some question. In most respects it appears to be identical to *Acrotona avia* (Casey). There is an unresolved problem in determining the status of these two species names in that while all the external and internal structures of both male and female types of *A. avia* are intact, in the case of the (unpublished) lectotype of *A. subpygmaea* designated by V. Gusarov, the median lobe of the aedeagus of the male is missing and the female syntype has a collapsed spermatheca, making it difficult to determine whether these are distinct species or whether *A. avia* should be designated as a junior synonym of *A. subpygmaea*. J. Klimaszewski and collaborators are in the process of revising the eastern Canadian species of the genus *Acrotona*. The present identification should be regarded as tentative, pending this revision.

*Atheta (Microdota) particula* (Casey, 1910)

**NOVA SCOTIA: Annapolis County:** Big Dam Lake, Kejimikujik National Park, 27.VI.–7.VII.2004, H. Love, hemlock forest, pitfall trap (4, CGMC); **Cumberland County:** VIII.1965, B. Wright, under sugar maple in deciduous forest, pitfall trap (1, NSMC); **Digby County:** Pebbleloggitch Lake, Kejimikujik National Park, 13–24.VIII.2004, H. Love, hemlock forest, pitfall trap (4, CGMC); **Halifax County:** Waverley, 10.VIII.1965, B. Wright, mixed forest, pitfall trap (1, NSMC); **Queens County:** Canning Field, Kejimikujik National Park, 26.VI.–6.VII.2004, 14–23.VIII.2004, H. Love, hemlock forest, pitfall trap (18, CGMC); Cobreille Lake, 27.VI.–7.VII.2004, H. Love, hemlock forest, pitfall trap (43, CGMC).

*Atheta (Microdota) particula* is newly recorded in Nova Scotia. In Canada it has been previously recorded in New Brunswick (Klimaszewski et al. 2005a). In the United States it has been recorded from Rhode Island and New York (Moore and Legner 1975). In New Brunswick it was collected in a red spruce forest (Klimaszewski et al. 2005a). In Nova Scotia they have primarily been found on the forest floor in eastern hemlock (*Tsuga canadensis* (L.) Carr.) forests.

*Geostiba (Sibiota) appalachigena* Gusarov, 2002

**NOVA SCOTIA: Queens County:** Kejimikujik National Park, 24.VIII.1994, B. Wright, hemlock forest, leaf litter (4, NSMC).

*Geostiba appalachigena* is newly recorded in the Maritime Provinces. In Canada it has been previously recorded in Québec. In the United States it has been collected from Maine to Virginia, west to Wisconsin (Gusarov 2002). It has been found in red spruce and balsam fir (*Abies balsamea* (L.) Mill) forests, in forest leaf litter (Gusarov 2002).

*Lypoglossa angularis obtusa* (LeConte, 1866)

**NOVA SCOTIA: Cape Breton County:** Louisbourg, 28.VI–2.VII.1999, A. Schrage & S.P. Roach, closed spruce woodland, pan trap (2, CBU).

*Lypoglossa angularis obtusa* is newly recorded in the Maritime Provinces. In Canada it has been previously recorded in Newfoundland and Québec; in the United States it is found in Maine and New Hampshire (Gusarov 2004). The species is common in forest leaf litter and moss in boreal forests; it has also been found on dung in gopher burrows (Gusarov 2004).

*Trichiusa postica* Casey, 1906

**NOVA SCOTIA: Colchester County:** Bible Hill, 31.V.2005, S.M. Townsend, cow pasture, sweep net (1, CBU); **Halifax County:** Soldier Lake, 13.VI.2005, J. Gordon, spruce beetle trap (1, NSNR); Petpeswick, 23.VI.1971, B. Wright (1, NSMC).

*Trichiusa postica* is newly recorded in the Maritime Provinces. In Canada it has been previously recorded in Ontario (Campbell and Davies 1991; Gusarov 2001–2003). The ecology and biology of this species have not been recorded.

This identification should be regarded as provisional. *Trichiusa* is an unrevised genus in North America, and for confirmation, this specimen should be compared with type specimens of this genus. These are on loan from the US National Museum to V. Gusarov and despite efforts we have not been able to obtain them for the purposes of this study.

*Zyras obliquus* Casey, 1893

**NOVA SCOTIA: Lunenburg County:** Bridgewater, 1–16.VII.1965, B. Wright, under red oak, pitfall trap (1, NSMC).

*Zyras obliquus* is newly recorded in Nova Scotia. In Canada it has been previously recorded from British Columbia east to New Brunswick (Klimaszewski et al. 2005b; Webster et al. 2009). In British Columbia this species was found in various coniferous and mixed forests (Klimaszewski et al. 2005b). Note: this species was reported from Nova Scotia by Kehler et al. (1996) [as *Zyras haworthi* (Stephens)] without, however, supplying collection data. In a subsequent examination of this collection by Majka and Bondrup-Nielsen (2006), no voucher specimens of this species were found, rendering the authenticity of the original record moot.

## Discussion

Table 1 provides a systematic list of the 203 species of aleocharines that have been found in the Maritime Provinces. Of these, five species [*Phloeopora* sp., *Oligota chryso-pyga* Kraatz?, *Oligota* nr. *ruficornis* Sharp, *Acrotoma* nr. *smithi* Casey, and *Atheta* nr. *smetanai* & *campbelli* (Lohse)] are provisional names for species that have not yet been identified to the specific level. Three species (*Philhygra insulivaga* Gusarov, *Philhygra lustrivaga* Gusarov, and *Philhygra riprivaga* Gusarov) are unpublished manuscript names of species which have not yet been formally described. Published references for reports from the Maritime Provinces are arranged in chronological order.

Of the 203 species, 162 (79.8%) are Nearctic in distribution; four (2.0%) have a Holarctic distribution; and 37 (18.2%) are adventive Palaearctic species. A total of 175 species (86.2%) have been recorded in New Brunswick; 125 (61.6%) in Nova Scotia, and 20 (9.9%) in Prince Edward Island. Of the Nova Scotia species, 106 (52.2%) have been recorded on the Nova Scotia mainland, and 57 (28.1%) on Cape Breton Island. There are 19 species recorded on Cape Breton Island that have not been found on the Nova Scotia mainland.

Since the biodiversity of the Maritime Provinces aleocharine fauna is still in an active phase of investigation, it would be premature at present to draw many conclusions from these compositional figures. The overall proportion of adventive species is similar to that of other groups of Coleoptera. For example, in Nova Scotia 15.6% of the province's beetle fauna consists of adventive species (C.G. Majka, unpublished data). The proportion of species recorded to date from both Cape Breton Island (28.1%) and Prince Edward Island (9.9%) appear to be rather low, in all probability indicating a deficit in collection effort for this group in these areas. In the case of the Carabidae, 54.4% of the Maritime Provinces' fauna has been recorded on Cape Breton, and 47.9% on Prince Edward Island (Majka et al. 2007b). Within the Curculionoidea, 35.3% of Maritime Provinces weevils have been recorded on Cape Breton, and 33.2% on Prince Edward Island (Majka et al. 2007a). While there is no *a priori*



reason why these figures should be the same across different taxonomic groups, the data for these better investigated groups in the region appear to underscore the fact that a comparative paucity of collecting effort has under-represented the aleocharine fauna of these two areas.

An indication of the rapid growth of information about the Maritime Provinces' aleocharine composition is provided by Figure 1, a species accumulative curve (based on publication dates) of the region's fauna. Fig. 1 shows that that an asymptote has not yet been approached, suggesting that the fauna of the area is not adequately sampled, and that many additions to it remain to be made. Although the very rapid growth rate of knowledge over the past decade is likely to abate in the future, it is nevertheless clear that more species remain to be documented. Even since the recent publication of Gouix and Klimaszewski (2007), a catalogue of the Aleocharinae of Canada and Alaska, which included records of 96 species from the Maritime Provinces, 107 species have been added to the region's fauna – a 111% increase in the past three years alone.

Aside from sheer numbers of species, an immense amount of work remains to be done on the ecology and biology of most of the species, and on their distribution within the region. For many species, such knowledge is fragmentary and incomplete. Many geographical areas have been little, if at all, sampled and many habitats have been poorly investigated. Nevertheless, in a span of 40 years, knowledge of the Maritime Provinces Aleocharinae fauna has developed from nonexistent to the point where they are the most species rich subfamily of rove beetles in the region.

**Table 1.** Aleocharinae recorded in the Maritime Provinces of Canada.

Species	NB	mNS	CB	PE	References
<b>ALEOCHARINAE</b>					
<b>Gymnusini</b>					
<i>Gymnusa atra</i> Casey *	1		1		Klimaszewski (1979), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Gymnusa campbelli</i> Klimaszewski	1				Klimaszewski (1982b), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<i>Gymnusa grandiceps</i> Casey	1	1			Klimaszewski (1979), Campbell and Davies (1991), Majka and Klimaszewski (2008b), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Gymnusa pseudovariegata</i> Klimaszewski	1	1	1		Klimaszewski (1979), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<b>Deinopsini</b>					
<i>Deinopsis canadensis</i> Klimaszewski	1				Webster et al. (2009)
<i>Deinopsis harringtoni</i> Casey	1	1	1		Klimaszewski (1979), Campbell and Davies (1991), Gouix and Klimaszewski (2007), Bishop et al. (2009)
<i>Deinopsis rhadina</i> Klimaszewski	1				Webster et al. (2009)

Species	NB	mNS	CB	PE	References
<b>Aleocharini</b>					
subtribe Aleocharina					
subgenus <i>Aleochara</i> Mulsant and Rey					
<i>Aleochara curtula</i> (Goeze) †	1	1		1	Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a), Michaud et al. (2010)
<i>Aleochara gracilicornis</i> Bernhauer	1	1	1		Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Aleochara sekanai</i> Klimaszewski	1				Majka et al. (2009), Michaud et al. (2010)
<i>Aleochara tahoensis</i> Casey	1		1		Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
subgenus <i>Calochara</i> Casey					
<i>Aleochara villosa</i> Mannerheim	1				Webster et al. (2009)
subgenus <i>Coprochara</i> Mulsant and Rey					
<i>Aleochara bilineata</i> Gyllenhal †	1	1	1	1	Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Aleochara bimaculata</i> Gravenhorst	1	1	1		Klimaszewski (1984), Gouix and Klimaszewski (2007), Michaud et al. (2010), present study
<i>Aleochara verna</i> Bernhauer	1	1		1	Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Michaud et al. (2010)
subgenus <i>Emplenota</i> Casey					
<i>Aleochara litoralis</i> (Mäklin)	1	1	1		Klimaszewski (1984), Campbell and Davies (1991), Majka and Ogden (2006), Gouix and Klimaszewski (2007), Majka et al. (2008), Majka et al. (in press)
subgenus <i>Euryodma</i>					
<i>Aleochara caseyi</i> Likovsky	1				Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
subgenus <i>Xenochara</i> Mulsant and Rey					
<i>Aleochara castaneipennis</i> Mannerheim	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Dollin et al. (2008), present study
<i>Aleochara fumata</i> Gravenhorst †	1	1	1	1	Klimaszewski (1984), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Michaud et al. (2010), Majka et al. (in press)
<i>Aleochara inexpectata</i> Klimaszewski	1	1			Klimaszewski (1984), Campbell and Davies (1991), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Aleochara lacertina</i> Sharp	1	1	1		Klimaszewski (1984), Campbell and Davies (1991), Gouix and Klimaszewski (2007)

Species	NB	mNS	CB	PE	References
<i>Aleochara lanuginosa</i> Gravenhorst	1	1			Majka and Klimaszewski (2008a), Webster et al. (2009)
<i>Aleochara sculptiventris</i> (Casey)	1				Klimaszewski (1984), Campbell and Davies (1991), Michaud et al. (2010)
<i>Aleochara tristis</i> Gravenhorst †	1				Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Tinotus morion</i> (Gravenhorst) †	1	1			Klimaszewski et al. (2002, 2005), Gouix and Klimaszewski (2007), Bishop et al. (2009)
<b>Hoplandriini</b>					
<i>Hoplandria lateralis</i> (Melsheimer)	1				Webster et al. (2009)
<b>Oxypodini</b>					
subtribe Oxypodina					
<i>Amarochara formicina</i> Assing	1				Assing (2007), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Amarochara inquilina</i> (Casey)	1				Assing (2007), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Calodera parviceps</i> (Casey)	1	1	1		Assing (2008), Webster et al. (2009)
<i>Crataraea suturalis</i> (Mannerheim) †	1	1			Klimaszewski et al. (2007), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Devia prospera</i> (Erichson)	1				Webster et al. (2009)
<i>Gennadota canadensis</i> Casey	1	1	1		Majka et al. (2006b), Gouix and Klimaszewski (2007), Moseley (2007, 2009), Webster et al. (2009), Michaud et al. (2010)
<i>Hylota ochracea</i> Casey	1	1	1		Majka et al. (2006a), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Ilyobates bennetti</i> Donisthorpe †	1	1			Majka and Klimaszewski (2008b), Webster et al. (2009)
<i>Ocyusa asperula</i> Casey	1				Webster et al. (2009)
<i>Oxyroda amica</i> Casey	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Dollin et al. (2008)
<i>Oxyroda brachyptera</i> (Stephens) †	1	1			Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a)
<i>Oxyroda chantali</i> Klimaszewski		1			present study
<i>Oxyroda convergens</i> Casey	1	1	1		Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Oxyroda demissa</i> Casey	1		1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Oxyroda frigida</i> Bernhauer	1		1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)
<i>Oxyroda gnara</i> Casey	1				Webster et al. (2009)
<i>Oxyroda grandipennis</i> (Casey)	1		1		Klimaszewski et al. (2005, 2006b), Gouix and Klimaszewski (2007)
<i>Oxyroda hiemalis</i> Casey	1		1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)
<i>Oxyroda inimica</i> Casey	1				Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)

Species	NB	mNS	CB	PE	References
<i>Oxypoda lacustris</i> Casey	1	1			Klimaszewski et al. (2005a), Webster et al. (2009)
<i>Oxypoda lucidula</i> Casey	1				Webster et al. (2009)
<i>Oxypoda nigriceps</i> Casey	1	1	1		Klimaszewski et al. (2005, 2006b), Gouix and Klimaszewski (2007), Bishop et al. (2009)
<i>Oxypoda opaca</i> (Gravenhorst) †	1	1			Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Oxypoda operta</i> Sjöberg †			1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)
<i>Oxypoda orbicollis</i> Casey			1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)
<i>Oxypoda perexilis</i> Casey		1			present study
<i>Oxypoda pseudolacustris</i> Klimaszewski	1	1	1		Klimaszewski et al. (2006b), Gouix and Klimaszewski (2007)
<i>Oxypoda vockerothi</i> Klimaszewski	1				Webster et al. (2009)
<i>Phloeopora</i> sp. <sup>1</sup>		1			Bishop et al. (2009)
subtribe Meoticina					
<i>Alisalia elongata</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009a)
<i>Alisalia minuta</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009a)
<i>Alisalia testacea</i> Casey	1				Klimaszewski et al. (2009a)
<i>Meotica exilis</i> (Erichson) †		1			Majka and Klimaszewski (2008b)
<i>Meotica pallens</i> (Redtenbacher) †		1			Majka and Klimaszewski (2008b)
subtribe Tachysina					
<i>Gnypeta caerulea</i> (C.R. Sahlberg) †	1		1	1	Klimaszewski et al. (2008a), Majka and Klimaszewski (2008a, 2008b)
<i>Gnypeta carbonaria</i> Mannerheim *	1				Klimaszewski et al. (2008a)
<i>Gnypeta nigrella</i> (LeConte)	1				Klimaszewski et al. (2008a)
<i>Gnypeta saccharina</i> Klimaszewski and Webster	1				Klimaszewski et al. (2008a)
<i>Gnypeta minuta</i> Klimaszewski and Webster	1				Klimaszewski et al. (2008a)
<i>Meronera venustula</i> (Erichson)	1				Majka and Klimaszewski (2008b)
<i>Tachyusa americana</i> Casey	1				Webster et al. (2009)
<i>Tachyusa americanoides</i> Pasnik		1			Pasnik (2006), Gouix and Klimaszewski (2007)
<b>Hypocyphini</b>					
<i>Oligota chrysopyga</i> Kraatz ? † <sup>1</sup>	1				unpublished
<i>Oligota parva</i> Kraatz				1	Majka et al. (2008)

Species	NB	mNS	CB	PE	References
<i>Oligota nr. ruficornis</i> Sharp † <sup>1</sup>		1			unpublished
<b>Myllaenini</b>					
<i>Myllaena arcana</i> Casey	1	1			Klimaszewski (1982a), Campbell and Davies (1991), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Bishop et al. (2009), present study
<i>Myllaena audax</i> Casey	1				Klimaszewski (1982a), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<i>Myllaena cuneata</i> Notman		1			present study
<i>Myllaena insomnis</i> Casey	1		1		Klimaszewski (1982a), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<i>Myllaena kaskaskia</i> Klimaszewski	1				Webster et al. (2009)
<i>Myllaena ludificans</i> Casey	1				Webster et al. (2009)
<i>Myllaena procidua</i> Casey	1				Webster et al. (2009)
<i>Myllaena vulpina</i> Bernhauer	1		1		Klimaszewski (1982a), Campbell and Davies (1991), Gouix and Klimaszewski (2007), Webster et al. (2009)
<b>Dioglottini</b>					
<i>Dioglota mersa</i> (Haliday) †	1				Klimaszewski et al. (2008b)
<b>Autaliini</b>					
<i>Autalia rivularis</i> (Gravenhorst) †	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a)
<b>Homalotini</b>					
subtribe Bolitocharina					
<i>Neotobia alberta</i> Ashe	1				Webster et al. (2009)
<i>Phymatura blanchardi</i> (Casey)	1				Webster et al. (2009)
<i>Silusida marginella</i> (Casey)	1	1	1		Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Dollin et al. (2008), Majka and Klimaszewski (2008b)
subtribe Gyrophaenina					
<i>Eumicrota corruscula</i> Erichson	1				Klimaszewski et al. (2009c)
<i>Eumicrota socia</i> (Erichson)	1	1		1	Klimaszewski et al. (2009c), Dollin et al. (2008), present study
subgenus <i>Gyrophaena</i> Mannerheim					
<i>Gyrophaena affinis</i> Mannerheim †	1	1	1		Campbell and Davies (1991), Gouix and Klimaszewski (2007), Klimaszewski et al. (2009c), Majka and Klimaszewski (2008a), Dollin et al. (2008), Majka et al. (in press)
<i>Gyrophaena antennalis</i> Casey	1	1			Campbell and Davies (1991), Gouix and Klimaszewski (2007), Klimaszewski et al. (2009c)
<i>Gyrophaena caseyi</i> Seevers	1				Klimaszewski et al. (2009c)
<i>Gyrophaena chippewa</i> Seevers	1				Klimaszewski et al. (2009c)
<i>Gyrophaena criddlei</i> Casey	1				Klimaszewski et al. (2009c)

Species	NB	mNS	CB	PE	References
<i>Gyrophana dybasi</i> Seevers	1				Klimaszewski et al. (2009c)
<i>Gyrophana flavicornis</i> Melsheimer	1	1	1		Klimaszewski et al. (2009c), Dollin et al. (2008)
<i>Gyrophana fuscicollis</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana gaudens</i> Casey	1	1		1	Klimaszewski et al. (2009c), present study
<i>Gyrophana gilvicollis</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana illiana</i> Seevers	1				Klimaszewski et al. (2009c)
<i>Gyrophana insolens</i> Casey	1				Campbell and Davies (1991), Gouix and Klimaszewski (2007), Klimaszewski et al. (2009c)
<i>Gyrophana involuta</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana keeni</i> Casey	1				Campbell and Davies (1991), Klimaszewski et al. (2005, 2009c)
<i>Gyrophana laetula</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana lobata</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana modesta</i> Casey	1	1			Campbell and Davies (1991), Gouix and Klimaszewski (2007), Klimaszewski et al. (2009c)
<i>Gyrophana pseudocriddleii</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009c)
<i>Gyrophana sculptipennis</i> Casey	1	1			Klimaszewski et al. (2009c), Dollin et al. (2008)
<i>Gyrophana uteana</i> Casey	1				Klimaszewski et al. (2009c)
<i>Gyrophana vitrina</i> Casey	1				Klimaszewski et al. (2009c)
subgenus <i>Phaenogyra</i> Mulsant and Rey					
<i>Gyrophana gracilis</i> Seevers	1				Klimaszewski et al. (2009c)
<i>Gyrophana meduxnekeagensis</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009c)
<i>Gyrophana subnitens</i> Casey	1	1			Klimaszewski et al. (2009c)
subtribe Homalotina					
<i>Homalota plana</i> (Gyllenhal) †	1	1			Majka and Klimaszewski (2004), Klimaszewski et al. (2007), Gouix and Klimaszewski (2007)
subtribe Leptusina					
<i>Euvara micmac</i> Klimaszewski and Majka	1	1			Klimaszewski and Majka (2007b), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Leptusa incertae sedis</i>					
<i>Leptusa gatineauensis</i> Klimaszewski and Pelletier		1			Klimaszewski et al. (2004), Gouix and Klimaszewski (2007), Bishop et al. (2009)
subgenus <i>Adoxopisalia</i> Pace					
<i>Leptusa opaca</i> Casey	1	1	1	1	Klimaszewski et al. (2004, 2005), Gouix and Klimaszewski (2007), Dollin et al. (2008), Bishop et al. (2009)

Species	NB	mNS	CB	PE	References
<i>Leptusa pseudopaca</i> Klimaszewski and Majka		1	1		Klimaszewski et al. (2004), Gouix and Klimaszewski (2007), Dollin et al. (2008)
subgenus <i>Boreoleptusa</i> Pace					
<i>Leptusa canonica</i> Casey		1	1		Klimaszewski et al. (2004), Gouix and Klimaszewski (2007), Dollin et al. (2008), Bishop et al. (2009)
<i>Leptusa jucunda</i> Klimaszewski and Majka	1	1			Klimaszewski et al. (2004), Majka and Klimaszewski (2004), Gouix and Klimaszewski (2007)
subgenus <i>Dysleptusa</i> Pace					
<i>Leptusa carolinensis</i> Pace	1	1			Klimaszewski et al. (2004), Gouix and Klimaszewski (2007), Bishop et al. (2009), Webster et al. (2009)
subgenus <i>Eucryptusa</i> Casey					
<i>Leptusa brevicollis</i> Casey	1	1	1	1	Klimaszewski et al. (2004, 2005), Gouix and Klimaszewski (2007), Dollin et al. (2008), Bishop et al. (2009)
subtribe Silusina					
<i>Silusa alternans</i> Sachse	1		1	1	Klimaszewski et al. (2003, 2005), Gouix and Klimaszewski (2007), present study
<i>Silusa californica</i> Bernhauer	1	1	1		Klimaszewski et al. (2003, 2005), Gouix and Klimaszewski (2007)
<i>Silusa densa</i> Fenyes	1				Webster et al. (2009)
<b>Placusini</b>					
<i>Placusa canadensis</i> Klimaszewski		1			present study
<i>Placusa incompleta</i> Sjöberg †	1		1		Klimaszewski et al. (2001), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Placusa tachyporoides</i> (Waltl) †	1	1	1		Klimaszewski et al. (2001), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a)
<i>Placusa tacomae</i> Casey	1	1			Klimaszewski et al. (2001), Majka and Klimaszewski (2004), Gouix and Klimaszewski (2007), Dollin et al. (2008), Webster et al. (2009)
<i>Placusa vaga</i> Casey	1	1			Webster et al. (2009)
<b>Athetini</b>					
subtribe Acrotonina					
<i>Acrotona avia</i> (Casey)		1			Majka et al. (2008)
<i>Acrotona nr. smithi</i> Casey <sup>1</sup>	1				unpublished
<i>Acrotona subpygmaea</i> Bernhauer	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), present study
<i>Mocytta breviscula</i> (Mäklin)	1	1			Majka and Klimaszewski (2008b), Bishop et al. (2009), Webster et al. (2009)
<i>Mocytta fungi</i> (Gravenhorst) †	1	1	1	1	Gusarov (2003), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a), Majka et al. (2008), Michaud et al. (2010)
<i>Strigota ambigua</i> (Erichson)		1		1	Majka et al. (2008)

Species	NB	mNS	CB	PE	References
subtribe Athetina					
<i>Aloconota sulcifrons</i> (Stephens) †	1				Webster et al. (2009)
<i>Amischa analis</i> (Gravenhorst) †	1	1	1	1	Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a), Bishop et al. (2009)
<i>Atheta incertae sedis</i>					
<i>Atheta annexa</i> Casey	1	1			Majka and Klimaszewski (2008b), Webster et al. (2009), Moseley (2009)
<i>Atheta brunswickensis</i> Klimaszewski	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b), Bishop et al. (2009)
<i>Atheta capsularis</i> Klimaszewski	1				Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Atheta districta</i> Casey	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b), Michaud et al. (2010)
<i>Atheta irrita</i> Casey	1	1	1		Majka et al. (2006a), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Atheta novaescotiae</i> Klimaszewski and Majka	1	1	1		Klimaszewski et al. (2006a), Majka and Ogden (2006), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b), Majka et al. (2008), Webster et al. (2009)
<i>Atheta remulsa</i> Casey	1	1	1		Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Dollin et al. (2008), Majka and Klimaszewski (2008b), Majka et al. (in press)
<i>Atheta strigosula</i> Casey	1				Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
subgenus <i>Alaobia</i> Thompson					
<i>Atheta ventricosa</i> Bernhauer	1	1			Gusarov (2003), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b), Bishop et al. (2009)
subgenus <i>Atheta</i> ( <i>s. str.</i> ) Thompson					
<i>Atheta aemula</i> (Erichson)	1				Webster et al. (2009)
<i>Atheta graminicola</i> (Gravenhorst)	1				Webster et al. (2009)
subgenus <i>Chaetida</i> Mulsant and Rey					
<i>Atheta longicornis</i> (Gravenhorst) †	1	1			Klimaszewski et al. (2007), Gouix and Klimaszewski (2007), Webster et al. (2009), Michaud et al. (2010)
subgenus <i>Datomicra</i> Mulsant and Rey					
<i>Atheta acadensis</i> Klimaszewski and Majka	1	1	1	1	Klimaszewski and Majka (2007a), Gouix and Klimaszewski (2007), Majka et al. (2008), Majka et al. (in press)
<i>Atheta celata</i> (Erichson) †	1	1	1		Majka et al. (2006a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a)
<i>Atheta dadopora</i> Thomson †	1	1		1	Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008a, 2008b), Dollin et al. (2008), Bishop et al. (2009)




Species	NB	mNS	CB	PE	References
subgenus <i>Dimetrota</i> Mulsant and Rey					
<i>Atheta burwelli</i> (Lohse)	1				Majka and Klimaszewski (2008b)
<i>Atheta crenuliventris</i> Bernhauer	1				Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007)
<i>Atheta hampshirensis</i> Bernhauer	1	1			Klimaszewski and Winchester (2002), Klimaszewski et al. (2005a), Dollin et al. (2008), Majka and Klimaszewski (2008b), Bishop et al. (2009), Webster et al. (2009)
<i>Atheta modesta</i> (Melsheimer)	1	1	1		Gusarov (2003), Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Dollin et al. (2008), Majka and Klimaszewski (2008b)
<i>Atheta prudhoensis</i> (Lohse)	1		1		Majka and Klimaszewski (2008b), Webster et al. (2009)
<i>Atheta pseudocrenuliventris</i> Klimaszewski	1		1		Klimaszewski et al. (2005a), Majka et al. (2006a), Gouix and Klimaszewski (2007), Michaud et al. (2010)
<i>Atheta pseudomodesta</i> Klimaszewski		1			Majka and Klimaszewski (2008b)
<i>Atheta</i> nr. <i>smetanai</i> and <i>campbelli</i> (Lohse) <sup>1</sup>	1				Michaud et al. (2010)
subgenus <i>Metadimetrota</i> Klimaszewski and Winchester					
<i>Atheta savardae</i> Klimaszewski and Majka	1	1	1		Klimaszewski and Majka (2007a), Gouix and Klimaszewski (2007), Webster et al. (2009), Michaud et al. (2010)
subgenus <i>Microdota</i> Mulsant and Rey					
<i>Atheta amicola</i> (Stephens) †		1			Klimaszewski et al. (2008a)
<i>Atheta particula</i> (Casey)	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), present study
<i>Atheta pennsylvanica</i> Bernhauer	1	1	1		Klimaszewski et al. (2005a), Dollin et al. (2008), Majka and Klimaszewski (2008b), Bishop et al. (2009), Majka et al. (in press)
<i>Atheta platanoffi</i> Brundin *	1	1			Klimaszewski et al. (2005a), Majka and Klimaszewski (2008b)
subgenus <i>Pseudota</i> Casey					
<i>Atheta klagesi</i> Bernhauer *	1	1		1	Dollin et al. (2008), Majka and Klimaszewski (2008b), Bishop et al. (2009), Webster et al. (2009)
subgenus <i>Tetropla</i> Mulsant and Rey					
<i>Atheta frosti</i> Bernhauer	1	1	1		Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b)
subgenus <i>Thinobaena</i> Thomson					
<i>Atheta vestita</i> (Gravenhorst) †	1	1	1		Klimaszewski et al. (2007), Gouix and Klimaszewski (2007), Majka et al. (2008)
<i>Dalotia coriaria</i> (Kraatz) †	1	1			Webster et al. (2009)
<i>Dinarea angustula</i> (Gyllenhal) †	1	1	1	1	Klimaszewski et al. (2007), Gouix and Klimaszewski (2007), Webster et al. (2009)

Species	NB	mNS	CB	PE	References
<i>Dochmonota rudiventris</i> (Eppelsheim) †	1				Webster et al. (2009)
<i>Halobrecta flavipes</i> Thomson †	1				Klimaszewski et al. (2008b)
<i>Liogluta aloconotoides</i> Lohse		1			Majka and Klimaszewski (2008b)
<i>Nehemitropia lividipennis</i> (Mannerheim) †	1	1		1	Klimaszewski et al. (2007), Gouix and Klimaszewski (2007), Michaud et al. (2010)
<i>Philhygra angusticauda</i> (Bernhauer)	1				Webster et al. (2009)
<i>Philhygra botanicarum</i> Muona *	1		1		Klimaszewski et al. (2008a), Webster et al. (2009)
<i>Philhygra clemens</i> (Casey)	1	1			Klimaszewski et al. (2005a), Majka and Klimaszewski (2008b)
<i>Philhygra "insulivaga"</i> [Gusarov] <sup>2</sup>	1				Klimaszewski et al. (2005a)
<i>Philhygra lavicollis</i> (Mäklin)	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b)
<i>Philhygra "lustrivaga"</i> [Gusarov] <sup>2</sup>	1				Gusarov (2001-2003), Gouix and Klimaszewski (2007), Klimaszewski et al. (2005a)
<i>Philhygra "riprivaga"</i> [Gusarov] <sup>2</sup>	1				Gusarov (2001-2003), Gouix and Klimaszewski (2007), Klimaszewski et al. (2005a)
subgenus <i>Schistoglossa</i> Kraatz					
<i>Schistoglossa pseudoCampbelli</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009b)
<i>Schistoglossa brunswickensis</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009b)
<i>Schistoglossa hampshirensis</i> Klimaszewski	1				Klimaszewski et al. (2009b)
subgenus <i>Boreomorpha</i> Klimaszewski and Webster					
<i>Schistoglossa sphagnum</i> Klimaszewski and Webster	1				Klimaszewski et al. (2009b)
<i>Schistoglossa blatchleyi</i> (Bernhauer and Scheerpeltz)	1				Gusarov (2003), Gouix and Klimaszewski (2007), Klimaszewski et al. (2009b)
subtribe Geostibina					
<i>Earota dentata</i> (Bernhauer)	1	1	1		Klimaszewski et al. (2005a), Majka and Klimaszewski (2008b), Webster et al. (2009)
subgenus <i>Geostiba</i> (s. str.) Thomson					
<i>Geostiba circellaris</i> (Gravenhorst) †	1				Webster et al. (2009)
subgenus <i>Sibiota</i> Casey					
<i>Geostiba appalachigena</i> Gusarov	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), present study

Species	NB	mNS	CB	PE	References
<i>Lypoglossa angularis obtusa</i> (LeConte)			1		present study
<i>Lypoglossa franclemonti</i> Hoebeke	1		1		Hoebeke (1992), Gusarov (2004), Gouix and Klimaszewski (2007), Webster et al. (2009)
<i>Seeversiella globicollis</i> (Bernhauer)			1		Majka and Klimaszewski (2008b)
<i>Strophogastra penicillata</i> Fenyes	1	1			Klimaszewski et al. (2005a), Gouix and Klimaszewski (2007), Majka and Klimaszewski (2008b)
<i>Trichiusa postica</i> Casey		1			present study
<b>Falagriini</b>					
<i>Cordalia obscura</i> (Gravenhorst) †		1			Klimaszewski et al. (2008a)
<i>Falagria dissecta</i> Erichson	1				Howden (1970), Hoebeke (1985), Wright (1989), Campbell and Davies (1991), Gouix and Klimaszewski (2007), Majka et al. (2008)
<i>Myrmecocephalus cingulatus</i> (LeConte)		1			Hoebeke (1985), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<i>Myrmecocephalus gatineauensis</i> Hoebeke	1				Hoebeke (1985), Campbell and Davies (1991), Gouix and Klimaszewski (2007)
<i>Myrmecopora vaga</i> (LeConte)		1			Majka et al. (2008)
<b>Lomechusini</b>					
subtribe Lomechusina					
<i>Xenodusa reflexa</i> (Walker)	1	1			Majka and Klimaszewski (2008b), Webster et al. (2009)
subtribe Myrmedoniina					
<i>Drusilla canaliculata</i> (Fabricius) †	1	1	1	1	Klimaszewski et al. (2008a), Webster et al. (2009)
<i>Pella gesneri</i> Klimaszewski	1				Klimaszewski et al. (2005a, 2005b)
<i>Pella loricata</i> (Casey)		1			Klimaszewski et al. (2009)
<i>Pella glooscapi</i> Klimaszewski and Majka		1			Klimaszewski et al. (2009)
subgenus <i>Zyras</i> (s. str.) Stephens					
<i>Zyras obliquus</i> Casey	1	1			Webster et al. (2009), present study
	<b>175</b>	<b>106</b>	<b>57</b>	<b>20</b>	

**Notes:** NB, New Brunswick; mNS, mainland Nova Scotia; CB, Cape Breton Island; PE, Prince Edward Island; References, arranged in chronological order, consist of those reporting the species from the Maritime Provinces. † adventive Palaearctic species; \* Holarctic species; no symbol, native Nearctic species; 1 Identity of species still undetermined or uncertain; 2 Unpublished manuscript name.



**Figure 1.** Species accumulation curve of the Maritime Provinces Aleocharinae

## Acknowledgements

Many thanks to DeLancey Bishop (Carleton University), Philana Dollin, Heather Love, and Tatiana Rossolimo (Dalhousie University), Clayton D'Orsay, David McCorquodale, and Sheena Townsend (Cape Breton University), Jeff Ogden (Nova Scotia Department of Natural Resources), Randy Lauff (St. Francis Xavier University), Jean-Philippe Michaud and Gaétan Moreau (Université de Moncton), and David H. Webster for making specimens, records, and information available. The first author thanks David Christianson, Calum Ewing, Andrew Hebda and the Board of Governors of the Nova Scotia Museum.

## References

- Assing V (2007) A revision of *Amarochara* of the Holarctic region. III. A new species, a new synonym, and additional records (Coleoptera: Staphylinidae: Aleocharinae). *Zootaxa* 1411: 25–32.
- Assing V (2008) The genus *Calodera* Mannerheim in Canada (Insecta: Coleoptera: Staphylinidae: Aleocharinae). In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 203–208. <http://pensoftonline.net/zookeys/index.php/journal/article/view/6/32> [accessed 10.II.2010]
- Bishop DJ, Majka CG, Bondrup-Nielsen S, Peck SB (2009) Deadwood and saproxylic beetle diversity in naturally disturbed and managed spruce forests in Nova Scotia. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II. *ZooKeys* 22: 309–340. <http://pensoftonline.net/zookeys/index.php/journal/article/view/144/242> [accessed 10.II.2010]
- Campbell JM, Davies A (1991) Family Staphylinidae: rove beetles. In: Bousquet Y (Ed) Checklist of Beetles of Canada and Alaska. Ottawa, Ontario: Agriculture Canada Research Branch, Publication 1861/E, 86–124. <http://www.canacoll.org/Coleo/Checklist/PDF%20files/STAPHYLINIDAE.pdf> [accessed 10.II.2010]
- Dollin PE, Majka CG, Duinker PN (2008) Saproxylic beetle (Coleoptera) communities and forest management practices in coniferous stands in southwest Nova Scotia. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 291–336. <http://pensoftonline.net/zookeys/index.php/journal/article/view/15/44> [accessed 10.II.2010]
- Evenhuis NL (2009) Abbreviations for insect and spider collections of the world. Available from: <http://hbs.bishopmuseum.org/codens/codens-inst.html> [accessed 10.II.2010]
- Gouix N, Klimaszewski J (2007) Catalogue of aleocharine rove beetles of Canada and Alaska (Coleoptera, Staphylinidae, Aleocharinae). Pensoft, Sofia-Moscow, 165 pp.
- Gusarov VI (2001–2003) A catalogue of the athetine species of America north of Mexico (Coleoptera: Staphylinidae: Aleocharinae: Athetini). Available from: <http://nhm.ku.edu/ksem/peet/catalogs/cataweb.htm> [accessed 10.II.2010]
- Gusarov VI (2002) A revision of the Nearctic species of the genus *Geostiba* Thomson, 1858 (Coleoptera: Staphylinidae: Aleocharinae). *Zootaxa* 81: 1–88. <http://www.mapress.com/zootaxa/2002f/z00081f.pdf> [accessed 10.II.2010]
- Gusarov VI (2003) Revision of some types of North American aleocharines (Coleoptera: Staphylinidae: Aleocharinae), with synonymic notes. *Zootaxa* 353: 1–134. <http://www.mapress.com/zootaxa/2003f/zt00353.pdf> [accessed 10.II.2010]
- Gusarov VI (2004) A revision of the genus *Lypoglossa* Fenyès 1918 (Coleoptera: Staphylinidae: Aleocharinae). *Zootaxa* 747: 1–36. <http://www.mapress.com/zootaxa/2004f/zt00747.pdf> [accessed 10.II.2010]
- Hoebeker ER (1985) Revision of the rove beetle tribe Falagriini of America north of Mexico (Coleoptera: Staphylinidae: Aleocharinae). *Journal of the New York Entomological Society* 93(2): 913–1018.

- Hoebeke ER (1992) Taxonomy and distribution of the Athetine genus *Lypoglossa* Fenyés (Coleoptera: Staphylinidae: Aleocharinae) in North America, with description of a new species. *Journal of the New York Entomological Society* 100(2): 381–398.
- Howden HF (1970) The Coleoptera. In: Howden HF, Martin JEH, Bousfield EL, McAllister DE (Eds) *Fauna of Sable Island and its zoogeographic affinities*. Ottawa: National Museums of Canada Publications in Zoology 4: 1–30.
- Kehler D, Corkum C, Bondrup-Nielsen S (1996) *Habitat associations and species diversity of forest beetle communities of Nova Scotia*. Centre for Wildlife and Conservation Biology. Acadia University, Canada, 122 pp.
- Klimaszewski J (1979) A revision of the Gymnusini and Deinopsini of the world (Coleoptera, Staphylinidae, Aleocharinae). *Agriculture Canada Monograph* 25: 1–167.
- Klimaszewski J (1982a) Studies of the Myllaenini (Coleoptera: Staphylinidae, Aleocharinae). 1. Systematics, phylogeny, and zoogeography of Nearctic *Myllaena* Erichson. *The Canadian Entomologist* 114: 181–242.
- Klimaszewski J (1982b) A revision of the Gymnusini and Deinopsini of the world (Coleoptera, Staphylinidae, Aleocharinae), Supplementum 2. *The Canadian Entomologist* 114: 317–335.
- Klimaszewski J (1984) A revision of the genus *Aleochara* Gravenhorst of America north of Mexico (Coleoptera: Staphylinidae, Aleocharinae). *Memoirs of the Entomological Society of Canada* 129: 1–211.
- Klimaszewski J, Assing V, Majka CG, Pelletier G, Webster RP, Langor D (2007) Records of adventive aleocharine beetles found in Canada (Coleoptera, Staphylinidae, Aleocharinae). *The Canadian Entomologist* 139: 54–79.
- Klimaszewski J, Lynch D, Majka CG, Renkema J, Savard K, Hlavá P (2009) *Pella glooscapi*, a new species (Coleoptera, Staphylinidae), and new record of aleocharine beetles from Nova Scotia, Canada. In: Majka CG, Klimaszewski J (Eds) *Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II*. *ZooKeys* 22: 35–44. <http://pensoftonline.net/zookeys/index.php/journal/article/view/95/236> [accessed 10.II.2010]
- Klimaszewski J, Majka CG (2007a) Two new *Atheta* species from eastern Canada (Coleoptera, Staphylinidae, Aleocharinae): taxonomy, bionomics and distribution. *The Canadian Entomologist* 139(1): 45–53.
- Klimaszewski J, Majka CG (2007b) *Euwira micmac*, a new species (Coleoptera, Staphylinidae, Aleocharinae), and first record of the genus in Canada. *The Canadian Entomologist* 139(2): 147–153.
- Klimaszewski J, Majka CG, Langor D (2006a) Review of the North American *Tarphiota* Casey, with a description of a new seashore-inhabiting *Atheta* species exhibiting convergent characteristics (Coleoptera: Staphylinidae: Aleocharinae). *Entomological Science* 9: 67–78.
- Klimaszewski J, Pelletier G, Germain C, Hébert C, Humble LM, Winchester NN (2001) Diversity of *Placusa* (Coleoptera: Staphylinidae, Aleocharinae) in Canada, with descriptions of two new species. *The Canadian Entomologist* 133: 1–47.
- Klimaszewski J, Pelletier G, Germain C, Work T, Hébert C (2006b) Review of *Oxypoda* species in Canada and Alaska (Coleoptera, Staphylinidae, Aleocharinae): systematics, bionomics and distribution. *The Canadian Entomologist* 138: 737–852.

- Klimaszewski J, Pelletier G, Majka CG (2004) A revision of Canadian *Leptusa* Kraatz (Col., Staphylinidae, Aleocharinae): new species, new distribution records, key and taxonomic considerations. *Belgian Journal of Entomology* 6: 3–42.
- Klimaszewski J, Pelletier G, Maruyama M, Hlaváč P (2005b) Canadian species of the *Zyras* group of genera and review of the types from America north of Mexico (Coleoptera, Staphylinidae, Aleocharinae). *Revue Suisse de Zoologie* 112(3): 703–733.
- Klimaszewski J, Pelletier G, Sweeney J (2002) Genus *Tinotus* (Coleoptera: Staphylinidae, Aleocharinae) from America north of Mexico: review of the types, distribution records, and key to species. *The Canadian Entomologist* 134: 281–298.
- Klimaszewski J, Pohl G, Pelletier G (2003) Revision of the Nearctic *Silusa* (Coleoptera: Staphylinidae, Aleocharinae). *The Canadian Entomologist* 135: 159–186.
- Klimaszewski J, Savard K, Pelletier G, Webster R (2008a) Species review of the genus *Gnypeta* Thomson from Canada, Alaska and Greenland (Coleoptera, Staphylinidae, Aleocharinae): systematics, bionomics and distribution. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 11–84 <http://pensoftonline.net/zookeys/index.php/journal/article/view/4/19> [accessed 10.II.2010]
- Klimaszewski J, Sweeney J, Price J, Pelletier G (2005a) Rove beetles (Coleoptera: Staphylinidae) in red spruce stands, eastern Canada: diversity, abundance, and descriptions of new species. *The Canadian Entomologist* 137: 1–48.
- Klimaszewski J, Webster R, Assing V, Savard K. (2008b) *Dioglotta mersa* (Haliday) and *Halobrecta flavipes* Thomson, two new species for the Canadian fauna (Coleoptera, Staphylinidae, Aleocharinae). In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 175–188. <http://pensoftonline.net/zookeys/index.php/journal/article/view/18/25> [accessed 10.II.2010]
- Klimaszewski J, Webster RP, Savard K (2009a) First record of the genus *Alisalia* Casey from Canada, description of two new species, and a key to all Nearctic species of the genus (Coleoptera, Staphylinidae, Aleocharinae). *ZooKeys* 25: 1–18. <http://pensoftonline.net/zookeys/index.php/journal/article/view/280/291> [accessed 10.II.2010]
- Klimaszewski J, Webster RP, Savard K (2009b) First record of the genus *Schistoglossa* Kraatz from Canada with descriptions of seven new species (Coleoptera, Staphylinidae, Aleocharinae). In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II. *ZooKeys* 22: 45–79. <http://pensoftonline.net/zookeys/index.php/journal/article/view/153/237> [accessed 10.II.2010]
- Klimaszewski J, Webster RP, Savard K (2009c) Review of the rove beetle species of the subtribe Gyrophaenina Kraatz (Coleoptera, Staphylinidae) from New Brunswick, Canada: new species, provincial records and bionomic information. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II. *ZooKeys* 22: 81–170. <http://pensoftonline.net/zookeys/index.php/journal/article/view/219/238> [accessed 10.II.2010]
- Klimaszewski J, Winchester NN (2002) Aleocharine rove beetles (Coleoptera: Staphylinidae) of the ancient Sitka spruce forest on Vancouver Island, British Columbia, Canada. *Mémoires de la Société royale belge d'Entomologie* 40: 3–126.

- Leng CW (1920) Catalogue of the Coleoptera of America north of Mexico. John D. Sherman, Jr, Mount Vernon, New York, 470 pp.
- Majka CG, Bondrup-Nielsen S (2006) Parataxonomy: A test case using beetles. *Animal Biodiversity and Conservation* 29(2): 149–156.
- Majka CG, Anderson RS, McCorquodale DB (2007a) The weevils (Coleoptera: Curculionidae) of the Maritime Provinces of Canada, II: new records from Nova Scotia and Prince Edward Island and regional zoogeography. *The Canadian Entomologist* 139: 397–442.
- Majka CG, Bousquet Y, Westby S (2007b) The ground beetles (Coleoptera: Carabidae) of the Maritime Provinces of Canada: review of collecting, new records, and observations on composition, zoogeography, and historical origins. *Zootaxa* 1590: 1–36.
- Majka CG, Klimaszewski J (2004) *Phloeocharis subtilissima* Mannerheim (Staphylinidae: Phloeocharinae) and *Cephennium gallicum* Ganglbauer (Scydmaenidae) new to North America: a case study in the introduction of exotic Coleoptera to the port of Halifax, with new records of other species. *Zootaxa* 781: 1–15. <http://www.mapress.com/zootaxa/2004f/zt00781.pdf> [accessed 10.II.2010]
- Majka CG, Klimaszewski J (2008a) Introduced Staphylinidae (Coleoptera) in the Maritime Provinces of Canada. *The Canadian Entomologist*, 140(1): 48–72.
- Majka CG, Klimaszewski J (2008b) New records of Canadian Aleocharinae. Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 85–114. <http://pensoftonline.net/zookeys/index.php/journal/article/view/7/20> [accessed 10.II.2010]
- Majka CG, Klimaszewski J (2008c) Adventive Staphylinidae (Coleoptera) in the Maritime Provinces of Canada: further contributions. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 151–174.
- Majka CG, Klimaszewski J, Lauff RF (2006a) New Coleoptera records from owl nests in Nova Scotia, Canada. *Zootaxa* 1194: 33–47.
- Majka CG, Klimaszewski J, Lauff RF (2008) The coastal rove beetles (Coleoptera, Staphylinidae) of Atlantic Canada: a survey and new records. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera. *ZooKeys* 2: 115–150. <http://pensoftonline.net/zookeys/index.php/journal/article/view/2/21> [accessed 10.II.2010]
- Majka CG, Klimaszewski J, Michaud J-P, Moreau G (2009) *Aleochara sekanai*: a significant southern and eastern range extension. *The Coleopterists Bulletin* 63(4): 454–455.
- Majka CG, Moseley M, Klimaszewski J (2006b) *Gennadota canadensis* (Casey) (Staphylinidae: Aleocharinae): new records, a range extension, and bionomic notes. *The Coleopterists Bulletin*, 60(3): 231–234.
- Majka CG, Ogden J (2006) *Brachygluta abdominalis* (Aubé) newly recorded in Canada (Coleoptera: Staphylinidae) with notes on other beach-drift beetles. *Proceedings of the Entomological Society of Washington* 108(4): 761–764.
- Majka CG, Townsend SM, Aikens KR, Ogden J, MacDonald AM, McCorquodale DB (in press) Beetles (Coleoptera) of Scatarie Island, Nova Scotia, Canada. *Proceedings of the Nova Scotia Institute of Science*.



- Michaud J-P, Majka CG, Privé JP, Moreau G (2010) Insect fauna associated with pig carcasses exposed in forests and agricultural fields of the Maritime lowlands, Canada. Forensic Science International.
- Moore I, Legner EF (1975) A Catalogue of the Staphylinidae of America North of Mexico (Coleoptera). University of California Division of Agricultural Sciences Special Publication No. 3015: 1–514.
- Moseley M (2007) Acadian biospeleology: composition and ecology of cave fauna of Nova Scotia and southern New Brunswick, Canada. International Journal of Speleology 36(1): 1–18. [http://www.ijs.speleo.it/pdf/65.543.36\(1\)\\_Moseley.pdf](http://www.ijs.speleo.it/pdf/65.543.36(1)_Moseley.pdf) [accessed 10.II.2010]
- Moseley M (2009) Observations of the cave-associated beetles (Coleoptera) of Nova Scotia, Canada. International Journal of Speleology 38(2): 163–172. [http://www.ijs.speleo.it/pdf/71.590.38\(2\)\\_Moseley.pdf](http://www.ijs.speleo.it/pdf/71.590.38(2)_Moseley.pdf) [accessed 10.II.2010]
- Pasnik G (2006) A revision of the World species of the genus *Tachyusa* Erichson, 1837 (Coleoptera, Staphylinidae: Aleocharinae). Zootaxa 1146: 1–152. <http://www.mapress.com/zootaxa/2006f/z01146p152f.pdf> [accessed 10.II.2010]
- Webster R, Klimaszewski J, Pelletier G, Savard K (2009) New Staphylinidae (Coleoptera) records with new collection data from New Brunswick, Canada. I. Aleocharinae. In: Majka CG, Klimaszewski J (Eds) Biodiversity, Biosystematics, and Ecology of Canadian Coleoptera II. ZooKeys 22: 171–248. <http://pensoftonline.net/zookeys/index.php/journal/article/view/152/246> [accessed 10.II.2010]
- Wright B (1989) The Fauna of Sable Island. Nova Scotia Museum Curatorial Report 68: 1–93.