

## Notulae to the Italian native vascular flora: 18

Fabrizio Bartolucci<sup>1</sup>, Giannantonio Domina<sup>2</sup>, Giovanni Buccomino<sup>3</sup>,  
Giampiero Ciaschetti<sup>4</sup>, Fabio Conti<sup>1</sup>, Nicola Costanza<sup>5</sup>, Adriana De Luca<sup>6</sup>,  
Emanuele Del Guacchio<sup>6</sup>, Francesco Falcinelli<sup>7</sup>, Luigi Forte<sup>5,8</sup>, Gabriele Galasso<sup>9</sup>,  
Claudia Ganz<sup>10</sup>, Duilio Iamónico<sup>11</sup>, Michele Lonati<sup>12</sup>, Giacomo Marengo<sup>12,13</sup>,  
Giacomo Mei<sup>14</sup>, Ginevra Nota<sup>12</sup>, Simone Orsenigo<sup>15</sup>, Gaetano Pazienza<sup>5</sup>,  
Giuseppe Pellegrino<sup>5</sup>, Lorenzo Pinzani<sup>16</sup>, Adriano Stinca<sup>17</sup>, Gianmarco Tavilla<sup>18</sup>,  
Agnese Tilia<sup>19</sup>, Valeria Tomaselli<sup>8</sup>, Giancarlo Tondi<sup>20</sup>,  
Roberto Venanzoni<sup>4</sup>, Lorenzo Lastrucci<sup>21</sup>

**1** Centro Ricerche Floristiche dell'Appennino (Università di Camerino - Parco Nazionale del Gran Sasso e Monti della Laga), Via Prov.le km 4,2 - San Colombo, 67021 Barisciano (L'Aquila), Italy **2** Dipartimento di Scienze Agrarie, Alimentari e Forestali (SAAF), Università di Palermo, Viale delle Scienze, edificio 4, 90128 Palermo, Italy **3** Via Sagunto 20, 00174, Roma, Italy **4** Dipartimento di Chimica, Biologia e Biotecnologie, Università di Perugia, via del Giochetto 6, 06122 Perugia, Italy **5** Dipartimento di Bioscienze, Biotecnologie e Ambiente, Campus Universitario "E. Quagliariello", Università degli Studi di Bari "Aldo Moro", Via Orabona 4, 70125 Bari, Italy **6** Dipartimento di Biologia e Orto Botanico, Università di Napoli Federico II, c/o Orto Botanico, Via Foria 223, 80139 Napoli, Italy **7** Reparto Carabinieri Biodiversità di Assisi, Viale Umberto I 5, 06081 Assisi (Perugia), Italy **8** Museo Orto Botanico, Campus Universitario "E. Quagliariello", Università degli Studi di Bari "Aldo Moro", Via Orabona 4, 70125 Bari, Italy **9** Sezione di Botanica, Museo di Storia Naturale di Milano, Corso Venezia 55, 20121 Milano, Italy **10** Frazione Perrière 78, 11027 Saint-Vincent (Aosta), Italy **11** Dipartimento di Biologia Ambientale, Sapienza Università di Roma, piazzale Aldo Moro 5, 00185, Roma, Italy **12** Dipartimento di Scienze Agrarie, Forestali e Alimentari, Università degli Studi di Torino, Largo Paolo Braccini 2, 10095 Grugliasco (Torino), Italy **13** National Biodiversity Future Center (NBFC), 90133, Palermo, Italy **14** Facoltà di Scienze Agrarie, Ambientali e Alimentari, Libera Università di Bolzano, Piazza Università 5, 39100 Bolzano, Italy **15** Dipartimento di Scienze della Terra e dell'Ambiente, Università degli studi di Pavia, Via Sant'Epifanio, 14 27100 Pavia, Italy **16** Dipartimento di Scienze, Università di Roma Tre, Viale G. Marconi 446, 00146 Roma, Italy **17** Dipartimento di Scienze e Tecnologie Ambientali, Biologiche e Farmaceutiche, Università della Campania Luigi Vanvitelli, Via Antonio Vivaldi 43, 81100 Caserta, Italy **18** Consiglio Nazionale delle Ricerche, Istituto sull'Inquinamento Atmosferico (CNR-IRA), c/o UNIBA Dipartimento Interateneo di Fisica, 70125 Bari, Italy **19** Museo Erbario Dipartimento di Biologia Ambientale "Sapienza" Università di Roma, Piazzale Aldo Moro 5, 00185, Roma, Italy **20** Via F. D'Ovidio 89, 00137 Roma, Italy **21** Sistema Museale di Ateneo, Università di Firenze, Via G. La Pira 4, 50121 Firenze, Italy

Corresponding author: Fabrizio Bartolucci ([fabrizio.bartolucci@unicam.it](mailto:fabrizio.bartolucci@unicam.it))

---

Academic editor: Lorenzo Peruzzi | Received 4 November 2024 | Accepted 14 November 2024 | Published 19 November 2024

---

**Citation:** Bartolucci F, Domina G, Buccomino G, Ciaschetti G, Conti F, Costanza N, De Luca A, Del Guacchio E, Falcinelli F, Forte L, Galasso G, Ganz C, Iamónico D, Lonati M, Marengo G, Mei G, Nota G, Orsenigo S, Paziienza G, Pellegrino G, Pinzani L, Stinca A, Tavilla G, Tilia A, Tomaselli V, Tondi G, Venanzoni R, Lastrucci L (2024) Notulae to the Italian native vascular flora: 18. Italian Botanist 18: 97–108. <https://doi.org/10.3897/italianbotanist.18.140958>

---

### Abstract

In this contribution, new data concerning the distribution of native vascular flora in Italy are presented. It includes new records, confirmations, and exclusions to the Italian administrative regions for taxa in the genera *Alchemilla*, *Carex*, *Chenopodium*, *Cistus*, *Convolvulus*, *Erysimum*, *Euphorbia*, *Festuca*, *Klasea*, *Lotus*, *Orobanchae*, *Poa*, *Stellaria*, *Trifolium*, *Viola*. Nomenclatural and distribution updates, published elsewhere, and corrigenda are provided as Suppl. material 1.

### Keywords

Endemic taxa, Floristic data, Italy, Nomenclature

### How to contribute

The text for the new records, exclusions, and confirmations should be submitted electronically to Lorenzo Lastrucci ([lorenzo.lastrucci@unifi.it](mailto:lorenzo.lastrucci@unifi.it)). The corresponding specimen along with its scan or photograph have to be sent to FI Herbarium: Sezione di Botanica “Filippo Parlatore” del Museo di Storia Naturale, Via G. La Pira 4, 50121 Firenze (Italy). Those texts concerning nomenclatural novelties and typifications (only for accepted names) should be submitted electronically to: Fabrizio Bartolucci ([fabrizio.bartolucci@gmail.com](mailto:fabrizio.bartolucci@gmail.com)). Each text should be within 1,000 characters (spaces included).

### Floristic records of native taxa

#### *Alchemilla acutata* Buser (Rosaceae)

+ **UMB:** Gualdo Tadino (Perugia) (WGS84: 43.244023°N, 12.822881°E), impluvio in pascolo su M. Serra Santa, versante W-NW; suolo calcareo, 1375 m, 13 July 2022, leg. F. Falcinelli, det. G. Tondi (FI; *Herb. Tondi*). – Species new for the flora of Umbria.  
F. Falcinelli, G. Tondi

#### *Alchemilla strigosula* Buser (Rosaceae)

+ **UMB:** Monte Pozzoni (Cascia, Perugia) (WGS84: 42.659280°N, 13.162496°E), pascolo di vetta, versante N-NW; suolo calcareo, 1890 m, 22 Jun 2023, leg. F. Falcinelli, det. G. Tondi (FI; *Herb. Tondi*). – Species new for the flora of Umbria.  
F. Falcinelli, G. Tondi

***Alchemilla undulata* Buser (Rosaceae)**

+ **UMB**: Monte Pozzoni (Norcia, Perugia) (WGS84: 42.659280°N, 13.162496°E), loc. Valle della Foce, radura in faggeta, versante NE; suolo calcareo, 1480 m, 28 Jun 2022, leg. *F. Falcinelli*, det. *G. Tondi* (FI; *Herb. Tondi*). – Species new for the flora of Umbria.

F. Falcinelli, G. Tondi

***Carex acutiformis* Ehrh. (Cyperaceae)**

+ **PUG**: Otranto (Lecce), Laghi Alimini (WGS84: 40.221778°N, 18.436083°E), Bosco igrofilo a Frassino meridionale, 5 m, 14 May 2024, leg. *N. Costanza*, det. *L. Forte*, *N. Costanza* (FI; BI Nos. 59076, 59077). – Species confirmed for the flora of Puglia.

This species was no longer recorded in Puglia (Bartolucci et al. 2024). It had been indicated for Gargano “*Nelle arene di spiaggia a sud di Vieste (spiaggia del Castello) fino a Torre del Ponte*” by A. Béguinot in 1902, as first record for Puglia (Béguinot 1909), and at Lago di Varano by Fenaroli (1974). At Laghi Alimini it was reported sub *Carex paludosa* Gooden. by Gehu and Biondi (1988), in the same communities where these specimens were found.

L. Forte, N. Costanza

***Chenopodium pedunculare* Bertol. (Chenopodiaceae)**

+ **VDA**: Fénis (Aosta), prato presso il villaggio di Rovarey, Plan Clavalité (WGS84: 45.680187°N, 7.491164°E), 1518 m, 25 September 2021, leg. et det. *C. Ganz*, conf. *D. Iamónico* (AO, FI, RO). – Species new for the flora of Valle D’Aosta.

This species is native to Europe (Iamónico and Mosyakin 2018). Our finding represents the first record for north-western Italy.

D. Iamónico, C. Ganz

***Convolvulus tricolor* L. subsp. *cupanianus* (Tod.) Cavara & Grande (Convolvulaceae)**

0 **CAM**: [Pozzuoli (Naples),] Paneta presso il Monte di Cuma (UTM WGS84: 33T 4522175.61°N, 419892.58°E ± 1000 m), May 1910, *G. Pellanda* (NAP barcode NAP0002868, sub *C. tricolor* Linn.); [Pozzuoli (Naples),] Paneta del Fusaro (4519778.94°N, 419853.38°E ± 1000 m), May 1911, *N. Terracciano* (NAP barcode NAP0002867, sub *C. meonanthus* Hoffm. et Link); [Pozzuoli (Naples),] Cuma (4522175.61°N, 419892.58°E ± 1000 m), 21 May 1910, *G. Pellanda* (PI-GUAD No. 057714, sub *C. tricolor* L.); [Bacoli (Naples),] Miliscola (4515677.90°N, 421950.97°E ± 850 m), 20 May 1913, [*G. Guadagno*] (PI-GUAD No. 057713, sub *C. tricolor* L.). – Species not recently confirmed for the flora of Campania.

E. Del Guacchio, A. De Luca

***Convolvulus tricolor* L. subsp. *meonanthus* (Hoffmanns. & Link) Arcang. (Convolvulaceae)**

– **CAM:** Species to be excluded from the flora of Campania.

*Convolvulus tricolor* subsp. *meonanthus* and *C. tricolor* subsp. *tricolor* were both indicated for the Campi Flegrei at Monte di Cuma by Terracciano (1917, respectively sub *C. meonanthus* Hoffm. et Link and sub *C. tricolor* Linn.), based on two specimens housed in NAP. Motti and Ricciardi (2005, sub *C. meonanthus* and *C. tricolor*) regarded these records as very doubtful, but they did not cite any of the above-mentioned specimens, which actually are to be referred to *C. tricolor* subsp. *cupanianus*. The same taxon might have been photographed by De Santis (2007) for Castellabate (Cilento, Salerno), but no specimen is available and the population has no longer been found (De Santis, pers. comm.).

E. Del Guacchio, A. De Luca

***Erysimum crassistylum* C.Presl subsp. *verresianum* Peccenini & Polatschek (Brassicaceae)**

+ **PIE:** Mompantero (Torino), Val di Susa, Località Seghino (WGS84: 45.144086°N, 7.066062°E), praterie xeriche mosaicate a boschi di *Quercus pubescens* e arbusteti xerofili a *Prunus spinosa* e *Ligustrum vulgare*, 706 m, 18 May 2024, M. Lonati, G. Marengo (FI). – Subspecies new for the flora of Piemonte.

This subspecies is considered endemic to Valle D’Aosta, where it occurs on the left side of the lower Dora Baltea valley, from Saint Pierre to Bard (Peccenini and Polatschek 2014). The samples collected in Mompantero confirm the extension of the species distribution range also in Piemonte, where it is widespread within the xerothermic grasslands of the Valle di Susa, specifically between the municipalities of Foresto and Giaglione. The record of *E. diffusum* Ehrh. (Braun-Blanquet 1961, sub *E. canescens*) for the same locality reported here is incorrect and should be referred to *E. crassistylum* subsp. *verresianum*.

M. Lonati, G. Marengo

***Euphorbia cyparissias* L. (Euphorbiaceae)**

+ **PUG:** Lesina (Foggia), lungo la Strada Statale 693 presso loc. Masseria Nisi (WGS84: 41.851399°N, 15.384243°E), vegetazione erbacea del bordo stradale, 11 m s.l.m., 30 April 2024, leg. G. Mei, det. G. Mei, A. Stinca (FI, *Herb. G. Mei*). – Species confirmed for the flora of Puglia.

G. Mei, A. Stinca

***Festuca pumila* Chaix (Poaceae)**

+ **LIG:** Triora (Imperia), Rifugio la Terza (WGS84: 44.059476°N, 7.728855°E), praterie rocciose calcaree, 2031 m, 10 August 2024, G. Nota, M. Lonati (FI). – Species new for the flora of Liguria.

In the collection area, this species is widely distributed across the southern-facing Ligurian slope, between Monte Saccarello, the Statua del Redentore, and the Rifugio la Terza, in pastures and calcareous rocky environments. The area falls within the Ligurian Alps Regional Natural Park.

G. Nota, M. Lonati

***Klasea lycopifolia* (Vill.) Á.Löve & D.Löve (Asteraceae)**

– **EMR.** Species to be excluded from the flora of Emilia-Romagna.

The occurrence of this species in Emilia-Romagna is exclusively based on the finding of two individuals in Val Lardana and Valle del Torrente Liscato (Piacenza) by Bracchi et al. (2003): “Cimitero di Cassimoreno e Località Pian del Soppo”. However, no herbarium specimen exists in MNSM or in other herbaria. One of us (SO) visited the localities indicated by Bracchi et al., but only individuals of *Centaurea scabiosa* L. have been found. Considering that Bracchi et al. (2003) stated that one of the two individuals found show a branched stem with 2–5 capitula, and that *K. lycopifolia* is characterized by a stem with a terminal solitary capitulum, we believe that the report for Emilia-Romagna should be considered erroneous. Accordingly, *K. lycopifolia* should be excluded from the regional flora.

S. Orsenigo, F. Bartolucci, F. Conti

***Lotus creticus* L. (Fabaceae)**

+ **LAZ:** Latina (Latina), litorale di Foce Verde (WGS84: 41.408481°N, 12.865087°E), dune costiere in ricostruzione, 3 m, 12 May 2023, leg. G. Buccomino, det. G. Buccomino, A. Tilia (RO); *ibidem*, 19 June 2023 (FI, RO); Latina (Latina), località Capo Portiere, Parco nazionale del Circeo (41.405230°N, 12.873598°E), dune, 3 m, 19 June 2023, leg. G. Buccomino, det. G. Buccomino, A. Tilia (FI, RO); Isola di Ventotene (Latina), 30 May 1967, B. Anzalone (RO ex *Herb. Anzalone* No. 23566); Santo Stefano (Latina), 25 September 1967, B. Anzalone (RO ex *Herb. Anzalone* No. 23567); Anzio (Roma), località Lido di Lavinio, 27 March 1967, B. Anzalone (RO ex *Herb. Anzalone* No. 23568); Isola di Palmarola (Latina), 11 April 1969, B. Anzalone (Ro ex *Herb. Anzalone* No. 23562); Isola di Ventotene (Latina), 2–5 May 1968, B. Anzalone (RO ex *Herb. Anzalone* No. 23561); Circeo (Latina), 27 May 1954, A. Cacciato (RO ex *Herb. Cacciato*); Circeo dune di Torre Paola (Latina), 9 April 1963, A. Cacciato (RO ex *Herb. Cacciato*); Circeo (Latina), litorale presso Torre Paola (Gita S.B.I.), 21 April 1965, B. Anzalone (RO ex *Herb. Anzalone*). – Species confirmed for the flora of Lazio.

The shape of the calyx, often used to distinguish *Lotus creticus* from *L. cytisoides* L., is not really reliable, whereas the density of the hairs on the leaves is of greater importance together with the size of the rachis: leaves of *L. creticus* are very densely silky-silver and the rachis is ≤ 30% of the basal leaflets (Tison and de Foucault 2014). *Lotus creticus*, so far considered as doubtfully occurring in Lazio (Anzalone et.

al. 2010; Bartolucci et al. 2024), occurs, indeed, along the Pontine coast together with *Ononis variegata* L., *Cakile maritima* Scop. subsp. *maritima*, *Crucianella maritima* L., *Lomelosia rutifolia* (Vahl) Avino & P.Caputo, and *Thinopyrum junceum* (L.) Á.Löve.

G. Buccomino, A. Tilia

***Orobanche rapum-genistae* Thuill. (Orobanchaceae)**

+ **VEN:** Passo Valles (Belluno), (WGS84 46.336548°N, 11.803394°E), scarpata erosa, 2050 m, 18 August 2021, leg. *L. Pinzani*, det. *G. Domina* (FI). – Species confirmed for the flora of Veneto.

L. Pinzani, G. Domina

***Poa maroccana* Nannf. (Poaceae)**

+ **CAL:** Monasterace (Reggio Calabria) (WGS84: 38.450920°N, 16.580020°E), lungo il bordo di una strada sterrata, 4 m, 1 June 2023, *G. Tavilla*, (FI). – Species new for the flora of Calabria.

+ **PUG:** Bari (Bari), aiuola del campus universitario (WGS84: 41.108412°N, 16.883572°E), 12 m, vegetazione sinantropica degli incolti, 16 February 2024, *G. Tavilla* (FI). – Species new for the flora of Puglia.

G. Tavilla

***Stellaria ruderalis* M.Lepší, P.Lepší, Z.Kaplan & P.Koutecký (Caryophyllaceae)**

+ **LIG:** Quiliano (Savona), Località Burré, al bivio tra SP29 e Via Ronco (WGS84: 44.335401°N, 8.374027°E), margine incolto della strada, 348 m, 10 April 2024, *M. Lonati*, *G. Nota* (FI). – Species new for the flora of Liguria.

M. Lonati, G. Nota

***Trifolium michelianum* Savi (Fabaceae)**

+ **ABR:** Collarmele (L'Aquila), San Nicola (WGS84: 42.06020°N, 13.68357°E), prateria inondata, 1060 m, 6 July 2023, *G. Ciaschetti* (APP No. 72043). – Species new for the flora of Abruzzo.

This species has a northern and western Mediterranean distribution (POWO 2024). It was found in a temporary pond, together with other short-lived marsh plants (e.g., *Mentha pulegium* L. subsp. *pulegium* and *Ranunculus sardous* Crantz).

G. Ciaschetti, R. Venanzoni

***Trifolium striatum* L. subsp. *tenuiflorum* (Ten.) Kožuharov (Fabaceae)**

+ **PUG:** Gravina in Puglia (Bari), Lago d'Olmo - Bosco Comunale Difesa Grande, (WGS84: 40.754979°N, 16.385376°E), prati umidi, 450 m, 10 May 2021, leg.

*V. Tomaselli*, det. *G. Pellegrino*, *V. Tomaselli*, (FI, BI Nos. 58997). – Subspecies confirmed for the flora of Puglia.

*Trifolium striatum* subsp. *tenuiflorum* forms a small population in correspondence of a wet meadow on the edge of a temporarily flooded area.

G. Pellegrino, V. Tomaselli

***Viola cassinensis* Strobl subsp. *pseudogracilis* (A.Terracc.) Bartolucci, Galasso & Wagens. (Violaceae)**

+ **PUG**: Bovino (Foggia), Monti Dauni, Località “Confreda”, (WGS84: 41.218257°N, 15.340597°E), prateria xerofila, 756 m s.l.m., 07 March 2023, campione coltivato in Orto Botanico di Bari sino a 28 March 2024, leg. *G. Paziienza*, det. *V. Tomaselli*, *G. Paziienza*, (FI; BI Nos. 58917, 58918, 58919). – Species new for the flora of Puglia.

The finding of this subspecies, previously considered endemic to Molise and Campania (Bartolucci et al. 2018; Perrino et al. 2018), expands its range westwards.

G. Paziienza, V. Tomaselli

## Floristic records of regional alien taxa

### *Cistus albidus* L. (Cistaceae)

+ (NAT) **LAZ**: Rome, Monte Mario Natural Reserve, Farnesina hills, path starting from via dei Colli della Farnesina and going towards French cemetery (WGS84: 41.942615°N, 12.455422°E), Mediterranean maquis, siliceous sandy soil, 70 m, 18 June 2005, *D. Iamónico*, *R. Lorenzetti* (FI); *ibidem*, 2 June 2024, *D. Iamónico* (RO). – Status change from casual to naturalized alien for the flora of Lazio.

*Cistus albidus* was firstly recorded in Lazio (as native) by Iamónico (2006). Later, this species was considered as casual alien for the region (Iamónico and Lorenzetti 2008; Anzalone et al. 2010; Lucchese 2017; Bartolucci et al. 2024). During the last 18 years, I visited the site in the city of Rome many times and verified that the population found in 2005 is able to sustain itself (several seedlings and young plants at different ages and tall were observed).

D. Iamónico

## Nomenclatural and distribution updates from other literature sources

Nomenclatural and distribution updates, and corrigenda to Bartolucci et al. (2024) according to Valsecchi (1995), Pierini and Peruzzi (2014), Montanari et al. (2015), Alessandrini et al. (2016); Fridlender (2018), Lucchese (2018), Alterio et al. (2023), Conti

et al. (2023), Zepigi et al. (2023), Ardenghi et al. (2024), Bacchetta et al. (2024), Bogdanović et al. (2024), Croce and Saetta (2024), Davanzo et al. (2024), Denk et al. (2024), El Mokni et al. (2024), Elvebakk and Bjerke (2024), Foelsche (2024), Franzoni et al. (2024), Giacò et al. (2024), Gottschlich et al. (2024), Iamónico (2024), Iamónico et al. (2024), Jesus et al. (2023), Lastrucci et al. (2024a, 2024b), POWO (2024), Rasti et al. (2024), Röser and Tkach (2024), Ruggero et al. (2024), Selvaggi et al. (2024), Şentürk et al. (2024), Tardella et al. (2024), Koopman et al. (2025), are provided in Suppl. material 1.

F. Bartolucci, G. Galasso

## Acknowledgements

We gratefully acknowledge the following colleagues who provided distribution, nomenclatural, and taxonomic advice: Alessandro Alessandrini, Enrico Banfi, Lorenzo Peruzzi, Dionisia De Santis, Annalisa Santangelo.

## References

- Alessandrini A, Buono V, Longo D, Magni C, Manni QG, Nicoletta G [Eds] (2016) Acta Plantarum Notes 4 – Le raccolte di Acta Plantarum. Araba Fenice, Boves, Cuneo.
- Alterio E, Argenti C, Baro E, Bordin G, Campagnaro T, Camuffo A, Elerdini M, Favaro G, Filesi L, Iacopino S, Lattanzi E, Masin R, Perfetti M, Scariot A, Scortegagna S, Sitzia T, Trentanovi G, Villani M (2023) Segnalazioni floristiche venete: Tracheofite 595–631, Briofite 32–431. *Natura Vicentina* 23[2021–2022]: 71–95.
- Anzalone B, Iberite M, Lattanzi E (2010) La Flora vascolare del Lazio. *Informatore Botanico Italiano* 42(1): 187–317.
- Ardenghi NMG, Šmarda P, Calbi M, Coppi A, Lastrucci L, Lazzaro L, Mugnai M, Quercioli C, Foggi B (2024) Revision of the *Festuca marginata* “group” (*Festuca* sect. *Festuca*, Poaceae) in Southern Europe, with special reference to France, Italy and Greece. *Plant Biosystems* 158(5): 1192–1214. <https://doi.org/10.1080/11263504.2024.2395870>
- Bacchetta G, Cambria S, De Castro O, Fenu G, Brullo S (2024) *Centranthus pontecorvi* (Valerianaceae) a new species from Sardinia. *Phytotaxa* 661(3): 253–266. <https://doi.org/10.11646/phytotaxa.661.3.3>
- Bartolucci F, Galasso G, Reiner H, Wagensommer RP (2018) Nomenclatural notes and typification of the name *Viola calcarata* var. *pseudogracilis* (Violaceae). *Phytotaxa* 340(3): 286–288. <https://doi.org/10.11646/phytotaxa.340.3.9>
- Bartolucci F, Peruzzi L, Galasso G, Alessandrini A, Ardenghi NMG, Bacchetta G, Banfi E, Barberis G, Bernardo L, Bouvet D, Bovio M, Calvia G, Castello M, Cecchi L, Del Guacchio E, Domina G, Fascetti S, Gallo L, Gottschlich G, Guarino R, Gubellini L, Hofmann N, Iberite M, Jiménez-Mejías P, Longo D, Marchetti D, Martini F, Masina RR, Medagli P, Peccenini S, Prosser F, Roma-Marzio F, Rosati L, Santangelo A, Scoppola A, Selvaggi A,



- Selvi F, Soldano A, Stinca A, Wagensommer RP, Wilhalm T, Conti F (2024) A second update to the checklist of the vascular flora native to Italy. *Plant Biosystems* 158(2): 219–296. <https://doi.org/10.1080/11263504.2024.2320126>
- Béguinot A (1909) Ricordi di una escursione botanica nel versante orientale del Gargano. *Nuovo Giornale Botanico Italiano*, n.s., 16: 97–123.
- Bogdanović S, Ljubičić I, Sáez L, Brullo S. (2024) *Micromeria silicii*, a new species from Croatia and its relationships with taxa of the *M. microphylla* group (Lamiaceae). *Phytotaxa* 662(1): 1–18. <https://doi.org/10.11646/phytotaxa.662.1.1>
- Bracchi G, Banfi E, Soldano A (2003) Aggiunte alla flora della Provincia di Piacenza e della Regione Emilia-Romagna: segnalazioni inedite e dati da un'antica opera pre-linneana. *Atti della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano* 144(1): 91–132.
- Braun-Blanquet J (1961) Die inneralpine Trockenvegetation, von der Provence bis zur Steiermark. Fisher, Stuttgart.
- De Santis D (2007) Colori e profumi lungo i sentieri. Associazione Naturalistica Zefiro, Agropoli.
- Conti F, Palermo D, Santucci B, Miglio M, Paolucci M, De Santis E, Giacanelli V, Bartolucci F (2023) Additions to the vascular flora of the central and southern Italy. *Flora Mediterranea* 33: 83–89. <https://doi.org/10.7320/FIMedit33.083>
- Croce A, Saetta U (2024) Prima segnalazione di *Ophrys speculum* in Campania. *GIROS - Orchidee Spontanee d'Europa* 67(1): 90–94.
- Davanzo M, Cuccurullo G, Zwirner E, Scridel D (2024). First record of *Pancratium maritimum* L. (Amaryllidaceae) for the Friuli Venezia Giulia region, Italy. *Natural History Sciences*, 9 pp. <https://doi.org/10.4081/nhs.2024.768>
- Denk T, Grimm GW, Cardoni S, Csilléry K, Kurz M, Schulze ED, Simeone MC, Worth JRP (2024) A subgeneric classification of *Fagus* (Fagaceae) and revised taxonomy of western Eurasian beeches. *Willdenowia* 54: 151–181. <https://doi.org/10.3372/wi.54.54301>
- El Mokni R, Barone G, Domina G (2024) The *Euphorbia bivonae* aggregate (Euphorbiaceae) in the Central Mediterranean area: First report of *Euphorbia papillaris* from Tunisia. *Phytotaxa* 669(1): 57–66. <https://doi.org/10.11646/phytotaxa.669.1.6>
- Elvebakk A, Bjerke JW (2024) Papaver recircumscribed: A review of neighbouring Papaveraceae genera, including *Afropapaver* nom. et stat. nov. and *Oreomecon*, a large, Arctic-Alpine genus. *PhytoKeys* 248: 105–188. <https://doi.org/10.3897/phytokeys.248.121011>
- Fenaroli L (1974) *Florae Garganicae Prodrromus. Pars Quarta*. *Webbia* 29(1): 123–301. <https://doi.org/10.1080/00837792.1974.10670021>
- Foelsche W (2024) Berichte über die bisher bekannten Fundstellen von *Nigritella carniolica* und weiterer seltener Kohlröschen-Arten der Ostalpen einschließlich der neuen *N. perazzana* in den Julischen Alpen. *Joannea Botanik* 20: 201–236.
- Franzoni J, Astuti G, Bartolucci F, Bernardo L, Fior S, Casazza G, Conti F, Iamónico D, Iberite M, Minuto L, Turini A, Peruzzi L (2024) Different species or altitudinal morphotypes? Testing the taxonomic value of *Dianthus brachycalyx* (Caryophyllaceae). *Taxon*, 14 pp. <https://doi.org/10.1002/tax.13237>

- Fridlender A (2018) Observations sur le Genêt de l'Etna en Corse: *Genista aetnensis* (Biv.) DC. subsp. *fraiseorum* subsp. nova. Bulletin Mensuel de la Société Linnéenne de Lyon 87 (3–4): 73–95. <https://doi.org/10.3406/linly.2018.17867>
- Gehu JM, Biondi E (1988) Données sur la vegetation des ceintures d'atterrissement des lacs Alimini (Salento, Italie). Documents Phytosociologiques, N.S., 11: 353–380.
- Giacò A, Peruzzi L (2024) Nomenclature and typification of plant names related to *Centaurea aplolepa* and *C. leucophaea* (Asteraceae) from Italy and France. *PhytoKeys* 244: 249–270. <https://doi.org/10.3897/phytokeys.244.127109>
- Gottschlich G, Selvi F, Dunkel FG (2024) *Hieracium pallidum* subsp. *amiatae* (Asteraceae), a new subspecies from Monte Amiata (Tuscany, Italy). *Phytotaxa* 660(2): 198–204. <https://doi.org/10.11646/phytotaxa.660.2.10>
- Iamónico D (2006) Notula. 1204. *Cistus albidus* L. (Cistaceae). In: Conti F, Nepi C, Scoppola A (Eds) Notulae alla Checklist della flora italiana: 2. *Informatore Botanico Italiano* 38(1): 194.
- Iamónico D (2024) Studies on the genus *Atriplex* (Chenopodiaceae) in Italy. IX. *Atriplex mollis* and note on its occurrence in continental Europe. *Mediterranean Botany* 45(2): e92811. <https://doi.org/10.5209/mbot.92811>
- Iamónico D, Lorenzetti R (2008) La flora vascolare della Riserva Naturale di Monte Mario (Roma): studio di base ed analisi comparativa con la flora di altre aree verdi di Roma. *Rivista Piemontese di Storia Naturale* 29: 141–168.
- Iamónico D, Mosyakin S (2018) Studies on *Chenopodium album* s.l. (Chenopodiaceae / Amaranthaceae s. l.): *Chenopodium pedunculare*. *Annali di Botanica (Roma)* 8: 67–74. <https://doi.org/10.4462/annbotrm-14240>
- Iamónico D, Domina G, Tiburtini M, Peruzzi L (2024) Typification of the names in *Armeria* (Plumbaginaceae) recorded for Italy. *Phytotaxa* 665(3): 193–200. <https://doi.org/10.11646/phytotaxa.665.3.2>
- Jesus A, Bonhomme V, Evin A, Soteras R, Jacomet S, Bouby L, Antolin F (2023) Morphometrics of waterlogged archaeological seeds give new insights into the domestication and spread of *Papaver somniferum* L. in western Europe. *PLoS ONE* 18(5): e0286190. <https://doi.org/10.1371/journal.pone.0286190>
- Koopman J, Więclaw H, Bogdanović S, Denchev TT (2025) *Carex distachya* (Cyperaceae) with both subspecies in Europe. *Acta Botanica Croatica* 84(1). [in press] <https://doi.org/10.37427/botcro-2025-013>
- Lastrucci L, Gambirasio V, Prosser F, Viciani D (2024a) First record of *Sparganium oocarpum* in Italy and new regional distribution data for *Sparganium erectum* species complex. *Plant Biosystems* 158(4): 595–600. <https://doi.org/10.1080/11263504.2024.2347851>
- Lastrucci L, Saiani D, Mugnai A, Ferretti G, Viciani D (2024b) Updating the distribution of the genus *Callitriche* (Plantaginaceae) in Italy from the study of the Herbarium Centrale Italicum collections. *Mediterranean Botany* 45(2): e87474. <https://doi.org/10.5209/mbot.87474>
- Lucchese F (2017) *Atlante della Flora Alloctona del Lazio: cartografia, ecologia e biogeografia*. Vol. 1: Parte generale e flora alloctona. Regione Lazio, Direzione Capitale Naturale, Parchi e Aree Protette, Roma.

- Lucchese F (2018) Atlante della Flora Vascolare del Lazio, cartografia, ecologia e biogeografia. Vol. 2: La flora di maggiore interesse conservazionistico. Regione Lazio, Direzione Capitale Naturale, Parchi e Aree Protette, Roma.
- Montanari S, Faggi G, Bagli L, Sirotti M, Alessandrini A (2015) Aggiornamenti floristici per la Romagna. Terza serie. Quaderno di Studi e Notizie di Storia Naturale della Romagna 42: 9–30.
- Motti R, Ricciardi M (2005) Flora dei Campi Flegrei. *Webbia* 60(2): 395–476. <https://doi.org/10.1080/00837792.2005.10670783>
- Peccenini S, Polatschek A (2014) The genus *Erysimum* (Brassicaceae) in Italy part II: Description of new species and subspecies. *Annalen des Naturhistorischen Museums in Wien. Serie B, Botanik und Zoologie* 116: 107–117.
- Perrino EV, Silletti GN, Erben M, Wagensommer RP (2018) *Viola cassinensis* subsp. *lucana* (Violaceae), a new subspecies from the Lucanian Apennine, southern Italy. *Phyton* 58(2): 109–115.
- Pierini B, Peruzzi L (2014) Prodromo della flora vascolare della Provincia di Lucca (Toscana nord–occidentale). *Informatore Botanico Italiano* 46(1): 3–16 [+ electronic appendix (500 pp.)].
- POWO (2024) [onwards] Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:77130215-1> [Accessed 30.01.2024]
- Rasti SL, Tkach N, Röser M (2024) Disentangling conflicting molecular phylogenetic signals in nuclear and plastid DNA of the western Eurasian-Mediterranean grass genus *Cynosurus* and its relatives (Poaceae subtribes Cynosurinae and Parapholiinae). *Molecular Phylogenetics and Evolution* 201: 108204. <https://doi.org/10.1016/j.ympev.2024.108204>
- Röser M, Tkach N (2024) Delimitation and nomenclature of *Agrostis*, *Polypogon* and related grasses (Poaceae subfamily Pooideae). *Schlechtendalia* 41: 63–67.
- Ruggero A, Trainito E, Bacchetta G, Podda L, Lallai A, Mascia F, Manca M, Bertotto G, Calvia G (2024) Contribution to a new vascular flora of Sardinia (Italy): I (1–30). *Flora Mediterranea* 34: 13–46. <https://doi.org/10.7320/FIMedit34.013>
- Selvaggi A, Soldano A, Pascale M, Dellavedova R [Eds] (2024) Note floristiche piemontesi n. 1243–1314. *Rivista piemontese di Storia naturale* 45: 199–222.
- Şentürk O, Kenicer GJ, Özüdoğru B, Yildirim H (2024) *Genista etnensis* (Leguminosae, Tribe Genisteae): a new record for Turkey. *The Journal of Japanese Botany* 99: 1–15. <https://doi.org/10.51033/jjapbot.ID0078>
- Tardella FM, Pennesi R, Ballelli S, Cancellieri L, Caruso G, Falcinelli F, Fascetti S, Galasso G, Gigante D, Laface VLA, Lattanzi E, Lavezzo P, Musarella CM, Pinzani L, Quattrini G, Rosati L, Spada F, Stinca A, Tilia A, Catorci A (2024) Contribution to the floristic knowledge of Mount Pennino massif (Umbria-Marche Apennines, central Italy). *Italian Botanist* 18: 1–11. <https://doi.org/10.3897/italianbotanist.18.128215>
- Terracciano N (1917) Aggiunta alla “Flora dei Campi Flegrei”. *Atti Real Istituto di Incoraggiamento alle Scienze Naturali di Napoli, 7a serie, 68[“1916”]*: 269–450.
- Tison JM, de Foucault B (2014) *Flora Gallica. Flore de France*. Biotope Éditions, Société botanique de France, Mèze, 1196 pp.

- Valsecchi F (1995) Indagini sistematiche, tassonomiche e corologiche nel gruppo «*Silene colorata* Poir. - *S. sericea* All. - *S. canescens* Ten.». Bollettino della Società Sarda di Scienze Naturali 30(1994/1995): 447–476.
- Zepigi M, Ardenghi NMG, Bellio R, Colombo S, Federici A, Ferrando U, Galasso G, Giordana F, Lazzeri V, Leoni G, Maggioni L, Mazzi G, Mazzoli A, Menini F, Merli M, Parrino N, Perino P, Siega Vignut P, Truzzi A (2023) Rassegna di segnalazioni notevoli per alcune regioni del nord Italia comparse nel forum Acta Plantarum. Acta Plantarum Notes 9: 113–121.

## Supplementary material I

### Supplementary data

Authors: Fabrizio Bartolucci, Gabriele Galasso

Data type: pdf

Explanation note: 1. Nomenclatural updates; 2. Note updates; 3. Distribution updates; 4. Synonyms, misapplied or included names.

Copyright notice: This dataset is made available under the Open Database License (<http://opendatacommons.org/licenses/odbl/1.0/>). The Open Database License (ODbL) is a license agreement intended to allow users to freely share, modify, and use this Dataset while maintaining this same freedom for others, provided that the original source and author(s) are credited.

Link: <https://doi.org/10.3897/italianbotanist.18.140958.suppl1>