

Conference Abstract

# Getting the GIST: Testing an integrative data structure for linking taxonomy, biodiversity and conservation

Emily L Sandall<sup>‡</sup>, Aurore A Maureaud<sup>‡</sup>, Robert Guralnick<sup>§</sup>, Melodie McGeoch<sup>‡,¶</sup>, Yanina Vanesa Sica<sup>‡</sup>, Matthew Rogan<sup>‡</sup>, Doug Booher<sup>‡</sup>, Mark John Costello<sup>#</sup>, Robert Edwards<sup>□</sup>, Nico Franz<sup>«</sup>, Kate Ingenloff<sup>‡</sup>, Maisha Lucas<sup>‡</sup>, Charles J Marsh<sup>‡</sup>, Jennifer McGowan<sup>»</sup>, Stefan Pinkert<sup>^</sup>, Ajay Ranipeta<sup>‡</sup>, Peter Uetz<sup>∨</sup>, John Wieczorek<sup>‡</sup>, Walter Jetz<sup>‡</sup>

<sup>‡</sup> Center for Biodiversity & Global Change, Yale University, New Haven, United States of America

<sup>§</sup> Department of Biodiversity Informatics, Florida Museum of Natural History, University of Florida, Gainesville, United States of America

<sup>|</sup> La Trobe University, Melbourne, Australia

<sup>¶</sup> Monash University, Clayton, Australia

<sup>#</sup> Faculty of Biosciences and Aquaculture, Nord University, Bodo, Norway

<sup>□</sup> Cleveland Museum of Natural History, Cleveland, United States of America

<sup>«</sup> Arizona State University, Tempe, United States of America

<sup>»</sup> The Nature Conservancy, Arlington, United States of America

<sup>^</sup> Department of Conservation Ecology, Marburg, Germany

<sup>∨</sup> VCU, Richmond, United States of America

<sup>‡</sup> Museum of Vertebrate Zoology, University of California, Berkeley, United States of America

Corresponding author: Emily L Sandall ([sandall.emily@gmail.com](mailto:sandall.emily@gmail.com))

Received: 29 Aug 2022 | Published: 07 Sep 2022

Citation: Sandall EL, Maureaud AA, Guralnick R, McGeoch M, Sica YV, Rogan M, Booher D, Costello MJ, Edwards R, Franz N, Ingenloff K, Lucas M, Marsh CJ, McGowan J, Pinkert S, Ranipeta A, Uetz P, Wieczorek J, Jetz W (2022) Getting the GIST: Testing an integrative data structure for linking taxonomy, biodiversity and conservation. *Biodiversity Information Science and Standards* 6: e94209. <https://doi.org/10.3897/biss.6.94209>

## Abstract

Assessing and addressing biodiversity needs are of critical and time-sensitive importance, with the post-2020 Global Biodiversity Framework's [Global Taxonomy Initiative](#) underscoring the need to build capacity in how we conceptualize biodiversity (Abrahamse et al. 2021). Species—as biological units—and their names are the backbone for the data integration and synthesis needed for biodiversity research and conservation decision-making (Grace et al. 2021). In integrating name sources for a single taxonomic group, barriers frequently limit linking species names across regional and global authoritative

sources. In response to such challenges, **we present a case study testing a Globally Integrated Structure of Taxonomy (GIST) to ensure the integration of taxonomy in biodiversity and conservation sciences.** This framework characterizes the components enabling transparent association of species names through synonymy (alternate names or spellings), authorship, specimens, versions and timestamps, and taxonomic relationships in space and time.

Taxonomy provides a critical link between biodiversity data types and databases. Efforts towards global taxonomic integration are confounded by insufficient connectivity between taxonomic assemblages, with implications for research, monitoring, and conservation practice (Christie et al. 2021, Jetz et al. 2019, McClure et al. 2020). In attempting to match multiple taxonomic groups across databases, **we highlight current progress and remaining challenges to produce and use a GIST.** We evaluate the standardized, comprehensive taxonomies of mammals, birds, reptiles, amphibians, dragonflies and damselflies, butterflies, ants, plants, and crabs produced for the Map of Life project (Jetz et al. 2012), identifying which missing components impede their utility. We show that for terrestrial mammals, GIST standards are almost fulfilled, but for invertebrate taxa, such as butterflies, GIST standards are unmet, resulting in broken taxonomic links between aggregators of genetic, spatial, functional, and physical data. We find that even the comprehensive taxonomies we examine do not harmonize well with taxonomies of global genetics, phylogenetics, macroecology, and conservation databases. This is because current taxonomic data infrastructures on biodiversity repositories lack the necessary structural components, searchability, and name source transparency to fully integrate taxonomies, as different independently advancing data sources lack standard metadata practices and operable interfaces. The GIST components enable data linkage and provide clear sourcing and metadata, enabling taxonomic data accessibility, reuse, and interoperability. This structure can act as a step toward open and FAIR (Findable, Accessible, Interoperable, and Reusable) data practice as it relates to taxon names (Wilkinson et al. 2016). Without transparent, integrated, accessible, and updated taxonomic information, macroecological inferences and conservation decisions for even charismatic groups are impeded.

## Keywords

taxonomic backbone, integrative science, data linkage, social infrastructure

## Presenting author

Emily L. Sandall & Aurore A. Maureaud

## Presented at

TDWG 2022

## References

- Abrahamse T, Andrade-Correa MG, Arida C, Galsim R, Hauser C, Price M, Sommerwerk N (2021) The Global Taxonomy Initiative in Support of the Post-2020 Global Biodiversity Framework. Secretariat of the Convention of Biological Diversity.
- Christie A, Amano T, Martin P, Petrovan S, Shackelford G, Simmons B, Smith R, Williams D, Wordley CR, Sutherland W (2021) The challenge of biased evidence in conservation. *Conservation Biology* 35 (1): 249-262. <https://doi.org/10.1111/cobi.13577>
- Grace O, Pérez-Escobar O, Lucas E, Vorontsova M, Lewis G, Walker B, Lohmann L, Knapp S, Wilkie P, Sarkinen T, Darbyshire I, Lughadha EN, Monro A, Woudstra Y, Demissew S, Muasya AM, Díaz S, Baker W, Antonelli A (2021) Botanical Monography in the Anthropocene. *Trends in Plant Science* 26 (5): 433-441. <https://doi.org/10.1016/j.tplants.2020.12.018>
- Jetz W, McPherson J, Guralnick R (2012) Integrating biodiversity distribution knowledge: toward a global map of life. *Trends in Ecology & Evolution* 27 (3): 151-159. <https://doi.org/10.1016/j.tree.2011.09.007>
- Jetz W, McGeoch M, Guralnick R, Ferrier S, Beck J, Costello M, Fernandez M, Geller G, Keil P, Merow C, Meyer C, Muller-Karger F, Pereira H, Regan E, Schmeller D, Turak E (2019) Essential biodiversity variables for mapping and monitoring species populations. *Nature Ecology & Evolution* 3 (4): 539-551. <https://doi.org/10.1038/s41559-019-0826-1>
- McClure CW, Lepage D, Dunn L, Anderson D, Schulwitz S, Camacho L, Robinson B, Christidis L, Schulenberg T, Iliff M, Rasmussen P, Johnson J (2020) Towards reconciliation of the four world bird lists: hotspots of disagreement in taxonomy of raptors. *Proceedings of the Royal Society B: Biological Sciences* 287 (1929). <https://doi.org/10.1098/rspb.2020.0683>
- Wilkinson M, Dumontier M, Aalbersberg IJ, Appleton G, Axton M, Baak A, Blomberg N, Boiten J, da Silva Santos LB, Bourne P, Bouwman J, Brookes A, Clark T, Crosas M, Dillo I, Dumon O, Edmunds S, Evelo C, Finkers R, Gonzalez-Beltran A, Gray AG, Groth P, Goble C, Grethe J, Heringa J, 't Hoen PC, Hooft R, Kuhn T, Kok R, Kok J, Lusher S, Martone M, Mons A, Packer A, Persson B, Rocca-Serra P, Roos M, van Schaik R, Sansone S, Schultes E, Sengstag T, Slater T, Strawn G, Swertz M, Thompson M, van der Lei J, van Mulligen E, Velterop J, Waagmeester A, Wittenburg P, Wolstencroft K, Zhao J, Mons B (2016) The FAIR Guiding Principles for scientific data management and stewardship. *Scientific Data* 3 (1). <https://doi.org/10.1038/sdata.2016.18>