

Contributions to the cytogenetics of the Neotropical fish fauna

Luiz Antônio Carlos Bertollo¹, Marcelo de Bello Cioffi¹,
Pedro Manoel Galetti Jr², Orlando Moreira Filho¹

1 *Laboratório de Citogenética de Peixes, Departamento de Genética e Evolução, Universidade Federal de São Carlos, São Carlos, SP 13565-905, Brazil* **2** *Laboratório de Biodiversidade Molecular e Conservação, Departamento de Genética e Evolução, Universidade Federal de São Carlos, São Carlos, SP 13565-905, Brazil*

Corresponding author: *Luiz Antônio Carlos Bertollo* (bertollo@ufscar.br)

Academic editor: *Petr Rab* | Received 26 June 2017 | Accepted 11 August 2017 | Published 20 October 2017

<http://zoobank.org/52554437-0D6C-4BB5-8AFA-6A6AAA187D53>

Citation: Bertollo LAC, Cioffi MB, Galetti Jr PM, Filho OM (2017) Contributions to the cytogenetics of the Neotropical fish fauna. *Comparative Cytogenetics* 11(4): 665–690. <https://doi.org/10.3897/CompCytogen.v11i4.14713>

Abstract

Brazilian fish cytogenetics started as early as the seventies in three pioneering research groups, located at the Universidade Estadual Paulista (UNESP, Botucatu, SP), Universidade Federal de São Carlos (UFSCar, São Carlos, SP) and Universidade de São Paulo (USP, São Paulo, SP). Investigations that have been conducted in these groups led to the discovery of a huge chromosomal and genomic biodiversity among Neotropical fishes. Besides, they also provided the expansion of this research area, with the genesis of several other South American research groups, in view of a number of dissertations and doctoral theses developed over years. The current authors were encouraged to make their thesis catalog accessible from a public source, in order to share informations on the taxa and subject matter analyzed. Some of the key contributions to evolutionary fish cytogenetics are also being highlighted.

Keywords

Fish cytogenetics, Neotropical species, biodiversity, sex chromosomes, B chromosomes

Introduction

About 13,000 freshwater fish species are now recognized, 50% of them living in the Neotropical region (Reis et al. 2003), which emphasizes the significant parcel of the ichthyological diversity enclosed in this particular world region. Of course, this was one of the main reasons that attracted the attention of some Brazilian researchers, fostering the investigation on cytogenetics of Neotropical fishes.

Brazilian fish cytogenetics started in the early 70s, with three pioneering research groups located at the Universidade Estadual Paulista (UNESP, Botucatu, SP), Universidade Federal de São Carlos (UFSCar, São Carlos, SP) and Universidade de São Paulo (USP, São Paulo, SP). During this time, a lot of significant evolutionary and cytotoxic contributions were achieved, improving the knowledge on the biodiversity inside the rich Neotropical ichthyofauna.

The development of methodological approaches was certainly a key step for obtaining good chromosomal preparations and for improving fish cytogenetics. In this sense, the direct chromosome preparation from kidney cells, adapted in our early studies since 70s and recently revised (Bertollo et al. 2015), was largely utilized over years. In addition, the progressive application of conventional banding techniques (C, Ag-NORs, DAPI, CMA₃ staining), as well as more advanced methodologies combining cytogenetic and molecular procedures (chromosome mapping of DNA sequences by FISH, whole chromosome painting – WCP and comparative genomic hybridization – CGH) were essential tools in understanding the fish genome organization, particularly regarding to sex chromosome evolution and biodiversity investigations.

Although primarily and mainly devoted to freshwater species, the chromosomal analyses were also expanded to marine fishes, which is now the particular focus of some laboratories. From 1986 to now, successful biennial symposiums on fish cytogenetics are ongoing at different Brazilian regions. From some years ago, the discipline of genetics was also added to such meetings, with an expressive participation of professionals, students, as well as foreign invited researchers.

The catalogue of student theses, supervised in the Laboratory of Fish Cytogenetics of the Universidade Federal de São Carlos, comprises 42 doctoral theses and 52 master dissertations from 1981 to 2016. Informations about their corresponding students, taxa and matter subjects are available in the present communication, considering that not all the resulting data have been published. Theses/dissertations produced were assembled by taxonomic groups, according to Reis et al. (2003), regardless of their chronology. This criterion provides an overview of the different studied groups, considering that several families, genera and species have wider distribution and were subjected of more extensive investigations, being analyzed by different authors. The "taxa analyzed" item makes explicit when different populations, as well as different karyomorphs (karyotypes with distinct characteristics from each other) of a given species were investigated. The term "species group" was used for cases of specimens showing morphological similarities to a given valid species, but missing a proper taxonomic revision by the time they were studied.

Significantly, more than 20 research groups, nowadays located in different Brazilian regions, and also in Argentina, have emerged from such studies. These new researchers, along with those that have been emerged from the other pioneer laboratories, are now also engaged on fish chromosomal investigations. This was a preponderant condition for the big expansion experienced by the Brazilian fish cytogenetics.

The "Final Remarks" highlights some key contributions to fish evolutionary cytogenetics from MSc and PhD theses produced, as well as from other results that were led by our research team, some of them with significant collaborations of other national and international research groups.

Laboratory site at the Universidade Federal de São Carlos: (<http://www.lcp.ufscar.br>)

Abbreviations used

UFSCar	Universidade Federal de São Carlos
INPA	Instituto Nacional de Pesquisas da Amazônia
USP	Universidade de São Paulo
UFRJ	Universidade Federal do Rio de Janeiro
PPGGEv	Programa de Pós-Graduação em Genética Evolutiva e Biologia Molecular
BADPI	Programa de Pós-Graduação em Biologia de Água Doce e Pesca Interior
PPGERN	Programa de Pós-Graduação em Ecologia e Recursos Naturais
PPGCB – Gene	Programa de Pós-Graduação em Ciências Biológicas – Genética
PPGCB – Ecol	Programa de Pós-Graduação em Ciências Biológicas – Ecologia
CAPES	Coordenação de Aperfeiçoamento de Pessoal do Ensino Superior
FAPESP	Fundação de Amparo à Pesquisa do Estado de São Paulo
CNPq	Conselho Nacional de Desenvolvimento Científico e Tecnológico

Catalogue of MSc Dissertations and PhD Theses

Note: Titles of Theses and Dissertations maintain the taxonomic and/or systematic data as they were originally employed. The classification of some species and genera were later updated by review studies (Reis et al. 2003; Oliveira et al. 2011; FishBase), according to the section: **taxon/taxa analyzed**.

I. ORDER CHARACIFORMES

I.1. Family Characidae

I.1.1. Genus *Astyanax* Baird & Girard, 1854

I.1.1.1. MSc Dissertation by Sandra Morelli (1981): Aspectos citogenéticos do gênero *Astyanax* (Pisces, Characidae) / Cytogenetic studies in the genus *Astyanax*

(Pisces, Characidae). **Taxa analyzed:** *A. fasciatus* (Cuvier, 1819), *A. bimaculatus* (Linnaeus, 1758), *A. schubarti* Britski, 1964, *A. scabripinnis* (Jenyns, 1842) – UFSCar / PPGERN / CNPq

I.1.1.2. PhD Thesis by Orlando Moreira Filho (1989): A diversidade no complexo *scabripinnis* (Pisces, Characidae, Tetragonopterinae). Análises citogenéticas e morfológicas. / Diversity investigation in the *scabripinnis* complex (Pisces, Characidae, Tetragonopterinae). Cytogenetic and morphological analyses. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGERN

I.1.1.3. MSc Dissertation by Heloisa Helena Paganelli (1990): A variabilidade cromossômica no gênero *Astyanax* (Pisces, Characidae) e seu significado para a sistemática e evolução do grupo / Chromosomal variability in the genus *Astyanax* (Pisces, Characidae) and its significance for the systematics and evolution of the group. **Taxa analyzed:** *A. bimaculatus*, *A. fasciatus*, *A. schubarti*, *A. taeniatus* (Jenyns, 1842) -UFSCar / PPGERN

I.1.1.4. MSc Dissertation by Álvaro José Justi (1993): Caracterização cariotípica de populações de *Astyanax fasciatus* (Characidae) de bacias hidrográficas distintas / Karyotype characterization of *Astyanax fasciatus* populations (Characidae) from different river basins. **Taxon analyzed:** *A. fasciatus* – UFSCar / PPGGEv / FAPESP

I.1.1.5. MSc Dissertation by Vera Elisa Vicente (1994): Estudo do cromossomo B em três populações de *Astyanax scabripinnis* (Characidae) / B chromosome analysis in three *Astyanax scabripinnis* populations (Characidae). **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP

I.1.1.6. MSc Dissertation by Issakar Lima Souza (1996): Estudos citogenéticos em populações de *Astyanax scabripinnis* (Characidae) pertencentes a dois riachos de diferentes bacias do Sudeste Brasileiro / Cytogenetic studies in populations of *Astyanax scabripinnis* (Characidae) from two different river basins of Southeastern Brazil. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP

I.1.1.7. PhD Thesis by Carlos Alberto Mestriner (1997): Caracterização molecular e citológica do DNA repetitivo de *Astyanax scabripinnis* (Pisces, Characidae) portador de cromossomos supranumerários / Molecular and cytological characterization of repetitive DNAs in *Astyanax scabripinnis* (Pisces, Characidae) carrying supernumerary chromosomes. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP

I.1.1.8. MSc Dissertation by María Pía Heras (1998): Estudos citogenéticos em *Astyanax fasciatus* (Characidae) de alguns rios do Brasil / Cytogenetic studies in *Astyanax fasciatus* (Characidae) from some Brazilian rivers. **Taxon analyzed:** *A. fasciatus* populations – UFSCar / PPGGEv / CNPq

I.1.1.9. MSc Dissertation by Daniela Morilha Néo (1999): Distribuição dos cromossomos B presentes em *Astyanax scabripinnis* (Characidae) ao longo do Ribeirão Grande na região de Campos do Jordão–SP / B chromosomes distribution in *Astyanax scabripinnis* (Characidae) along the Grande Stream, Campos do Jordão region–SP. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP

- I.1.1.10. PhD Thesis by Dagmar Aparecida de Marco Ferro (2000):** Análises cariotípicas dos cromossomos B em populações de *Astyanax scabripinnis* (Pisces, Characidae) / Karyotypic analyses of B chromosomes in *Astyanax scabripinnis* populations (Pisces, Characidae). **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / CNPq
- I.1.1.11. MSc Dissertation by Monique Mantovani (2001):** Citogenética comparativa entre populações de *Astyanax scabripinnis* (Characidae) da bacia do rio Paranapanema / Comparative cytogenetics among populations of *Astyanax scabripinnis* (Characidae) from the Paranapanema River basin. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP
- I.1.1.12. MSc Dissertation by Luciano Douglas dos Santos Abel (2001):** A variabilidade do complexo de espécies *scabripinnis* (Characidae) como estratégia adaptativa. Estudo da diversidade cariotípica do grupo com ênfase em populações da bacia do rio São Francisco / The variability of the *scabripinnis* species complex (Characidae) as an adaptive strategy. Analysis of the karyotypic diversity emphasizing populations from the São Francisco River basin. **Taxon analyzed:** *A. scabripinnis* – UFSCar / PPGGEv / FAPESP
- I.1.1.13. PhD Thesis by Rubens Pazza (2005):** Contribuição citogenética à análise da biodiversidade em *Astyanax fasciatus* (Pisces, Characidae) / Cytogenetic contribution to biodiversity analysis in *Astyanax fasciatus* (Pisces, Characidae). **Taxon analyzed:** *A. fasciatus* – UFSCar / PPGGEv / FAPESP
- I.1.1.14. PhD Thesis by Wellington Adriano Moreira (2009):** Análise citogenética de espécies de *Astyanax* (Characiformes) na região de transposição do rio Piumhi / Cytogenetic analysis of *Astyanax* species (Characiformes) from the transposition region of the Piumhi River. **Taxa analyzed:** *A. scabripinnis*, *A. bimaculatus*, *A. lacustris* (Lütken, 1875), *A. altiparanae* Garutti & Britski, 2000 – UFSCar / PPGGEv / FAPESP
- I.1.2. Genus *Bryconamericus* Eigenmann, 1907**
- I.1.2.1. MSc Dissertation by Adriane Pinto Wasko (1996):** Estudos citogenéticos no gênero *Bryconamericus* (Pisces, Characidae). Uma abordagem citotaxonômica-evolutiva / Cytogenetic studies in the *Bryconamericus* genus (Pisces, Characidae). A cytotaxonomic-evolutionary approach. **Taxa analyzed:** *Bryconamericus* sp A-E, *Piabina argentea* Reinhardt, 1867 – UFSCar / PPGGEv / CNPq
- I.1.3. Genus *Moenkhausia* Eigenmann, 1903**
- I.1.3.1. MSc Dissertation by Elisangela Santana de Oliveira Dantas (2002):** Estudos citogenéticos entre três espécies de *Moenkhausia* (Characidae, Tetragonopterinae) de localidades diferentes / Cytogenetic studies among three *Moenkhausia* species (Characidae, Tetragonopterinae), from different localities **Taxa analyzed:** *Moenkhausia sanctae filomenae* (Steindachner, 1907), *M. intermedia* Eigenmann, 1908, *Moenkhausia* sp. – UFSCar / PPGGEv / FAPESP

I.1.4. Subfamily Bryconinae

I.1.4.1. Genus *Brycon* Müller & Troschel, 1844

I.1.4.1.1. MSc Dissertation by Vladimir Pavan Margarido (1995): Uma contribuição à citogenética de Bryconinae (Characiformes, Characidae) / A contribution to Bryconinae cytogenetics (Characiformes, Characidae). **Taxa analyzed:** *Brycon breviceuda* Günther, 1864, *B. lundii* Lütken, 1875, *B. orbignyana* (Valenciennes, 1850), *B. microlepis* Perugia, 1897), *B. cephalus* (Günther, 1869), *B. insignis* Steindachner, 1877, *Brycon sp.* - UFSCar / PPGGEv / CAPES

I.1.4.1.2. PhD Thesis by Adriane Pinto Wasko (2000): Marcadores cromossômicos e moleculares no gênero *Brycon* (Characidae): uma contribuição à biologia evolutiva e à conservação biológica destes peixes / Chromosomal and molecular markers in the genus *Brycon* (Characidae): a contribution to its evolutionary and conservation biology. **Taxa analyzed:** *Brycon lundii*, *B. orbignyana*, *B. microlepis*, *B. cephalus*, *B. breviceuda*, *B. insignis*, *Brycon sp.* - UFSCar / PPGGEv / FAPESP/CNPq

I.1.5. Miscellaneous groups in Characidae

I.1.5.1. MSc Dissertation by Ana Luiza de Brito Silva Portela (1987): Citogenética de peixes da subfamília Tetragonopterinae (Characidae) / Fish cytogenetics of the Tetragonopterinae subfamily (Characidae). **Taxa analyzed:** *Tetragonopterus chalcus* Spix et Agassiz, 1829, *Piabina argentea*, *Bryconamericus stramineus* Eigenmann, 1908, *Moenkhausia costae* (Steindachner, 1907), *M. intermedia* Eigenmann, 1908, *Deuterodon pedri* Eigenmann, 1908 - USP / PPGCB - Gene / CAPES

I.1.5.2. MSc Dissertation by Sandra Cristina Pfister (1997): Contribuição aos estudos cariotípicos da família Characidae da bacia do rio São Francisco - Três Marias (MG) / A contribution to the karyotypic studies in the family Characidae from the São Francisco River basin - Três Marias (MG). **Taxa analyzed:** *Roebooides xenodon* (Reinhardt, 1851), *Orthospinus franciscensis* (Eigenmann, 1914), *Bryconops affinis* (Günther, 1864), *Hemigrammus marginatus* Ellis, 1911, *Moenkhausia costae* - UFSCar / PPGGEv / CNPq

I.1.5.3. PhD Thesis by Issakar Lima Souza (2003): rDNAs nucleares e bandamentos cromossômicos em Salmininae e *Astyanax scabripinnis* (Characidae) / Nuclear rDNAs and chromosome banding in Salmininae and *Astyanax scabripinnis* (Characidae). **Taxa analyzed:** *A. scabripinnis*, *Salminus brasiliensis* (Cuvier, 1816), *S. hilarii* Valenciennes, 1850 - UFSCar / PPGGEv / CNPq / FAPESP

I.1.5.4. MSc Dissertation by Wellington Adriano Moreira Peres (2005): Análise da diversidade cariotípica de Characidae da bacia do São Francisco / Analysis on karyotypic diversity of Characidae fishes from the São Francisco River basin. **Taxa analyzed:** *Orthospinus franciscensis*, *Serrapinnus heterodon* (Eigenmann, 1915), *S. piaba* (Lütken, 1875), *Astyanax fasciatus*, *A. bimaculatus*, *Haseamania nana* (Lütken, 1875), *Piabina argentea* - UFSCar / PPGGEv / FAPESP

I.2. Family Prochilodontidae

I.2.1. Genus *Prochilodus* Agassiz, in Spix et Agassiz, 1829

I.2.1.1. MSc Dissertation by Erica Pauls (1981): Evidências de um sistema de cromossomos supranumerários em *Prochilodus scrofa* Steindachner, 1881 (Pisces, Prochilodontidae) / Evidences for a supernumerary chromosome system in *Prochilodus scrofa* Steindachner, 1881 (Pisces, Prochilodontidae). **Taxon analyzed:** *Prochilodus lineatus* (Valenciennes, 1836), cited as *P. scrofa* – UFSCar / PPGERN / CNPq

I.2.1.2. PhD Thesis by Erica Pauls (1985): Considerações sobre evolução cromossômica e sistema de cromossomos supranumerários em espécies do gênero *Prochilodus* (Pisces, Prochilodontidae) / Considerations on chromosomal evolution and supernumerary chromosome systems in *Prochilodus* species (Pisces, Prochilodontidae). **Taxa analyzed:** *P. lineatus* (cited as *P. scrofa*), *P. vimbooides* Kner, 1859, *P. brevis* Steindachner, 1875 (cited as *P. cearensis* Steindachner, 1911), *P. argenteus* Agassiz, 1829, *P. margravii* (rejected by ICZN; under synonymy of *P. argenteus*), *P. costatus* Valenciennes, 1850 (cited as *P. affinis* Lütken, 1875, *P. nigricans* Agassiz, 1829 – UFSCar / PPGERN / CNPq

I.2.1.3. MSc Dissertation by Zélia Isabel Cavallaro (1992): Estudos comparativos sobre os cromossomos B de *Prochilodus scrofa* Steindachner, 1881 (Pisces, Prochilodontidae) / Comparative studies on B chromosomes of *Prochilodus scrofa* Steindachner, 1881 (Pisces, Prochilodontidae). **Taxon analyzed:** *P. lineatus*, cited as *P. scrofa* – UFSCar / PPGERN / CAPES

I.2.1.4. PhD Thesis by Terumi Hatanaka (2000): Marcadores cromossômicos e moleculares no peixe *Prochilodus margravii*: uma espécie de interesse econômico no rio São Francisco / Chromosomal and molecular markers in *Prochilodus margravii*, a fish species with economic significance from the São Francisco River. **Taxon analyzed:** *P. argenteus* (cited as *P. margravii*: rejected by ICZN)- UFSCar / PPGGEv / FAPESP

I.2.1.5. PhD Thesis by Célia Maria de Jesus (2001): Caracterização de sequências repetitivas no genoma de *Prochilodus lineatus* (Prochilodontidae) portador de cromossomos B / Characterization of repetitive sequences in the genome of *Prochilodus lineatus* (Prochilodontidae) carrying B chromosomes. **Taxon analyzed:** *P. lineatus* – UFSCar / PPGGEv / CNPq / FAPESP

I.3. Family Parodontidae

I.3.1. MSc Dissertation by Orlando Moreira Filho (1983): Estudos na família Parodontidae (Pisces, Characiformes – cited as Cypriniformes) da bacia do rio Passa-Cinco (SP): aspectos citogenéticos e considerações correlatas / Studies in Parodontidae species (Pisces, Characiformes) from the Passa-Cinco River Basin (SP): cytogenetic and correlated considerations. **Taxa analyzed:** *Apareiodon affinis* (Steindachner, 1879), *A. ibitiensis* Campos, 1944, *A. piracicabae* (Eigenmann, 1907), *Parodon nasus* Kner, 1859 (cited as *P. tortuosus* Eigenmann & Norris, 1900) – UFSCar / PPGERN

- I.3.2. MSc Dissertation by Célia Maria de Jesus (1996):** Contribuição aos estudos citogenéticos na família Parodontidae (Characiformes) / Contribution to cytogenetic studies in the family Parodontidae (Characiformes). **Taxa analyzed:** *Parodon nasus* (cited as *P. tortuosus*), *P. pongonensis* (Allen, 1942) (cited as *Parodon* sp), *Apareiodon affinis*, *A. ibitiensis*, *A. piracicabae*, *A. vitattus* Garavello, 1977- UFSCar / PPGGEv / FAPESP
- I.3.3. PhD Thesis by Vera Elisa Vicente (2001):** Estudos citogenéticos e moleculares em *Parodon hilarii* e correlações com outras espécies da família Parodontidae (Characiformes) / Cytogenetic and molecular studies in *Parodon hilarii* and correlations with other Parodontidae species. **Taxa analyzed:** *P. hilarii* Reinhardt, 1866, *P. nasus* (cited as *P. tortuosus*) – UFSCar / PPGGEv / CNPq
- I.3.4. MSc Dissertation by Elisangela Bellafronte da Silva (2004):** Estudos citogenéticos comparativos em espécies do gênero *Parodon* (Parodontidae) / Comparative cytogenetics in *Parodon* species (Parodontidae). **Taxon analyzed:** *P. nasus* – UFSCar / PPGGEv / CNPq
- I.3.5. PhD Thesis by Josiane Baccarin Traldi (2015):** Investigação do papel dos DNAs repetitivos na evolução cromossômica de espécies de *Apareiodon* (Characiformes, Parodontidae) / Investigation on the role of repetitive DNAs in the chromosomal evolution of *Apareiodon* species (Characiformes, Parodontidae). **Taxa analyzed:** *A. cavalcante* Pavanelli & Britski, 2003, *A. machrisi* Travassos, 1957, *A. argenteus* Pavanelli & Britski, 2003, *A. davisi* Fowler, 1941, *Apareiodon* sp. 1, *Apareiodon* sp. 2 – UFSCar / PPGGEv / FAPESP

I.4. Family Erythrinidae

- I.4.1. MSc Dissertation by Lucia Giuliano Caetano (1986):** Estudo citogenético em *Hoplerythrinus unitaeniatus* (Pisces, Erythrinidae) de diferentes bacias hidrográficas brasileiras / Cytogenetic studies in *Hoplerythrinus unitaeniatus* (Pisces, Erythrinidae) from different Brazilian river basins. **Taxon analyzed:** *H. unitaeniatus* (Agassiz, 1829) – UFSCar / PPGERN / CNPq
- I.4.2. MSc Dissertation by Jorge Abdala Dergam dos Santos (1989):** O cariótipo de *Hoplias malabaricus* em populações da bacia do São Francisco e do Alto Paraná. Considerações citotaxonômicas / The karyotype of *Hoplias malabaricus* populations from the São Francisco and High Paraná River basins. Cytotaxonomic considerations. **Taxon analyzed:** *H. malabaricus* (Block, 1794) karyomorphs D, F – USP / PPGCB – Gene / CAPES
- I.4.3. PhD Thesis by Sandra Morelli (1998):** Citogenética evolutiva em espécies do gênero *Hoplias*, grupo *H. lacerdae*. Macroestrutura cariotípica, heterocromatina constitutiva e regiões organizadoras de nucléolos / Evolutionary cytogenetics in *Hoplias lacerdae* species group. Karyotype macrostructure, constitutive heterochromatin and nucleolus organizing regions. **Taxon analyzed:** *H. lacerdae* Miranda Ribeiro, 1908 species group – UFSCar / PPGGEv / CNPq
- I.4.4. PhD Thesis by Guassenir Gonçalves Born (2000):** Estudo da diversidade cariotípica no grupo *Hoplias malabaricus* (Pisces, Erythrinidae). Cariótipo $2n=42$

/ Study on the karyotypic diversity in the *Hoplias malabaricus* species group (Pisces, Erythrinidae). The karyotype $2n=42$. **Taxon analyzed:** *H. malabaricus* karyomorphs A, B – UFSCar / PPGGEv / CAPES

I.4.5. MSc Dissertation by Débora Diniz Bezerra (2002): Estudos citogenéticos populacionais em *Hoplerythrinus unitaeniatus* (Pisces, Erythrinidae). Análise da biodiversidade / Population cytogenetic studies in *Hoplerythrinus unitaeniatus* (Pisces, Erythrinidae). Biodiversity analysis. **Taxon analyzed:** *H. unitaeniatus* – UFSCar / PPGGEv / CNPq

I.4.6. MSc Dissertation by Marcelo Ricardo Vicari (2003): Citogenética comparativa de *Hoplias malabaricus* (Pisces, Erythrinidae). Estudos em região divisora de águas das bacias dos rios Tibagi, Iguaçu, Ivaí e Ribeira (Ponta Grossa, PR) / Comparative cytogenetics of *Hoplias malabaricus* (Pisces, Erythrinidae). Studies in the water divisor region of the Tibagi, Iguaçu, Ivaí and Ribeira Rivers (Ponta Grossa, PR). **Taxon analyzed:** *H. malabaricus* – UFSCar / PPGGEv / FAPESP

I.4.7. MSc Dissertation by Marcelo de Bello Cioffi (2010): Marcadores cromossômicos em *Hoplias malabaricus* (Characiformes, Erythrinidae). Citogenética comparativa entre cariomorfos / Chromosome markers in *Hoplias malabaricus* (Characiformes, Erythrinidae). Comparative cytogenetics among karyomorphs. **Taxon analyzed:** *H. malabaricus* karyomorphs A, B, C, D – UFSCar / PPGGEv / FAPESP

I.4.8. MSc Dissertation by Daniel Rodrigues Blanco (2010): Caracterização citogenética em populações alopatricas do gênero *Hoplias*, com enfoque nos grupos *malabaricus* e *lacerdae* / Cytogenetic characterization of allopatric populations of the *Hoplias* genus, focusing on the *malabaricus* and *lacerdae* groups. **Taxa analyzed:** *H. malabaricus*, *H. aimara* (Valenciennes, 1847), *H. intermedius* (Günther, 1864) – UFSCar / PPGGEv / FAPESP

I.4.9. PhD Thesis by Marcelo de Bello Cioffi (2011): Evolução cromossômica na família Erythrinidae. Mapeamento citogenético de DNAs repetitivos e microdissecação de cromossomos sexuais / Chromosome evolution in the Erythrinidae family. Cytogenetic mapping of repetitive DNAs and microdissection of sex chromosomes. **Taxa analyzed:** *Hoplias malabaricus* karyomorphs A, B, C, D, *Erythrinus erythrinus* (Bloch & Schneider, 1801) karyomorphs A, D – UFSCar / PPGGEv / FAPESP

I.4.10. MSc Dissertation by Nicolás Fernandes Martins (2013): Diferenciação cromossômica em *Erythrinus erythrinus* (Characiformes, Erythrinidae) / Chromosomal differentiation in *Erythrinus erythrinus* (Characiformes, Erythrinidae). **Taxon analyzed:** *E. erythrinus* karyomorphs A, C – UFSCar / PPGGEv / CAPES

I.4.11. MSc Dissertation by Juliana de Fátima Martinez (2014): *Hoplerythrinus unitaeniatus* (Characiformes, Erythrinidae): um complexo de espécies. Estudos citogenéticos e moleculares / *Hoplerythrinus unitaeniatus* (Characiformes, Erythrinidae): a species complex. Cytogenetic and molecular analyses. **Taxon analyzed:** *H. unitaeniatus* – UFSCar / PPGGEv / FAPESP

I.4.12. MSc Dissertation by Ezequiel Aguiar de Oliveira (2015): Evolução cromossômica em peixes da família Erythrinidae (Characiformes). Citogenética compa-

rativa entre espécies do gênero *Hoplias* / Chromosome evolution in the fish family Erythrinidae (Characiformes). Comparative cytogenetics among *Hoplias* species. **Taxa analyzed:** *H. aimara*, *H. brasiliensis* (Agassiz, 1829), *H. lacerdae*, *H. intermedius* – UFSCar / PPGGEv / CAPES

I.5. Family Serrasalmidae (Former Serrasalminae, Characidae)

I.5.1. MSc Dissertation by Marta Margarete Cestari (1990): Diferenciação cromossômica no gênero *Serrasalmus* La Cèpede, 1803 e evolução do cariótipo em Serrasalminae (Pisces, Characidae) / Chromosomal differentiation in the genus *Serrasalmus* La Cèpede, 1803 and karyotypic evolution in Serrasalminae (Pisces, Characidae). **Taxa analyzed:** *S. spilopleura* Kner, 1858, *S. humerallis* Valenciennes, 1850, *S. brandti* (Lütken, 1875) – UFSCar / PPGERN / CNPq

I.5.2. PhD Thesis by Marta Margarete Cestari (1996): Estudos citogenéticos e genético-bioquímicos do gênero *Serrasalmus* (Pisces, Serrasalminae) / Cytogenetic and genetic-biochemical studies in the genus *Serrasalmus* (Pisces, Serrasalminae). **Taxa analyzed:** *S. spilopleura*, *S. marginatus* Valenciennes, 1837 -UFSCar / PPGGEv / CAPES

I.5.3. PhD Thesis by Jorge Ivan Rebelo Porto (1999): Análises cariotípicas e sequenciamento de DNA mitocondrial em populações de *Mylesinus paraschomburgkii* (Characiformes, Serrasalminae) da bacia amazônica / Karyotypic analyses and mtDNA sequencing in *Mylesinus paraschomburgkii* populations (Characiformes, Serrasalminae) from the Amazon Basin. **Taxon analyzed:** *M. paraschomburgkii* Jégu, Santos & Ferreira, 1989 – INPA/BADPI/CNPq

I.5.4. PhD Thesis by Celeste Mutuko Nakayama (2007): Citogenética molecular comparativa do DNAr 18S e DNAr 5S em piranhas (Characidae, Serrasalminae) da Amazônia Central / Comparative molecular cytogenetics of the 18S and 5S rDNAs in piranhas (Characidae, Serrasalminae) from the Central Amazon. **Taxa analyzed:** *Serrasalmus altispinnis* Merchx, Jégu & Santos, 2000, *S. elongatus* Kner, 1858, *S. gouldingi* Fink & Machado-Allison, 1992, *S. rhombeus* (Linnaeus, 1766), *S. serrulatus* (Valenciennes, 1850), *S. maculatus* Kner, 1858, *S. cf. rhombeus*, *Pygocentrus nattereri* Kner, 1858, *Pristobrycon striolatus* (Steindachner, 1908), *Catoprion mento* (Cuvier, 1819) – UFSCar / PPGGEv / CNPq

I.6. Family Triportheidae (former Triportheinae, Characidae)

I.6.1. PhD Thesis by José das Neves Falcão (1988): Caracterização cariotípica em peixes do gênero *Triportheus* (Teleostei, Characiformes, Characidae) / Karyotypic characterization of *Triportheus* fish (Teleostei, Characiformes, Characidae). **Taxa analyzed:** *T. signatus* (Garman, 1890), *T. angulatus* (Spix & Agassiz, 1829) (cited as *T. flavus* Cope, 1872), *T. albus* Cope, 1872, *T. culter* (Cope, 1872), *T. auritus* (Valenciennes, 1850) (cited as *T. elongatus* (Günther, 1864) – USP / PPGCB – Gene / CAPES

I.6.2. PhD Thesis by Roberto Ferreira Artoni (1999): Citogenética do sistema de cromossomos sexuais ZZ/ZW no gênero *Triportheus* (Pisces, Characidae) / Cy-

togenetics of the ZZ/ZW sex chromosome system in the genus *Triportheus* (Pisces, Characidae). **Taxa analyzed:** *Triportheus* cf. *auritus*, cited as *T.* cf. *elongatus*, *T. guentheri* (Garman, 1890), *T. nematurus* (Kner, 1858) (cited as *T. paranensis* (Günther, 1874) – UFSCar / PPGGEv / FAPESP

I.6.3. PhD Thesis by Débora Diniz Bezerra (2007): Origem e diferenciação do sistema de cromossomos sexuais ZZ/ZW em *Triportheus* (Characiformes, Characidae). Citogenética, mapeamento de genes ribossomais e microdissecção cromossômica / Origin and differentiation of the ZZ/ZW sex chromosome system in *Triportheus* (Characiformes, Characidae). Cytogenetic mapping of ribosomal genes and chromosomal microdissection. **Taxa analyzed:** *T. nematurus*, *T. guentheri*, *T. trifurcatus* (Castelnau, 1855), *T. auritus*, *T. angulatus*, *T. albus*, *Triportheus* cf. *signatus* – UFSCar / PPGGEv / CNPq

I.6.4. PhD Thesis by Cássia Fernanda Yano (2016): Estudos evolutivos no gênero *Triportheus* (Characiformes, Triportheidae) com enfoque na diferenciação do sistema de cromossomos sexuais ZZ/ZW / Evolutionary studies in the *Triportheus* genus (Characiformes, Triportheidae) focussing on the differentiation of the ZZ/ZW sex chromosome system. **Taxa analyzed:** *T. auritus*, *T. guentheri*, *T. albus*, *Triportheus* aff. *rotundatus* (Jardine, 1841), *T. nematurus*, *T. signatus*, *T. trifurcatus*, *T. pantanensis* Malabarba, 2004 – UFSCar / PPGGEv / CAPES

I.7. Family Curimatidae

I.7.1. PhD Thesis by Eliana Feldberg (1990): Estudos citogenéticos em doze espécies de peixes da família Curimatidae (Characiformes) da Amazônia Central / Cytogenetic studies of twelve Curimatidae species (Characiformes) from the Central Amazon. **Taxa analyzed:** *Potamorhina pristigaster* (Steindachner, 1876), *P. altamazonica* (Cope, 1878), *P. latior* (Spix & Agassiz, 1829), *Curimata ocellata* (Eigenmann & Eigenmann, 1889), *C. vittata* (Kner, 1858), *C. kneri* (Steindachner, 1876), *C. cyprinoides* (Linnaeus, 1766), *Curimata* sp., *Psectrogaster rutiloides* (Kner, 1858), *Curimatella alburna* (Müller & Troschel, 1844), *C. meyeri* (Steindachner, 1882) – INPA / BADPI

I.7.2. MSc Dissertation by Paulo Cesar Venere (1991): Citogenética comparativa de peixes da família Curimatidae (Characiformes) / Comparative cytogenetics of Curimatidae fish (Characiformes). **Taxa analyzed:** *Cyphocharax gilberti* (Quoy et Gaimard, 1824), *C. modestus* (Fernández-Yépez, 1948), *C. nagellii* (Steindachner, 1881), *C. vanderi* (Britski, 1980), *C. voga* (Hensel, 1870), *Cyphocharax* sp., *Steindachnerina elegans* (Steindachner, 1874), *Steindachnerina* sp., *S. insculpta* (Fernández-Yépez, 1948), *Curimatella lepidura* (Eigenmann & Eigenmann, 1889) – UFSCar / PPGERN / CAPES

I.7.3. PhD Thesis by Rosângela Martins de Oliveira (2011): Citogenética clássica e molecular de três espécies de curimatídeos, com ênfase no cromossomo B de *Cyphocharax nagelli* (Characiformes, Curimatidae) / Conventional and molecular cytogenetics in three curimatid species, with emphasis on the B chromosome of *Cyphocharax nagelli* (Characiformes, Curimatidae). **Taxa analyzed:** *C. nagelli*, *C. modestus*, *Steindachnerina insculpta* – UFSCar / PPGGEv / CAPES/CNPq

I.8. Family Crenuchidae (former Characidiinae, Characidae)

I.8.1. MSc Dissertation by Carlos Suetoshi Miyazawa (1991): Estudos citogenéticos em peixes do grupo *Characidium* (Characidiinae, Characidae), de distintas bacias hidrográficas / Cytogenetic studies in *Characidium* (Characidiinae, Characidae) species from different hydrographic basins. **Taxa analyzed:** *C. pterostictum* Gomes, 1947, *Characidium* cf. *zebra* Eigenmann, 1909, *Characidium* cf. *lagosantense* Travassos, 1947, *Characidium* sp. – UFSCar / PPGERN / CAPES

I.9. Family Anostomidae

I.9.1. MSc Dissertation by Carlos Alberto Mestriner (1993): Análise das regiões organizadoras de nucléolo e investigação do sistema XX/XY descrito para *Leporinus lacustris* (Pisces, Anostomidae) / Analyses of the nucleolus organizer regions and investigation of the XX/XY sex system of *Leporinus lacustris* (Pisces, Anostomidae). **Taxon analyzed:** *L. lacustris* Campos, 1945 – UFSCar / PPGGEv / FAPESP

I.9.2. MSc Dissertation by Wagner Franco Molina (1995): Cromossomos sexuais e polimorfismo cromossômico no gênero *Leporinus* (Pisces, Anostomidae) / Sex chromosomes and chromosomal polymorphism in the genus *Leporinus* (Pisces, Anostomidae). **Taxa analyzed:** *L. elongatus* Valenciennes, 1850, *L. obtusidens* (Valenciennes, 1836), *L. reinhardti* Lütken, 1875, *Leporinus* aff. *elongatus* – UFSCar / PPGGEv / CAPES

I.9.3. MSc Dissertation by Cesar Martins (1997): Novas contribuições à citogenética de Anostomidae (Pisces, Characiformes). Citotaxonomia e filogenia no gênero *Schizodon* / New contributions to cytogenetics of Anostomidae (Pisces, Characiformes). Cytotaxonomy and phylogeny of the genus *Schizodon*. **Taxa analyzed:** *S. altoparanae* Garavello & Britski, 1990, *S. nasutus* Kner, 1858, *S. knerii* (Steindachner, 1875), *S. vittatus* (Valenciennes, 1850), *S. fasciatus* Spix & Agassiz, 1829, *S. borelli* (Boulenger, 1900), *S. isognathus* Kner, 1858, *S. intermedius* Garavello & Britski, 1990 – UFSCar / PPGGEv / CNPq

I.9.4. MSc Dissertation by Suelen Regina Lopes Krichanã (1999): Contribuição ao estudo citogenético da família Anostomidae (Pisces, Characiformes) na região Amazônica / Contribution to the cytogenetics of the family Anostomidae (Pisces, Characiformes) from the Amazon region- **Taxa analyzed:** *Laemolita taeniata* (Kner, 1858), *Leporinus agassizii* Steindachner, 1876, *Leporinus cylindriformis* Borodin, 1929, *Leporinus fasciatus*, *Leporinus friderici*, *Leporinus granti* Eigenmann, 1912, *Rhythiodus microlepis*, *Schizodon fasciatus* – UFSCar / PPGGEv

I.9.5. PhD Thesis by Cesar Martins (2000): Organização do DNA ribossômico 5S no genoma de peixes, com ênfase em *Leporinus* / Organization of the 5S rDNA in the fish genome, with emphasis on *Leporinus*. **Taxa analyzed:** *L. elongatus*, *L. obtusidens*, *L. friderici* (Block, 1794), *L. cf. elongatus*, *L. reinhardti*, *L. piau* Fowler, 1941, *L. desmotes* Fowler, 1914, *L. conirostris* Steindachner, 1875, *Schizodon altoparanae*, *S. borelli*, *S. isognathus*, *S. nasutus*, *S. knerii*, *S. vittatus* – UFSCar / PPGGEv / FAPESP

- I.9.6. PhD Thesis by Vladimir Pavan Margarido (2000):** Uma contribuição à citogenética de Anostomidae, com ênfase na variabilidade das regiões organizadoras de nucléolos no gênero *Leporinus* (Pisces, Characiformes) / Contribution to Anostomidae cytogenetics, with emphasis on the variability of the nucleolar organizing regions in the genus *Leporinus* (Pisces, Characiformes). **Taxa analyzed:** *L. copelandii* Steindachner, 1875, *L. conirostris*, *L. desmotes*, *L. elongatus*, *L. cf. elongatus*, *L. fasciatus* (Block, 1794), *L. friderici*, *L. lacustris*, *L. macrocephalus* Garavello and Britski, 1988, *L. mormyrops* Steindachner, 1875, *L. obtusidens*, *L. octofasciatus* Steindacher, 1915, *L. piau*, *L. reinhardti*, *L. striatus* Kner, 1858, *L. taeniatus* Lütken, 1875, *L. tigrinus* Borodin, 1929 – UFSCar / PPGGEv / CNPq
- I.9.7. PhD Thesis by Cecília Teixeira de Aguiar (2001):** Estudos citogenéticos e moleculares em populações brasileiras de *Leporellus vittatus* (Characiformes, Anostomidae) / Cytogenetic and molecular studies in Brazilian populations of *Leporellus vittatus* (Characiformes, Anostomidae). **Taxon analyzed:** *L. vittatus* (Valenciennes, 1850) – UFSCar / PPGGEv / CAPES

II. ORDER SILURIFORMES

II.1. Family Heptapteridae

- II.1.1. MSc Dissertation by Alberto Sergio Fenocchio (1987):** Polimorfismo cromossômico em *Rhamdia hilarii* (Pisces, Heptapteridae citado como Pimelodidae) / Chromosomal polymorphism in *Rhamdia hilarii* (Pisces, Heptapteridae). **Taxon analyzed:** *R. quelen* (Quoy & Gaimard, 1824) (cited as *Rhamdia hilarii* (Valenciennes, 1840) – USP / PPGCB – Gene / CNPq

II.2. Family Loricariidae

- II.2.1. MSc Dissertation by Roberto Ferreira Artoni (1996):** Estudos citogenéticos na família Loricariidae, com especial ênfase no gênero *Hypostomus* Lacepede (1803) – Pisces, Siluriformes / Cytogenetic studies in the family Loricariidae, with special emphasis on the *Hypostomus* genus Lacepede (1803) – Pisces, Siluriformes. **Taxa analyzed:** *H. ancistroides* (Ihering, 1911), *H. regani* (Ihering, 1905), *H. albopunctatus* (Regan, 1908), *Hypostomus* aff. *auroguttatus* Kner, 1854, *Squaliforma emarginata* (Valenciennes, 1840) (cited as *Hypostomus emarginatus* Valenciennes in Cuvier et Valenciennes, 1840), *Hypostomus* sp., *Rhinelepis aspera* Spix & Agassiz, 1829, *Liposarcus* sp., *Pogonopoma wertheimeri* (Steindachner, 1867), *Panaque* cf. *nigrolineatus* (Peters, 1877), *Hemiancistrus* sp., *Sturisoma* cf. *nigrirostrum* Fowler, 1940 -UFSCar / PPGGEv / CNPq
- II.2.2. PhD Thesis by Lúcia Giuliano-Caetano (1998):** Polimorfismo cromossômico Robertsoniano em populações de *Rineloricaria latirostris* (Pisces, Loricariidae) / Robertsonian chromosomal polymorphism in *Rineloricaria latirostris* populations (Pisces, Loricariidae). **Taxa analyzed:** *R. rialatirostris* (Boulenger, 1900), *R. pentamaculata* Langeani & Araujo, 1994 -UFSCar / PPGGEv / CAPES

- II.2.3. MSc Dissertation by Fábio Mendes Camilo (2004):** Estudos citogenéticos de algumas espécies de peixes da família Loricariidae pertencentes à bacia do rio Piracicaba / Cytogenetic studies in Loricariidae fish species from the Piracicaba River basin. **Taxa analyzed:** *Corumbatai acuestae* Britsky, 1997, *Liposarcus anisitsi* (Eigenmann & Kennedy, 1903), *Hypostomus albopunctatus* -UFSCar / PPGGEv
- II.2.4. PhD Thesis by Sandra Mariotto (2008):** Estudo citogenético clássico e molecular em quinze espécies da tribo Ancistrini (Siluriformes, Loricariidae) de três bacias hidrográficas brasileiras / Conventional and molecular cytogenetic studies in 15 Ancistrini species (Siluriformes, Loricariidae) from three Brazilian hydrographic basins. **Taxa analyzed:** *Ancistrus* cf. *dubius* Eigenmann & Eigenmann, 1889, and other not identified *Ancistrus* species – UFSCar / PPGGEv / CNPq / CAPES
- II.2.5. MSc Dissertation by Ernani de Oliveira Mendes Neto (2008):** Estudos citogenéticos em algumas espécies de Loricariidae (Teleostei, Siluriformes) da região de transposição do rio Piumhi para o rio São Francisco / Cytogenetic studies in Loricariidae species (Teleostei, Siluriformes) from the transposition region of the Piumhi River into the São Francisco River. **Taxa analyzed:** *Hypostomus regani*, *Hypostomus* sp.1, *Hypostomus* sp. 2, *Rineloricaria* cf. *latirostris* – UFSCar / PPGGEv / FAPESP
- II.2.6. PhD Thesis by Marceleia Rubert (2011):** Estudos citogenéticos em espécies das tribos Hipostomini e Ancistrini (Loricariidae, Hypostominae) / Cytogenetic studies in Hipostomini and Ancistrini species (Loricariidae, Hypostominae). **Taxa analyzed:** *Ancistrus brevipinnis* (Regan, 1904), *A. multispinis* (Regan, 1912), *Hemiancistrus punctulatus* Cardoso & Malabarba, 1999, *Hypostomus albopunctatus*, *H. cochiodon* Kner, 1854, *H. commersoni* Valenciennes, 1836, *H. heraldoi* Zawadzki, Weber & Pavanelli, 2008, *H. hermanni* (Ihering, 1905), *H. iheringii* (Regan, 1908), *H. mutuae* Knaack, 1999, *H. nigromaculatus* (Schubart, 1964), *H. paulinus* (Ihering, 1905), *H. aff. paulinus*, *H. regani*, *H. strigaticeps* (Regan, 1908) – UFSCar / PPGGEv / CAPES / CNPq
- II.2.7. MSc Dissertation by Josiane Baccarin Traldi (2012):** Citogenética comparativa em espécies de *Hypostomus* (Siluriformes, Loricariidae, Hypostominae). Contribuição da fração repetitiva do genoma para a diversidade cromossômica do grupo / Comparative cytogenetics in *Hypostomus* species (Siluriformes, Loricariidae, Hypostominae). Contribution of the repetitive genomic fraction to chromosomal diversity. **Taxa analyzed:** *H. ancistroides*, *H. iheringii*, *H. nigromaculatus*, *H. tapijara* Oyakawa, Akama & Zanata, 2005 – UFSCar / PPGGEv / FAPESP
- II.2.8. PhD Thesis by Daniel Rodrigues Blanco (2012):** Estudos citogenéticos clássicos e moleculares em espécies do gênero *Harttia* (Siluriformes, Loricariidae), com enfoque no papel dos DNAs repetitivos na evolução cariotípica do grupo / Conventional and molecular cytogenetic studies in *Harttia* species (Siluriformes, Loricariidae), focusing on the role of repetitive DNAs in the karyotypic evolution. **Taxa analyzed:** *H. loricariformes* Steindachner, 1877, *H. longipinna* Langeani, Oyakawa & Montoya-Burgos, 2001, *H. kronei* Miranda Ribeiro, 1908, *H. gracilis* Oyakawa, 1993, *H. punctata* Rapp Py-Daniel & Oliveira, 2001, *H. torrenticola* Oyakawa, 1993, *H. carvalhoi* Miranda Ribeiro, 1939 – UFSCar / PPGGEv / FAPESP

II.3. Family Auchenipteridae

II.3.1. MSc Dissertation by Roberto Laridondo Lui (2010): Análises comparativas citogenéticas e do DNA mitocondrial em *Parauchenipterus galeatus* Bleeker, 1862 (Siluriformes, Auchenipteridae) coletados no alto rio Paraná, no alto rio São Francisco e no rio Piumhi: um enfoque biogeográfico / Cytogenetic and mtDNA comparative analyses in *Parauchenipterus galeatus* Bleeker, 1862 (Siluriformes, Auchenipteridae) from the upper Paraná, Upper São Francisco and Piumhi Rivers: a biogeographical focus. **Taxon analyzed:** *Trachelyopterus galeatus* (Linnaeus, 1766) [cited as *P. galeatus* (Linnaeus, 1766)] – UFSCar / PPGGEv / FAPESP

II.3.2. PhD Thesis by Roberto Laridondo Lui (2012): Estudos evolutivos em Auchenipteridae (Siluriformes): citogenética, DNA mitocondrial e DNA satélite / Evolutionary studies in Auchenipteridae (Siluriformes): cytogenetics, mtDNA and satellite DNA. **Taxa analyzed:** *Ageneiosus inermis* (Linnaeus, 1766), *Glanidium ribeiroi* (Haseman, 1911), *Trachelyopterus galeatus* (cited as *Parauchenipterus galeatus*), *Trachelyopterus striatulus* (Steindachner, 1877) [cited as *Parauchenipterus striatulus* (Steindachner, 1877)], *Trachelyopterus* sp., *T. neivai* (Ihering, 1930), *Tatia jaracatia* Pavanelli & Bifi, 2009- UFSCar / PPGGEv / FAPESP

III. ORDER PERCIFORMES

III.1. Family Cichlidae

III.1.1. MSc Dissertation by Eliana Feldberg (1983): Estudos citogenéticos em 10 espécies da família Cichlidae (Pisces, Perciformes) / Cytogenetic studies in ten Cichlidae species (Pisces, Perciformes). **Taxa analyzed:** *Astronotus ocellatus* (Agassiz, 1831), *Cichlasoma facetum* (Jenyns, 1842), *Chaetobranchopsis australe* Eigenmann & Ward, 1907, *Crenicichla lacustris* (Castelnau, 1855), *C. lepidota* Keckel, 1840, *C. vittata* Heckel, 1840, *C. semifasciata* (Heckel, 1840) (cited as *Batrachops semifasciatus* Heckel, 1840), *Geophagus brasiliensis* (Quoy & Gaimard, 1824), *G. surinamensis* (Block, 1791), *Gymnogeophagus balzanii* (Perugia, 1891) -UFSCar / PPGERN / CAPES

III.2. Family Serranidae

III.2.1. MSc Dissertation by Cecilia Teixeira Aguilar (1993): Estudos citogenéticos em peixes da família Serranidae (Osteichthyes- Perciformes) ocorrentes na Baía de Guanabara – RJ / Cytogenetic studies in fishes of the family Serranidae (Osteichthyes-Perciformes) from the Guanabara Bay – RJ. **Taxa analyzed:** *Diplectrum radiale* (Quoy & Gaimard, 1824), *D. formosum* (Linnaeus, 1766), *Epinephelus marginatus* (Lowe, 1834) (cited as *Epinephelus guaza*; not of Linnaeus, 1758), *Mycteroperca rubra* (Bloch, 1793), *Serranus flaviventris* (Cuvier, 1829) – UFRJ / PPGCB – Gene / CAPES

III.3. Family Pomacentridae

III.3.1. PhD Thesis by Wagner Franco Molina (2000): Análise da diversidade genética na família Pomacentridae (Pisces, Perciformes), utilizando métodos combinados de citogenética, marcadores moleculares e morfometria / Analysis of the genetic diversity in the family Pomacentridae (Pisces, Perciformes), employing cytogenetic, molecular and morphometric methods. **Taxa analyzed:** *Stegastes fuscus* (Cuvier, 1830), *S. variabilis* (Castelnau, 1855), *S. leucostictus* (Müller & Troschel, 1848), *S. pictus* (Castelnau, 1855), *S. rocasensis* (Emery, 1972), *S. sanctipauli* Lubbock & Edwards, 1981, *Abudefduf saxatilis* (Linnaeus, 1758), *Chromis multilineata* (Guichenot, 1853), *C. insolata* (Cuvier, 1830), *C. flavicauda* (Günther, 1880), *Microspathodon chrysurus* (Cuvier, 1830), *Amphiprion frenatus* Brevoort, 1856 – UFSCar / PPGGEv / CAPES

IV. ORDER OSTEOGLOSSIFORMES

IV.1. Family Arapaimidae

IV.1.1. PhD Thesis by Débora Karla Marques (2003): Caracterização genética do pirarucu, *Arapaima gigas* (Teleostei, Arapaimidae) / Genetic characterization of the pirarucu, *Arapaima gigas* (Teleostei, Arapaimidae). **Taxon analyzed:** *A. gigas* (Schinz, 1822) – UFSCar / PPGGEv

V. MISCELANEOUS GROUPS

V.1. MSc Dissertation by José das Neves Falcão (1983): Estudos citogenéticos em Acestrorhynchinae e Cynopotaminae (Pisces, Characidae) / Cytogenetic studies in Acestrorhynchinae and Cynopotaminae (Pisces, Characidae). **Taxa analyzed:** Order Characiformes – Family Acestrorhynchidae: *Acestrorhynchus altus* Menezes, 1969, *A. lacustris* (Lütken, 1875), Family Characidae: *Galeocharax knerii* (Steindacher, 1879), *Oligosarcus hepsetus* (Cuvier, 1829), *O. jenynsii* (Günther, 1864), *Oligosarcus* sp., *O. pintoi* Amaral Campos, 1945 (cited as *Paroligosarcus pintoi*) – USP / PPGCB – Gene / CAPES

V.2. PhD Thesis by Mario Jorge Ignacio Brum (1994): A evolução cariotípica dos teleósteos marinhos e suas correlações com a filogenia deste grupo / Karyotype evolution of marine teleosts and its correlation with the phylogeny of the group. **Taxa analyzed** – Order Clupeiformes – Family Clupeidae: *Brevoortia aurea* (Spix & Agassiz, 1829); Order Perciformes–Family Haemulidae: *Orthopristis ruber* (Cuvier, 1830); Family Blenniidae: *Scartella cristata* (Linnaeus, 1758) – Order Tetraodontiformes – Family Tetraodontidae: *Sphaeroides greeleyi* Gilbert, 1900 – UFSCar / PPGGEv

V.3. MSc Dissertation by Lilian Cristina Jorge (1995): Estudos citogenéticos comparativos de algumas espécies de peixes da região de Corrientes (Argentina) com as do Alto Paraná / Comparative cytogenetic studies of some fish species from the

Corrientes region (Argentina) with those of the upper Paraná River basin. **Taxa analyzed** – Order Characiformes – Family Characidae: *Astyanax bimaculatus*; Family Parodontidae: *Apareiodon affinis*; Family Anostomidae: *Leporinus obtusidens*; Family Erythrinidae: *Hoplias malabaricus*, *Hoplerythrinus unitaeniatus* – UFSCar / PPGGEv / FAPESP.

V.4. MSc Dissertation by Margareth Maria de Oliveira Correa (1995): Contribuição à citotaxonomia dos Scorpaeniformes (Osteichthyes-Teleostei). Estudos citogenéticos em espécies do litoral do Rio de Janeiro, Brasil / Contribution to the cytotaxonomy of Scorpaeniformes (Osteichthyes-Teloestei). Cytogenetic studies in coastal species from Rio de Janeiro, Brazil. **Taxa analyzed** – Order Scorpaeniformes–Family Dactylopteridae: *Dactylopterus volitans* (Linnaeus, 1758); Family Scorpaenidae: *Scorpaena brasiliensis* Cuvier, 1829; *S. isthmensis* Meek & Hildebrand, 1928; Family Triglidae: *Prionotus punctatus* (Block, 1793) – UFRJ / PPGCB-Ecol / CNPq

V.5. PhD Thesis by Carlos Suetoshi Miyazawa (1997): Citogenética de caracídeos do rio Paraguai. Análises citotaxonômica-evolutivas e considerações biogeográficas / Cytogenetics of characids from the Paraguay River. Cytotaxonomic and evolutionary analyses and biogeographical considerations. **Taxa analyzed:** Order Characiformes – Family Acestrorhynchidae: *Acestrochynchus pantaneiro* Menezes, 1992; Family Serrasalminidae: *Metynniss maculatus* (Kner, 1858), *Myleus levis* (Eigenmann & McAtee, 1907) (cited as *Myloplus levis*); Family Characidae: *Poptella paraguayensis* (Eigenmann, 1907), *Tetragonopterus argenteus* (Cuvier, 1816), *Roeboides* sp.; *Astyanax* cf. *abramis* (Jenyns, 1842), *Markiana nigripinnis* (Perugia, 1891), *Gymnocorymbus ternetzi* (Boulenger, 1895), *Moenkhausia dichrourea* (Kner, 1858); Family Triportheidae: *Triportheus* sp., Family Gasteropelecidae: *Thoracocharax stellatus* (Kner, 1858) – UFSCar / PPGGEv / CAPES

V.6. PhD Thesis by Paulo Cesar Venere (1998): Diversificação cariotípica em peixes do médio rio Araguaia, com ênfase em Characiformes e Siluriformes (Teleostei, Ostariophysi) / Karyotype diversification in fishes from the middle Araguaia River, with emphasis on Characiformes and Siluriformes (Teleostei, Ostariophysi). **Taxa analyzed:** Order Characiformes – Family Anostomidae: *Leporinus friderici*, *L. trifasciatus* Steindachner, 1876, *Leporinus* sp., *Leporinus* aff. *brunneus* Myers, 1950, *Laemolyta petiti* Géry, 1964; Family Prochilodontidae: *Prochilodus nigricans*; Family Chilodontidae: *Caenotropus labyrinthicus* (Kner, 1858); Family Curimatidae: *Steindachnerina amazônica* (Steindachner, 1911), *S. gracilis* Vari & Williams Vari, 1989, *Curimata inornata* Vari, 1989, *Psectrogaster amazônica* Eigenmann & Eigenmann, 1889; Family Hemiodontidae: *Hemiodus* aff. *ternetzi* Myers, 1927, *H. unimaculatus* (Bloch, 1794), *Bivibranchi avelox* (Eigenmann & Myers, 1927); Family Characidae: *Roeboides* sp., *Galeocharax gulo* (Cope, 1870), *Exodon paradoxus* Müller & Troschel, 1844; Order Siluriformes – Family Doradidae: *Hassar wilderi* Kindle, 1895, *Leptodoras acipenserinus* (Günther, 1868), *Opsodoras* sp., *Rinodoras* sp.; Family Auchenipteridae: *Trachelyopterus* aff. *galeatus* (cited as *Parauchenipterus* aff. *galeatus*); Family Callichthyidae: *Megalechis thoracata* (Valenciennes, 1840),

cited as *Megalechis personata* (Ranzani, 1841); Family Gymnotidae: *Gymnotus* aff. *carapo* Linnaeus, 1758 – UFSCar / PPGGEv / CAPES

- V.7. MSc Dissertation by Paulo Roberto Antunes de Mello Affonso (2000):** Caracterização citogenética de peixes de recifes de corais das famílias Pomacanthidae e Chaetodontidae (Perciformes) / Cytogenetic characterization of coral reef fishes of the Pomacanthidae and Chaetodontidae families (Perciformes). **Taxa analyzed:** Order Perciformes – Family Pomacanthidae: *Centropigea urantonotus* Burgess, 1974, *Holocanthus ciliaris* (Linnaeus, 1758), *H. tricolor* (Block, 1795), *Pomacanthus arcuatus* (Linnaeus, 1758), *P. paru* (Block, 1787); Family Chaetodontidae: *Chaetodon striatus* Linnaeus, 1758 – UFSCar / PPGGEv / CNPq
- V.8. MSc Dissertation by Marilza Barbosa de Almeida Marques (2002):** Estudos citogenéticos em *Conorhynchus conirostris* e *Lophiosilurus alexandri* (Siluriformes), espécies endêmicas do rio São Francisco / Cytogenetic studies in *Conorhynchus conirostris* and *Lophiosilurus alexandri* (Siluriformes), endemic species from the São Francisco River. **Taxa analyzed:** Order Siluriformes – Family Pimelodidae: *C. conirostris* (Valenciennes, 1840); Family Pseudopimelodidae: *L. alexandri* Steindachner, 1876 – UFSCar / PPGGEv
- V.9. MSc Dissertation by Karine Frehner Kavalco (2003):** Contribuição citogenética à análise da biodiversidade da ictiofauna das nascentes do rio Paraitinga. / Cytogenetic contribution to the biodiversity analysis of the fish fauna from the headwaters of the Paraitinga River. **Taxa analyzed:** Order Siluriformes – Family Loricariidae: *Harttia loricariformes* Steindachner, 1877, *Neoplecostomus microps* (Steindachner, 1877), *Hypostomus affinis* (Steindachner, 1877), *Upsilon* sp.; Order Characiformes – Family Characidae: *Astyanax scabripinnis*, *A. parahybae* Eigenmann, 1908, *A. intermedius* Eigenmann, 1908, *A. giton* Eigenmann, 1908, *Oligosarcus hepsetus* – UFSCar / PPGGEv / FAPESP
- V.10. PhD Thesis by Liano Centofante (2003):** Citogenética comparativa entre ictiofaunas isoladas por um divisor de águas em regiões limítrofes de duas bacias hidrográficas na Serra da Mantiqueira / Comparative cytogenetics of fish fauna from neighboring regions of two hydrographic basins isolated by a watershed in the Serra da Mantiqueira. **Taxa analyzed:** Order Siluriformes – Family Loricariidae: *Harttia carvalhoi* Miranda Ribeiro, 1939; Family Heptapteridae: *Rhamdia* sp.; Order Characiformes – Family Characidae – *Astyanax parahybae*, *A. fasciatus*, *Hyphessobrycon anisitsi* (Eigenmann, 1907); Family Parodontidae: *Parodon nasus* (cited as *P. tortuosus*), *P. moreirai* Ingenito & Buckup, 2005 (cited as *Parodon* sp); Family Crenuchidae: *Characidium gomesi* Travassos, 1956, *C. cf. zebra* Eigenmann, 1909, *C. lauroi* Travassos, 1949, *C. cf. alipioi* Travassos, 1955 – UFSCar / PPGGEv / CNPq / CAPES
- V.11. MSc Dissertation by Caroline Garcia (2005):** Contribuições aos estudos citogenéticos em algumas espécies de cinco famílias de Siluriformes do rio São Francisco / Contributions to cytogenetics of some species of three Siluriformes families from the São Francisco River. **Taxa analyzed:** Order Siluriformes – Family Auchenipteridae: *Trachelyopterus galeatus* (cited as *Paurachenipterus galeatus*), *T. leo-*

pardinus (Borodin, 1927) cited as *Paurachenipterus leopardinus* (Borodin, 1927); Family Doradidae: *Fransciscodoras marmoratus* (Lütken, 1874); Family Heptapteridae: *Rhamdia quelen*; Family Pimelodidae: *Pimelodus fur* (Lütken, 1874), *P. maculatus* Lacepède, 1803, *Pimelodus* sp., *Zungaru zungaru* (Humboldt, 1821) cited as *Pseudopimelodus zungaru* (Humboldt, 1821) – UFSCar / PPGGEv / FAPESP

V.12. PhD Thesis by Marcelo Ricardo Vicari (2006): Diversidade de peixes residentes em cabeceiras de rios. Uma abordagem cromossômica em três diferentes biomas aquáticos da região Sul do Brasil / Fish diversity from river headwaters. A chromosomal approach in three biomes from South Brazil. **Taxa analyzed:** Order Siluriformes – Family Callichthyidae: *Corydoras paleatus* (Jenyns, 1842), *C. ehrhardti* Steindachner, 1910; Order Characiformes – Family Parodontidae: *Apareiodon* sp.; Family Characidae: *Astyanax scabripinnis*, *A. janeiroensis* Eigenmann, 1908; Family Crenuchidae: *Characidium* cf. *gomesi*; Order Perciformes – Family Cichlidae: *Geophagus brasiliensis*, *Australoheros facetus* (Jenyns, 1842) cited as *Cichlasoma facetum* (Jenyns, 1842) – UFSCar / PPGGEv / FAPESP

V.13. MSc Dissertation by Maressa Ferreira Neto (2008): Análise citogenética em algumas espécies de peixes de uma região divisora de águas entre riachos de bacias hidrográficas distintas / Cytogenetic analysis in fish species from a dividing water region of streams belonging to different river basins. **Taxa analyzed:** Order Characiformes – Family Characidae: *Astyanax altiparanae*, *A. fasciatus*, *Moenkhausia sancta filomenae*; Family Curimatidae: *Cyphocarax modestus*; Family Prochilodontidae: *Prochilodus lineatus*; Order Gymnotiformes – Family Gymnotidae: *Gymnotus carapo* Linnaeus, 1758; Family Sternopygidae: *Eigenmannia* sp.; Order Perciformes – Family Cichlidae: *Geophagus brasiliensis* – UFSCar / PPGGEv / CAPES / CNPq

V.14- PhD Thesis by Elisângela Bellafronte da Silva (2009): Citogenética clássica e molecular em peixes Neotropicais. Estudos comparativos entre bacias hidrográficas com ênfase em região de transposição de rio / Conventional and molecular cytogenetics in Neotropical fishes. Comparative studies among river basins with emphasis on a river transposition region. **Taxa analyzed:** Order Gymnotiformes – Family Gymnotidae: *Gymnotus carapo*, *G. silvius* Albert & Fernandes-Matioli, 1999; Family Sternopygidae: *Eigenmannia virescens* (Valenciennes, 1836), *Eigenmannia* sp. – UFSCar / PPGGEv / CNPq / CAPES

V.15. PhD Thesis by Daniel Luis Zanella Kantek (2010): Citogenética de espécies de Siluriformes da região de transposição do rio Piumhi (MG) / Cytogenetics of Siluriformes species from the transposition region of the Piumhi River (MG). **Taxa analyzed:** Order Siluriformes – Family Auchenipteridae: *Trachelyopterus galeatus* (cited as *Parauchenipterus galeatus*); Family Pimelodidae: *Pimelodus pohli* Ribeiro & Lucena, 2006; Family Heptapteridae: *Imparfinis schubarti* (Gomes, 1956); *Cetopsorhamdia iheringi* Schubart & Gomes, 1959, *Pimelodella vittata* (Lütken, 1874), *Rhamdia* sp. A, *Rhamdia* sp. B, *Rhamdiopsis* cf. *microcephala* (Lütken, 1874), Family Trichomycteridae: *Trichomycterus brasiliensis* Lütken, 1874 – UFSCar / PPGGEv / CNPq / CAPES

Final remarks

Two general trends were found among the Neotropical fishes regarding the karyotype evolution. In fact, a significant number of families were characterized by conservative karyotypes, in contrast to others with highly divergent ones. Parodontidae, Anostomidae and Prochilodontidae species, for example, exhibit relatively homogeneous karyotypes at the macrostructural level, contrasting with the high chromosomal diversity found among Erythrinidae and Characidae species (Bertollo et al. 1986). It is noteworthy that karyotype features appear to be correlated with their lifestyle and ecological habits, since more dispersive and migratory species usually disclose more stable karyotypes when compared to those with low vagility and organized in small local populations (Bertollo et al. 1986; Blanco et al. 2011; Oliveira et al. 2015). Indeed, many local populations were evidenced as having particular karyotypes, pointing to a large number of species complexes and the cryptic biodiversity present in the Neotropical fish fauna, as especially highlighted in the Characidae and Erythrinidae families (Moreira-Filho and Bertollo 1991; Bertollo 2007; Cioffi et al. 2012a). In fact, many sympatric, or even syntopic, karyomorphs do not indicate hybridization at the chromosomal level, indicating the absence of gene flow among them and, consequently, corroborating the status of species complexes for some current nominal species (Bertollo et al. 2000).

Reports on chromosomal polymorphisms (Giuliano-Caetano and Bertollo 1988; Vicari et al. 2003; Pazza et al. 2006, 2008; Mariotto et al. 2009), natural triploidy (Morelli et al. 1983; Venere and Galetti Jr. 1985; Giuliano-Caetano and Bertollo 1990; Centofante et al. 2001; Garcia et al. 2003) and broad karyotype evolution by centric fissions (Feldberg et al. 1993), were also emphasized for distinct fish groups. Noteworthy is also the cytogenetic contribution for biogeographical analyzes, clarifying the current fish fauna distribution in some important Brazilian river basins. In this sense, native species, as well as invasive ones due to dispersal events or breakdown of geographic isolation, were clearly identified by chromosomal investigations (Peres et al. 2009; Blanco et al. 2010; Silva et al. 2010; Perez et al. 2012). As a significant example, *Astyanax bimaculatus* from two important Brazilian watersheds, namely the São Francisco and Grande rivers share similar morphological characteristics. However, specimens from each one of such rivers were well characterized by their particular chromosomal features. In the early 1960s, a tributary of the Grande River was artificially transposed into the São Francisco river basin, with the consequent breakdown of the geographic isolation of their respective fish fauna. As a consequence, cytogenetic investigation was able to identify representatives of *A. bimaculatus* from both basins living in sympatry in the transposition region, as well as individuals with intermediate karyotypes in view of the resulting secondary hybrid zone in such region (Peres et al. 2012).

Over the years, a particular emphasis has been directed on the characterization and the evolutionary process of sex chromosomes. A larger number of Neotropical fish species with well differentiated sex chromosomes occur in comparison to other world regions (Moreira-Filho et al. 1993), carrying simple (ZZ/ZW, XX/XY) and multiple

($X_1X_1X_2X_2/X_1X_2Y$, XX/XY_1Y_2 , ZZ/ZW_1W_2) sex chromosome systems (Centofante et al. 2002; Cioffi et al. 2012b), in addition to some others disclosing a nascent or early stage of differentiation (Cioffi and Bertollo 2010; Freitas et al. in press). Usually, sex chromosomes occur as a particular feature for some species within a specific fish group, as exemplified in the Erythrinidae, Parodontidae, Anostomidae and Crenuchidae families (Galetti Jr. et al. 1981, 1995; Moreira-Filho et al. 1985, 1993; Molina et al. 1998; Centofante et al. 2001, 2003; Bertollo et al. 2000; Bertollo 2007; Vicari et al. 2008; Cioffi et al. 2013). As a singular exception, all species of the *Triportheus* genus (Triportheidae) share a same ZZ/ZW sex chromosome system (Artoni et al. 2001, 2002; Diniz et al. 2008), constituting a special model to investigate the evolution of the sex chromosomes among lower vertebrates. The modern molecular cytogenetics was a key step for understanding the evolutionary process of the sex chromosomes among fishes. This way, the significative role of several classes of repetitive DNAs in the differentiation path of the sex pair, both at its inicial stage (Cioffi and Bertollo 2010; Freitas et al. 2017) or more advanced ones (Cioffi et al. 2010, 2011a, b, 2012b; Yano et al. 2014a, b), was clearly highlighted. Notably, whole chromosome painting (WCP) and comparative genomic hybridization (CGH) were able to demonstrate that fish sex chromosomes can have an independent origin even among closely related species (Cioffi et al. 2011c, d; 2013) or, alternatively, a common origin within particular monophyletic groups (Yano et al. 2016).

Besides sex chromosomes, supernumerary or B chromosomes comprise another special feature that stands out in the Neotropical fishes. Such additional elements can be i) as large as the biggest chromosome pair of the karyotype, ii) medium-sized, iii) very small iv) or even characterized as microchromosomes. Two particular models, represented by *Astyanax scabripinnis* and *Prochilodus lineatus*, have been subjected to continuous analyses over years. *A. scabripinnis* has some morphologically differentiated B chromosomes, although a large and similar in size to the first chromosome pair of the karyotype is the most frequent one (Moreira-Filho et al. 2004). Its origin as an isochromosome was demonstrated by both standard and molecular cytogenetic, including meiotic data (Vicente et al. 1996; Mestriner et al. 2000). A continuous population analysis showed that Bs display a particular dynamism related to environmental and sex conditions in *A. scabripinnis*. Indeed, it is noteworthy their gradual decrease in frequency from higher to lower altitudes, until the complete absence in the latter ones (Néo et al. 2000). In addition, an evident sex ratio distortion is associated with these chromosomes. In fact, the mean number of Bs in males is only about 27% of the female one, which matches the male population frequency (Vicente et al. 1996), suggesting that B chromosomes may play a role on sex determination in this species.

Constrasting with *A. scabripinnis*, *P. lineatus* bears a number of very small B chromosomes (Pauls and Bertollo 1983), which also have an intraspecific origin as indicated by molecular cytogenetic and chromosomal banding (Jesus et al. 2003; Artoni et al. 2006). Remarkably, the frequency of these chromosomes was changed over years in close association with their transmission dynamics. In this sense, the average number of Bs increased twice along a time period indicating an accumulation mechanism, but

without evidences of additional changes after that. Significantly, the mitotic instability of Bs declined almost 400 times during this same period, reaching a stable transmission. This way, it is likely that the mitotic stabilization was a key process for neutralizing the accumulation process (Cavallaro et al. 2000).

Nowadays, many of such issues so far investigated, in addition to additional approaches on fish biology, are going in advancing in the light of chromosomal, cytogenomic and molecular methodologies currently available. It is hoped that these procedures can provide additional and important advances for the Neotropical fish fauna evolutionary history.

Acknowledgments

We would like to thank the Brazilian agencies Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP) and Coordenação de Aperfeiçoamento de Pessoal de Nível Superior (CAPES) for financial support in all these years. We are grateful to all students and staff who were part of the Laboratory of Fish Cytogenetics and thus responsible for the MSc and PhD theses listed here. Thanks also to Brazilian and international colleagues for collaborations in several of our researches and published articles.

References

- Artoni RF, Bertollo LAC (2002) Evolutionary aspects of the ZZ/ZW sex chromosome system in the Characidae fish, genus *Triportheus*. A monophyletic state and NOR location on the W chromosome. *Heredity* 89: 15–19. <https://doi.org/10.1038/sj.hdy.6800081>
- Artoni RF, Neves JNF, Moreira-Filho O, Bertollo LAC (2001) An uncommon condition for a sex chromosome system in Characidae fish. Distribution and differentiation of the ZZ/ZW system in *Triportheus*. *Chromosome Research* 9: 449–456. <https://doi.org/10.1023/A:1011620226348>
- Artoni RF, Vicari MR, Endler AL, Cavallaro ZI, Jesus CM, Almeida MC, Moreira-Filho O, Bertollo LAC (2006) Banding pattern of A and B chromosomes of *Prochilodus lineatus* (Characiformes, Prochilodontidae), with comments on B chromosomes evolution. *Genetica* 127: 277–284. <https://doi.org/10.1007/s10709-005-4846-1>
- Bertollo LAC (2007) Chromosome evolution in the Neotropical Erythrinidae fish family: an overview. In: Pisano E, Ozouf-Costaz C, Foresti F, Kapoor BG (Org) *Fish Cytogenetics*. 1ed. Enfield, New Hampshire, Science Publishers, 195–211.
- Bertollo LAC, Moreira-Filho O, Galetti Jr PM (1986) Cytogenetics and taxonomy: considerations based on chromosome studies of freshwater fish. *Journal of Fish Biology* 28: 153–159. <https://doi.org/10.1111/j.1095-8649.1986.tb05153.x>
- Bertollo LAC, Cioffi MB, Moreira-Filho O (2015) Direct chromosome preparation from freshwater teleost fishes. In: Ozouf-Costaz C, Pisano E, Foresti F, Almeida Toledo LF (Org) *Fish*

- Cytogenetic Techniques (Chondrichthyans and Teleosts). 1ed. CRC Press, Enfield, Boca Raton, 21–26. <https://doi.org/10.1201/b18534-4>
- Bertollo LAC, Born GG, Dergam JA, Fenocchio AS, Moreira-Filho O (2000) A biodiversity approach in the Neotropical fish, *Hoplias malabaricus*. Karyotypic survey, geographic distribution of cytotypes and cytotaxonomic considerations. *Chromosome Research* 8: 603–613. <https://doi.org/10.1023/A:1009233907558>
- Blanco DR, Lui RL, Bertollo LAC, Diniz D, Moreira-Filho O (2010) Characterization of invasive fish species in a river transposition river: evolutionary chromosome studies in the genus *Hoplias* (Characiformes, Erythrinidae). *Reviews in Fish Biology and Fisheries* 20: 1–8. <https://doi.org/10.1007/s11160-009-9116-3>
- Blanco DR, Lui RL, Vicari MR, Bertollo LAC, Moreira-Filho O (2011) Comparative cytogenetics of giant trahiras *Hoplias aimara* and *H. intermedius* (Characiformes, Erythrinidae): Chromosomal characteristics of minor and major ribosomal DNA and cross-species repetitive centromeric sequences mapping differ among morphologically identical karyotypes. *Cytogenetics and Genome Research* 132: 71–78. <https://doi.org/10.1159/000320923>
- Cavallaro ZI, Bertollo LAC, Perfectti F, Camacho JPM (2000) Frequency increase and mitotic stabilization of B chromosomes in the fish *Prochilodus lineatus*. *Chromosome Research* 8: 627–634. <https://doi.org/10.1023/A:1009242209375>
- Centofante L, Bertollo LAC, Moreira-Filho O (2001) Comparative cytogenetics among sympatric species of *Characidium* (Pisces, Characiformes). Diversity analysis with the description of a ZZ/ZW sex chromosome system and natural triploidy. *Caryologia* 54: 253–260. <https://doi.org/10.1080/00087114.2001.10589233>
- Centofante L, Bertollo LAC, Moreira-Filho O (2002) A ZZ/ZW sex chromosome system in a new species of the genus *Parodon* (Pisces, Parodontidae). *Caryologia* 55: 139–150. <https://doi.org/10.1080/00087114.2002.10589270>
- Centofante L, Bertollo LAC, Buckup PA, Moreira-Filho O (2003) Chromosomal divergence and maintenance of sympatric *Characidium* species (Crenuchidae, Characidiinae). *Hereditas* 138: 213–218. <https://doi.org/10.1034/j.1601-5223.2003.01714.x>
- Cioffi MB, Bertollo LAC (2010) Initial steps in XY chromosome differentiation in *Hoplias malabaricus* and the origin of an X1X2Y sex chromosome system in this fish group. *Heredity* 105: 554–561. <https://doi.org/10.1038/hdy.2010.18>
- Cioffi MB, Martins C, Vicari MR, Rebordinos L, Bertollo LAC (2010) Differentiation of the XY sex chromosomes in the fish *Hoplias malabaricus* (Characiformes, Erythrinidae): Unusual accumulation of repetitive sequences on the X chromosome. *Sexual Development* 4: 176–185. <https://doi.org/10.1159/000309726>
- Cioffi MB, Camacho JPM, Bertollo LAC (2011a) Repetitive DNAs and differentiation of sex chromosomes in Neotropical fishes. *Cytogenetic and Genome Research* 132: 188–194. <https://doi.org/10.1159/000321571>
- Cioffi MB, Kejnovsky E, Bertollo LAC (2011b) The chromosomal distribution of microsatellite repeats in the wolf fish genome *Hoplias malabaricus*, focusing on the sex chromosomes. *Cytogenetic and Genome Research* 132: 289–296. <https://doi.org/10.1159/000322058>
- Cioffi MB, Sánchez A, Marchal JA, Kosyakova N, Liehr R, Trifonov V, Bertollo LAC (2011c) Cross-species chromosome painting tracks the independent origin of multiple sex chromo-

- somes in two cofamiliar Erythrinidae fishes. BMC Evolutionary Biology 11: 186. <https://doi.org/10.1186/1471-2148-11-186>
- Cioffi MB, Sánchez A, Marchal JA, Kosyakova N, Liehr T, Trifonov V, Bertollo LAC (2011d) Whole chromosome painting reveals independent origin of sex chromosomes in closely related forms of a fish species. *Genetica* 139: 1065–1072. <https://doi.org/10.1007/s10709-011-9610-0>
- Cioffi MB, Molina WF, Artoni RF, Bertollo LAC (2012a) Chromosomes as tools for discove-
ring biodiversity. The case of Erythrinidae fish family. In: Tirunilai P (Org) Recent Trends in
Cytogenetic Studies. Methodologies and Applications. Intech, Rijeka, 125–146.
- Cioffi MB, Moreira-Filho O, Almeida-Toledo LF, Bertollo LAC (2012b) The contrasting role of het-
erochromatin in the differentiation of sex chromosomes: an overview from Neotropical fishes.
Journal of Fish Biology 80: 2125–2139. <https://doi.org/10.1111/j.1095-8649.2012.03272.x>
- Cioffi MB, Liehr T, Trifonov V, Molina WF, Bertollo LAC (2013) Independent sex chro-
mosome evolution in lower vertebrates: A molecular cytogenetic overview in the Eryth-
rinidae fish family. *Cytogenetic and Genome Research* 141: 186–194. <https://doi.org/10.1159/000354039>
- Diniz D, Laudicin A, Cioffi MB, Bertollo LAC (2008) Microdissection and whole chromosome
painting. Improving sex chromosome analysis in *Triportheus* (Teleostei, Characiformes).
Cytogenetic and Genome Research 122: 163–168. <https://doi.org/10.1159/000163094>
- Feldberg E, Porto JIR, Bertollo LAC, Nakayama C (1993) Karyotype evolution in Curimatidae
(Teleostei, Characiformes) from the Amazon region. II. Centric fissions in the genus *Pota-
morhina*. *Genome* 36: 372–376. <https://doi.org/10.1139/g93-051>
- FishBase: www.fishbase.org, version 10/2016.
- Freitas NL, Al-Rikabi ABH, Bertollo LAC, Ezaz T, Yano CF, Oliveira EA, Hatanaka T, Cioffi
MB (in press) A cryptically differentiated XX/XY sex chromosome system in the fish *Hop-
lias malabaricus* (Characiformes, Erythrinidae) revealed by DNA repeats accumulation on
the young Y chromosome. *Current Genomic*.
- Galetti Jr PM, Foresti F, Bertollo LAC, Moreira-Filho O (1981) Heteromorphic sex chromo-
somes in three species of the genus *Leporinus* (Pisces, Anostomidae). *Cytogenetics and Cell
Genetics* 29: 138–142. <https://doi.org/10.1159/000131562>
- Galetti Jr PM, Lima NRW, Venere PC (1995) A monophyletic ZW sex chromosome sys-
tem in *Leporinus* (Anostomidae, Characiformes). *Cytologia* 60: 375–382. <https://doi.org/10.1508/cytologia.60.375>
- Garcia C, Moreira-Filho O, Bertollo LAC, Centofante L (2003) B chromosomes and natu-
ral triploidy in *Rhamdia* sp (Pisces, Siluriformes, Heptapteridae). *Cytologia* 68: 403–411.
<https://doi.org/10.1508/cytologia.68.403>
- Giuliano-Caetano L, Bertollo LAC (1988) Karyotype variability in *Hoplerythrinus unitaeniatus*
(Characiformes, Erythrinidae). I. Chromosome polymorphism in the Rio Negro popula-
tion (Manaus, State of Amazonas). *Brazilian Journal of Genetics* 11: 299–306.
- Giuliano-Caetano L, Bertollo LAC (1990) Karyotypic variability in *Hoplerythrinus unitaeniatus*
(Pisces, Characiformes, Erythrinidae). II. Occurrence of natural triploidy. *Brazilian Journal
of Genetics* 13: 231–237.

- Jesus CM, Galetti Jr PM, Valentini SR, Moreira-Filho O (2003) Molecular characterization and chromosomal localization of two families of satellite DNA in *Prochilodus lineatus* (Pisces, Prochilodontidae), a species with B chromosomes. *Genetica* 118(1): 25–32. <https://doi.org/10.1023/A:1022986816648>
- Mariotto S, Centofante L, Miyasawa CS, Bertollo LAC, Moreira-Filho O (2009) Chromosome polymorphism in *Ancistrus cuiabae* Knaack, 1999 (Siluriformes: Loricariidae: Ancistrini). *Neotropical Ichthyology* 7: 595–600. <https://doi.org/10.1590/S1679-62252009000400006>
- Mestriner CA, Galetti Jr PM, Valentini SR, Ruiz IRG, Abel LDS, Moreira-Filho O, Camacho JPM (2000) Structural and functional evidence that a B chromosome in the characid fish *Astyanax scabripinnis* is an isochromosome. *Heredity* 85: 1–9. <https://doi.org/10.1046/j.1365-2540.2000.00702.x>
- Molina WF, Schmid M, Galetti Jr PM (1998) Heterochromatin and sex chromosomes in the Neotropical fish genus *Leporinus* (Characiformes, Anostomidae). *Cytobios* 94: 141–149.
- Moreira-Filho O, Bertollo LAC (1991) *Astyanax scabripinnis* (Pisces, Characidae): a species complex. *Brazilian Journal of Genetics* 14: 331–357.
- Moreira-Filho O, Bertollo LAC, Galetti Jr PM (1985) Karyotypic studies of some species of the family Parodontidae (Pisces, Cypriniformes). *Caryologia* 38: 47–55. <https://doi.org/10.1080/00087114.1993.10797253>
- Moreira-Filho O, Bertollo LAC, Galetti Jr PM (1993) Distribution of sex chromosome mechanisms in Neotropical fish and description of a ZZ/ZW system in *Parodon hilarii* (Parodontidae). *Caryologia* 46: 115–125. <https://doi.org/10.1080/00087114.1993.10797253>
- Moreira-Filho O, Galetti Jr PM, Bertollo LAC (2004) B chromosomes in the fish *Astyanax scabripinnis* (Characidae, Tetragonopterinae): an overview in natural populations. *Cytogenetic and Genome Research* 106: 230–234. <https://doi.org/10.1159/000079292>
- Morelli S, Bertollo LAC, Moreira-Filho O (1983) Cytogenetics considerations on the genus *Astyanax* (Pisces, Characidae). II. Occurrence of natural triploidy. *Caryologia* 36: 245–250. <https://doi.org/10.1080/00087114.1983.10797665>
- Néo DM, Bertollo LAC, Moreira-Filho O, Camacho JPM (2000) Altitudinal variation for B chromosome frequency in the characid fish *Astyanax scabripinnis*. *Heredity* 85: 136–141. <https://doi.org/10.1046/j.1365-2540.2000.00744.x>
- Oliveira C, Avelino GS, AbeK T, Mariguela TC, Benine RC, Orti G, Vari RP, Correa e Castro RM (2011) Phylogenetic relationships within the speciose family Characidae (Teleostei: Ostariophysi: Characiformes) based on multilocus analysis and extensive ingroup sampling. *BMC Evolutionary Biology* 11: 275. <https://doi.org/10.1186/1471-2148-11-275>
- Oliveira EA, Bertollo LAC, Yano CF, Liehr T, Cioffi MB (2015) Comparative cytogenetics in the genus *Hoplias* (Characiformes, Erythrinidae) highlights contrasting karyotype evolution among congeneric species. *Molecular Cytogenetics* 8: 56. <https://doi.org/10.1186/s13039-015-0161-4>
- Pauls E, Bertollo LAC (1983) Evidence for a system of supernumerary chromosomes in *Prochilodus scrofa* Steindachner, 1881 (Pisces, Prochilodontidae). *Caryologia* 36: 307–314. <https://doi.org/10.1080/00087114.1983.10797671>

- Pazza R, Kavalco KF, Bertollo LAC (2006) Chromosome polymorphism in *Astyanax fasciatus* (Teleostei, Characiformes). 1- Karyotypic analysis, Ag-NORs and mapping of the 18S and 5S ribosomal genes in sympatric karyotypes and their possible hybrid forms. *Cytogenetic and Genome Research* 112: 313–319. <https://doi.org/10.1159/000089886>
- Pazza R, Kavalco KF, Bertollo LAC (2008) Chromosome polymorphism in *Astyanax fasciatus* (Teleostei, Characidae). 2. Chromosomal location of a satellite DNA. *Cytogenetic and Genome Research* 122: 61–66. <https://doi.org/10.1159/000151317>
- Peres WAM, Buckup PA, Kantek DL, Bertollo LAC, Moreira-Filho O (2009) Chromosomal evidence of downstream dispersal of *Astyanax fasciatus* (Characiformes, Characidae) associated with river shed interconnection. *Genetica* 137: 305–311. <https://doi.org/10.1007/s10709-009-9389-4>
- Perez WAM, Bertollo LAC, Buckup PA, Blanco DR, Kantek DLZ, Moreira-Filho O (2012) Invasion, dispersion and hybridization of fish associated to river transposition: karyotypic evidence in *Astyanax*. *Reviews in Fish Biology and Fisheries* 22: 519–526. <https://doi.org/10.1007/s11160-011-9246-2>
- Reis RE, Kullander SO, Ferraris Jr CJ (2003) Check list of freshwater fishes of South and Central America. EDIPUCRS, Porto Alegre, 742 pp.
- Silva EB, Moreira-Filho O, Vicari MR, Artoni RF, Bertollo LAC, Margarido VP (2010) Cytogenetic identification of invasive fish species following connections between hydrographic basins. *Hydrobiologia* 649: 347–354. <https://doi.org/10.1007/s10750-010-0277-9>
- Venere PC, Galetti Jr PM (1985) Natural triploidy and chromosomes B in the fish *Curimata modesta* (Curimatidae, Characiformes). *Brazilian Journal of Genetics* 4: 681–687.
- Vicari MR, Artoni RF, Bertollo LAC (2003) Heterochromatin polymorphism associated with 18S rDNA: a differential pathway among *Hoplias malabaricus* fish populations. *Cytogenetic and Genome Research* 101: 24–28. <https://doi.org/10.1159/000073413>
- Vicari MR, Artoni RF, Moreira-Filho O, Bertollo LAC (2008) Diversification of a ZZ/ZW sex chromosome system in *Characidium* fish (Crenuchidae, Characiformes). *Genetica* 134: 311–317. <https://doi.org/10.1007/s10709-007-9238-2>
- Vicente VE, Moreira-Filho O, Camacho JPM (1996) Sex-ratio distortion associated with the presence of a B chromosome in *Astyanax scabripinnis* (Teleostei, Characidae). *Cytogenetics and Cell Genetics* 74: 70–75. <https://doi.org/10.1159/000134385>
- Yano CF, Bertollo LAC, Molina WF, Liehr T, Cioffi MB (2014a) Genomic organization of repetitive DNAs and its implications for male karyotype and the neo-Y chromosome differentiation in *Erythrinus erythrinus* (Characiformes, Erythrinidae). *Comparative Cytogenetics* 8: 139–151. <https://doi.org/10.3897/compcytogen.v8i2.7597>
- Yano CF, Poltronieri J, Bertollo LAC, Artoni RF, Liehr T, Cioffi MB (2014b) Chromosomal mapping of repetitive DNAs in *Triportheus trifurcatus* (Characidae, Characiformes): Insights into the differentiation of the Z and W chromosomes. *Plos One* 9: e90946. <https://doi.org/10.1371/journal.pone.0090946>
- Yano CF, Bertollo LAC, Ezaz T, Trifonov V, Sember A, Liehr T, Cioffi MB (2016) Highly conserved Z and molecularly diverged W chromosomes in the fish genus *Triportheus* (Characiformes, Triporthidae). *Heredity* 118: 276–283. <https://doi.org/10.1038/hdy.2016.83>